



Biosolids Agronomic Rate Calculation Worksheet

General Information

Ohio EPA #	29-00463	
Field ID #	GRQ-09-02	
Generator Name	Dovetail	

Biosolids Data and Beneficial Use Methods

Ammonia Nitrogen	5890.00	mg/kg
Total Kjeldahl Nitrogen	91300.00	mg/kg
Total Phosphorus	36600.00	mg/kg
Organic Nitrogen	170.82	lbs/ton
Available Nitrogen	63.03	lbs/ton
Phosphate (P ₂ O ₅)	83.81	lbs/ton
Will Immediate Incorporation / Injection be performed?	Yes	

Beneficial Use Site Information

Soil Phosphorus	23.00 ppm	Mehlich 3			
	20.24 ppm				
Please note that the agronomic rates and phosphorus index have been calculated within the <i>Calculated Agronomic Rates</i> section; however, based upon the above provided <i>Soil Phosphorus</i> result, you must utilize the most limiting factor or the <i>Phosphorus Index</i> :	The nitrogen agronomic rate, a phosphate beneficial use rate of <250 lbs/acre, a phosphate beneficial use rate of 256-500 lbs/acre if injected/incorporated within 24 hours of beneficial use or if there is >50% ground cover, or the Phosphorus Index.				
County	Greene				
Soil Type	Miamian silt loam, 2 to 6 percent slopes				
Hydrologic Soil Group	C				
Year 1	Crop 1	Crop 2	Crop 3	Crop 4	Crop 5
Crop Type(s)	Corn (Grain)				
Expected Crop Yield(s)(bu/acre or tons/acre)	180				
Year 2	Crop 1	Crop 2	Crop 3	Crop 4	Crop 5
Crop Type(s)	Soybean				
Expected Crop Yield(s)(bu/acre or tons/acre)	60				
Year 3	Crop 1	Crop 2	Crop 3	Crop 4	Crop 5
Crop Type(s)					
Expected Crop Yield(s)(bu/acre or tons/acre)					
Year 4	Crop 1	Crop 2	Crop 3	Crop 4	Crop 5
Crop Type(s)					
Expected Crop Yield(s)(bu/acre or tons/acre)					
Year 5	Crop 1	Crop 2	Crop 3	Crop 4	Crop 5
Crop Type(s)					
Expected Crop Yield(s)(bu/acre or tons/acre)					
Crop Nitrogen Requirements (Year 1)	216	lbs/acre			
Existing Available Nitrogen		lbs/acre			
Non-Biosolids Nitrogen Application		lbs/acre			
Phosphate (P ₂ O ₅) Fertilizer Application		lbs/acre			
Non-Biosolids Organic Phosphate (P ₂ O ₅) Application		lbs/acre			
Biosolids Phosphate (P ₂ O ₅) Beneficial Use	287.24	lbs/acre			
Total Organic Phosphate (P ₂ O ₅) Fertilizer Application	287.24	lbs/acre			

Phosphorus Index

Soil Loss	5 tons/acre/year	Subvalue	5
Connectivity to "waters of the State"	Concentrated flow does not leave the beneficial use site and is not adjacent to an intermittent or perenial stream.		0
Runoff Class - Slope Range	4-6%		5
Soil Phosphorus			1.42
Application - Phosphate (P ₂ O ₅) Fertilizer			0
Method - Phosphate (P ₂ O ₅) Fertilizer	None applied.		0
Application - Organic Phosphate (P ₂ O ₅) Fertilizer			17.23
Method - Organic Phosphate (P ₂ O ₅) Fertilizer	Immediate incorporation or applied on ≥80% cover.		0.5
Does runoff flow through a filter strip designed per USDA Ohio-NRCS Field Office Technical Guide Standard 393?	No		0
Total Phosphorus Index			29.15

Calculated Agronomic Rates

Nitrogen Agronomic Rate	3.43	dry tons/acre
i. Calculated Agronomic Rate	3.43	dry tons/acre
Single Year Phosphate Agronomic Rate	0.86	dry tons/acre
Multi-Year Phosphate Agronomic Rate	1.43	dry tons/acre
Phosphorus Index	Medium potential for phosphorus runoff. Use the Nitrogen Agronomic Rate.	

Beneficial Use Site Records

Quantity of Biosolids Beneficially Used		dry tons
Phosphate (P ₂ O ₅) Beneficially Used Per Acre	#DIV/0!	lbs/acre
Acreage		
Date Biosolids Delivered to Beneficial Use Site		
Dates of Beneficial Use		to
Total Days Biosolids Stored at Beneficial Use Site	0.00	Days
Date Signage Posted at Beneficial Use Site		<input type="checkbox"/> Yes
Date Signage Removed from Beneficial Use Site		<input type="checkbox"/> No
Is a permanent sign posted at the beneficial use site?		

Quantity
Dry Tons Gallons

Concentrated flow does not leave the beneficial use site and is adjacent to an intermittent or perennial stream.
Concentrated flow does not leave the beneficial use site and is not adjacent to an intermittent or perennial stream.
Concentrated flow leaves the beneficial use site and is adjacent to and/or the concentrated flow outlet into a perennial s
Concentrated flow leaves the beneficial use site and is adjacent to and/or the concentrated flow outlet into an intermitt
Concentrated flow leaves the beneficial use site and is not adjacent to an intermittent or perennial stream.

Immediate incorporation or applied on ≥80% cover.
Incorporation in > one week and ≤ three months or applied on 30% to 49% cover.
Incorporation in ≤ one week or applied on 50% to 80% cover.
No incorporation or incorporation in > three months or applied on <30% cover.
None applied.

Immediate incorporation or applied on ≥80% cover.
Incorporation in > one week and ≤ three months or applied on 30% to 49% cover.
Incorporation in ≤ one week or applied on 50% to 80% cover.
No incorporation or incorporation in > three months or applied on <30% cover.
None applied.

Yield	Crop	Nitrogen Removal
bu/acre	Alfalfa	57
ton/acre	Cool-Season Grasses	40
	Corn (Grain)	0.9
	Corn (Silage)	9.4
	Corn (Stover)	0.7
	Oats (Grain)	0.7
	Oats (Straw)	0.4
	Sorghum-Grain (Grain)	0.8
	Sorghum-Grain (Stover)	0.6
	Soybean	3.8
	Sugar Beats	4
	Wheat (Grain)	1.3
	Wheat (Straw)	0.4
	Range 1	Range 2
4		0 15
0		16 30
16		31 45
12		46
8		

0.75	Crop 1
3	1 - P ₂ O ₅ Removal Multiplier 0.4
1.5	2 - P ₂ O ₅ Removal Multiplier 0.8
6	3 - P ₂ O ₅ Removal Multiplier 0
0	4 - P ₂ O ₅ Removal Multiplier 0
	5 - P ₂ O ₅ Removal Multiplier 0
0.5	1 - P ₂ O ₅ Removal Rate 72
2	2 - P ₂ O ₅ Removal Rate 48
1	3 - P ₂ O ₅ Removal Rate 0
4	4 - P ₂ O ₅ Removal Rate 0
0	5 - P ₂ O ₅ Removal Rate 0

Phosphate (P ₂ O ₅) Removal	Units
13.0	lb/ton
13.0	lb/ton
0.4	lb/bu
3.2	lb/bu
0.2	lb/ton
0.3	lb/bu
0.2	lb/bu
0.2	lb/bu
0.4	lb/bu
0.8	lb/bu
2.0	lb/ton
0.6	lb/bu
0.1	lb/bu

Result

Low potential for phosphorus runoff. Use the Nitrogen Agronomic Rate.

Medium potential for phosphorus runoff. Use the Nitrogen Agronomic Rate.

High potential for phosphorus runoff. Use the Phosphate Agronomic Rate (single or multi year).

Very high potential for phosphorus runoff. Beneficial use of biosolids is prohibited.

Crop 2	Crop 3
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0

	Extraction Type	Hydrologic Soil Group	Slope range					
			<1%	1-3%	4-6%	7-10%	11-15%	>15%
	Bray-Kurtz P1 Mehlich 3	A	0	1	2	3	4	6
		B	1	2	3	5	6	8
		C	3	4	5	7	9	11
		D	6	7	8	10	12	15

No	0	No	1
Yes	-2	Yes	0.5

Soil Column	3
Slope Row	3

Crop 4	Crop 5	Bray-Kurtz P1	1
0	0	Mehlich 3	0.88
0	0	72 48	
0	0		
0	0		
0	0		
0	0		
0	0		
0	0		
0	0		
0	0		
0	0		

Adams

Aaron silt loam, 0 to 2 percent slopes
Aaron silt loam, 2 to 6 percent slopes
Berks silt loam, 15 to 25 percent slopes
Bratton silt loam, 2 to 8 percent slopes
Bratton-Opequon complex, 8 to 15 percent slopes, eroded
Brushcreek silt loam, 6 to 12 percent slopes, eroded
Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Crider silt loam, 1 to 6 percent slopes
Eden flaggy silt loam, 25 to 40 percent slopes
Eden flaggy silt loam, 40 to 70 percent slopes
Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded
Eden flaggy silty clay loam, 40 to 70 percent slopes, eroded
Elkinsville silt loam, 1 to 6 percent slopes
Elkinsville silt loam, 2 to 6 percent slopes
Faywood silt loam, 8 to 15 percent slopes, eroded
Faywood silty clay loam, 15 to 25 percent slopes, eroded
Faywood-Lowell silt loams, 8 to 15 percent slopes, eroded
Gessie loam, frequently flooded
Jessup silt loam, 1 to 8 percent slopes
Jessup silt loam, 15 to 25 percent slopes, eroded
Jessup silt loam, 25 to 35 percent slopes, eroded
Jessup silt loam, 8 to 15 percent slopes, eroded
Latham silt loam, 15 to 25 percent slopes, eroded
Latham silt loam, 8 to 15 percent slopes
Latham-Wharton silt loams, 15 to 25 percent slopes
Licking silt loam, 1 to 6 percent slopes
Licking silt loam, 15 to 25 percent slopes, eroded
Licking silt loam, 6 to 15 percent slopes, eroded
Loudon silt loam, 0 to 2 percent slopes
Loudon silt loam, 2 to 6 percent slopes
Loudon silt loam, 6 to 15 percent slopes, eroded
Lowell silt loam, 2 to 8 percent slopes
Lowell silt loam, 8 to 15 percent slopes, eroded
McGary variant silty clay loam, 0 to 3 percent slopes, rarely flooded
Newark silt loam, frequently flooded
Nicholson silt loam, 1 to 6 percent slopes
Nolin silt loam, occasionally flooded
Omulga silt loam, 1 to 6 percent slopes
Omulga silt loam, 6 to 15 percent slopes, eroded
Opequon clay, 6 to 18 percent slopes, severely eroded
Opequon silty clay loam, 15 to 25 percent slopes, eroded
Opequon silty clay loam, 25 to 40 percent slopes, eroded
Opequon silty clay loam, 40 to 60 percent slopes, very rocky
Otwell silt loam, 1 to 6 percent slopes

Allen

Alvada loam, 0 to 1 percent slopes
Alvada silty clay loam, 0 to 1 percent slopes
Arkport loamy fine sand, 2 to 6 percent slopes
Aurand loam, 0 to 3 percent slopes
Aurand silt loam, 0 to 3 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Blount-Jenera complex, 0 to 3 percent slopes
Blount-Urban land complex, 0 to 2 percent slopes
Cygnet loam, 0 to 3 percent slopes
Darroch loam, 0 to 2 percent slopes
Eldean silt loam, 1 to 4 percent slopes
Flatrock silt loam, limestone substratum, 0 to 2 percent slopes, occasionally flooded
Fox loam, 12 to 18 percent slopes, eroded
Fox loam, 2 to 6 percent slopes
Fox silt loam, 0 to 2 percent slopes
Fox-Lybrand complex, 6 to 12 percent slopes, eroded
Gallman loam, 0 to 2 percent slopes
Gallman loam, 2 to 6 percent slopes
Gallman loam, 6 to 12 percent slopes
Gallman silt loam, 0 to 2 percent slopes
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood loam, 0 to 2 percent slopes
Glynwood loam, 2 to 4 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 6 to 12 percent slopes
Glynwood silt loam, ground moraine, 6 to 12 percent slopes
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Glynwood-Urban land complex, 2 to 6 percent slopes
Harrod silt loam, 0 to 1 percent slopes, frequently flooded
Houcktown loam, 0 to 2 percent slopes
Houcktown loam, 2 to 6 percent slopes
Houcktown sandy loam, 0 to 2 percent slopes
Houcktown sandy loam, 2 to 4 percent slopes
Houcktown silt loam, 0 to 2 percent slopes
Houcktown silt loam, 2 to 4 percent slopes
Houcktown-Glynwood complex, 6 to 12 percent slopes, eroded
Hoytville silty clay loam, 0 to 1 percent slopes
Hoytville silty clay, 0 to 1 percent slopes
Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded
Lybrand silt loam, 20 to 55 percent slopes
Lybrand silty clay loam, 12 to 20 percent slopes, eroded
Medway silt loam, 0 to 2 percent slopes, occasionally flooded

Ashland

Alexandria silt loam, 12 to 18 percent slopes, eroded
Alexandria silt loam, 18 to 25 percent slopes
Alexandria silt loam, 25 to 50 percent slopes
Alexandria silt loam, 6 to 12 percent slopes, moderately eroded
Alexandria silty clay loam, 12 to 18 percent slopes, eroded
Algiers silt loam
Amanda loam, 18 to 25 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes, moderately eroded
Bennington-Tiro silt loams, 0 to 2 percent slopes
Berks channery silt loam, 12 to 18 percent slopes
Berks-Rock outcrop complex, 30 to 60 percent slopes
Bogart gravelly loam, 0 to 2 percent slopes
Bogart gravelly loam, 2 to 6 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville-Rock outcrop complex, 35 to 70 percent slopes
Brownsville-Westmoreland complex, 18 to 25 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes
Cardington silt loam, 6 to 12 percent slopes, eroded
Cardington silty clay loam, 6 to 12 percent slopes, severely eroded
Carlisle muck
Chili and Conotton gravelly loams, 12 to 18 percent slopes
Chili and Conotton gravelly loams, 18 to 35 percent slopes
Chili and Conotton soils, 12 to 18 percent slopes
Chili and Conotton soils, 18 to 25 percent slopes
Chili gravelly loam, 12 to 25 percent slopes, eroded
Chili gravelly loam, 6 to 12 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 12 to 18 percent slopes, eroded
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Chili loam, 6 to 12 percent slopes, eroded
Chili silt loam, 2 to 6 percent slopes
Chili-Amanda complex, 18 to 25 percent slopes
Chili-Wooster complex, 12 to 18 percent slopes
Chili-Wooster complex, 18 to 25 percent slopes

Ashtabula

Blakeslee silt loam, 0 to 2 percent slopes
Blakeslee silt loam, 2 to 6 percent slopes
Blakeslee silt loam, 6 to 12 percent slopes
Cambridge silt loam, 12 to 18 percent slopes
Cambridge silt loam, 2 to 6 percent slopes
Cambridge silt loam, 6 to 12 percent slopes
Canadice silt loam, 0 to 2 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Caneadea-Canadice silt loams, 0 to 2 percent slopes
Cardinal silt loam, 12 to 18 percent slopes, eroded
Cardinal silt loam, 18 to 50 percent slopes
Cardinal silt loam, 6 to 12 percent slopes, eroded
Carlisle muck, 0 to 1 percent slopes
Chenango gravelly loam, 0 to 2 percent slopes
Chenango gravelly loam, 12 to 18 percent slopes
Chenango gravelly loam, 2 to 6 percent slopes
Chenango gravelly loam, 6 to 12 percent slopes
Colonie loamy fine sand, 12 to 18 percent slopes
Colonie loamy fine sand, 2 to 6 percent slopes
Colonie-Urban land complex, 2 to 6 percent slopes
Conneaut silt loam, 0 to 2 percent slopes
Darien and Platea silt loams, 6 to 12 percent slopes
Darien and Platea silt loams, 6 to 12 percent slopes, eroded
Darien-Hornell silt loams, 2 to 6 percent slopes
Elnora loamy fine sand, 1 to 5 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Gageville silt loam, 18 to 50 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 12 to 18 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Harbor fine sandy loam, 0 to 3 percent slopes
Harbor fine sandy loam, 6 to 12 percent slopes
Harbor-Urban land complex, 0 to 6 percent slopes
Holly silt loam, 0 to 2 percent slopes, frequently flooded
Hornell silt loam, 0 to 2 percent slopes
Hornell silt loam, 2 to 6 percent slopes
Kingsville loamy fine sand, 0 to 2 percent slopes
Mill silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Orrville silt loam, 0 to 2 percent slopes, frequently flooded
Otisville gravelly sandy loam, 6 to 12 percent slopes
Painesville fine sandy loam, 0 to 2 percent slopes
Painesville-Urban land complex, 0 to 2 percent slopes

Athens

Aaron silt loam, 6 to 12 percent slopes, eroded
Aaron silt loam, 6 to 15 percent slopes
Aaron-Gilpin complex, 6 to 12 percent slopes, eroded
Aaron-Gilpin complex, 8 to 15 percent slopes
Barkcamp gravelly sandy loam, 40 to 70 percent slopes
Berks-Westmoreland silt loams, 15 to 25 percent slopes
Berks-Westmoreland silt loams, 25 to 40 percent slopes
Berks-Westmoreland silt loams, 40 to 70 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 20 to 40 percent slopes
Bethesda channery loam, 20 to 70 percent slopes
Bethesda channery loam, 40 to 70 percent slopes
Bethesda channery loam, 8 to 20 percent slopes
Bethesda shaly silty clay loam, 25 to 40 percent slopes
Bethesda shaly silty clay loam, 40 to 70 percent slopes
Bethesda shaly silty clay loam, 8 to 25 percent slopes
Brookside silt loam, 15 to 25 percent slopes
Brookside silt loam, 25 to 40 percent slopes
Brookside silt loam, 8 to 15 percent slopes
Chagrin loam, rarely flooded
Chagrin silt loam, frequently flooded
Clymer loam, 8 to 15 percent slopes
Dekalb and Gilpin stony soils, 25 to 70 percent slopes
Dekalb loam, 25 to 40 percent slopes
Dekalb-Westmoreland complex, 15 to 25 percent slopes
Dekalb-Westmoreland complex, 25 to 40 percent slopes
Dekalb-Westmoreland complex, 40 to 70 percent slopes
Dekalb-Westmoreland complex, benched, 40 to 70 percent slopes
Doles silt loam, 0 to 3 percent slopes
Elba-Brookside-Berks complex, 40 to 70 percent slopes
Euclid silt loam, rarely flooded
Fairpoint shaly clay loam, 25 to 40 percent slopes
Fairpoint shaly clay loam, 40 to 70 percent slopes
Fairpoint silt loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Gallia loam, 6 to 12 percent slopes
Gallia loam, 8 to 15 percent slopes
Gallia silt loam, 6 to 12 percent slopes
Gallipolis silt loam, 2 to 6 percent slopes
Germano-Gilpin complex, 15 to 25 percent slopes
Germano-Gilpin complex, 25 to 40 percent slopes
Gilpin silt loam, 12 to 18 percent slopes
Gilpin silt loam, 25 to 35 percent slopes
Gilpin silt loam, 6 to 12 percent slopes
Gilpin silt loam, 8 to 15 percent slopes, eroded
Gilpin-Aaron complex, 6 to 15 percent slopes

Auglaize

Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 6 percent slopes
Carlisle muck
Carlisle silty clay loam
Cygnet loam, 0 to 3 percent slopes
Defiance silty clay, frequently flooded
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, till substratum, 0 to 3 percent slopes
Digby loam, 0 to 2 percent slopes
Digby loam, 2 to 6 percent slopes
Digby variant silt loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 6 to 12 percent slopes
Eldean silt loam, 0 to 3 percent slopes
Eldean silt loam, 1 to 4 percent slopes
Gallman loam, 2 to 6 percent slopes
Genesee silt loam, occasionally flooded
Glynwood clay loam, 12 to 18 percent slopes, severely eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, severely eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Glynwood silt loam, 6 to 12 percent slopes
Glynwood-Urban land complex, 2 to 6 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Houcktown loam, 2 to 6 percent slopes
Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded
Latty silty clay
McGary silt loam, 0 to 4 percent slopes
Milford silty clay
Milford silty clay loam
Millgrove clay loam
Minster silty clay loam, 0 to 1 percent slopes
Minster silty clay loam, gravelly substratum, 0 to 1 percent slopes
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Morley clay loam, 12 to 18 percent slopes, eroded
Muskego muck
Pewamo silt loam, overwash
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded
Saranac silty clay loam, 0 to 1 percent slopes, rarely flooded
Saranac silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded

Belmont

Allegheny variant loam, 8 to 15 percent slopes
Ashton silt loam, occasionally flooded
Barkcamp clay loam, 0 to 8 percent slopes
Barkcamp clay loam, 8 to 25 percent slopes
Barkcamp gravelly sandy loam, 0 to 8 percent slopes
Barkcamp gravelly sandy loam, 8 to 40 percent slopes
Barkcamp very flaggy sandy loam, 8 to 40 percent slopes, very stony
Barkcamp very stony sandy loam, 40 to 70 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda shaly silty clay loam, 0 to 8 percent slopes
Bethesda shaly silty clay loam, 25 to 40 percent slopes
Bethesda shaly silty clay loam, 8 to 25 percent slopes
Bethesda silt loam, 0 to 8 percent slopes
Bethesda silt loam, 8 to 25 percent slopes
Bethesda very cobbly silty clay loam, 40 to 70 percent slopes
Brookside silty clay loam, 15 to 25 percent slopes
Brookside silty clay loam, 25 to 40 percent slopes
Brookside silty clay loam, 8 to 15 percent slopes
Chagrin silt loam, occasionally flooded
Chili gravelly loam, 3 to 8 percent slopes
Chili-Urban land complex, 0 to 8 percent slopes
Culleoka silt loam, 3 to 8 percent slopes
Culleoka silt loam, 8 to 15 percent slopes
DeKalb channery loam, 25 to 70 percent slopes, very stony
DeKalb loam, 15 to 25 percent slopes
DeKalb loam, 25 to 40 percent slopes
DeKalb loam, 3 to 8 percent slopes
DeKalb loam, 8 to 15 percent slopes
DeKalb moderately channery loam, 40 to 70 percent slopes
Duncannon-Urban land complex, 0 to 15 percent slopes
Elba silty clay loam, 15 to 25 percent slopes
Elba silty clay loam, 25 to 40 percent slopes
Elba silty clay loam, 3 to 8 percent slopes
Elba silty clay loam, 8 to 15 percent slopes
Elkinsville silt loam, 15 to 25 percent slopes
Elkinsville silt loam, 3 to 8 percent slopes
Elkinsville silt loam, 8 to 15 percent slopes
Fairpoint gravelly clay loam, 0 to 8 percent slopes
Fairpoint gravelly clay loam, 8 to 25 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Hartshorn silt loam, occasionally flooded
Lowell silt loam, 15 to 25 percent slopes
Lowell silt loam, 25 to 40 percent slopes
Lowell silt loam, 3 to 8 percent slopes

Brown

Algiers silt loam, frequently flooded
Algiers silt loam
Allegheny loam, 12 to 20 percent slopes
Atlas silt loam, 2 to 6 percent slopes
Atlas silt loam, 2 to 6 percent slopes, moderately eroded
Atlas silt loam, 6 to 12 percent slopes, moderately eroded
Atlas silt loam, 2 to 6 percent slopes
Atlas silt loam, 2 to 6 percent slopes, moderately eroded
Atlas silty clay loam, 6 to 12 percent slopes, eroded
Atlas silt loam, 6 to 12 percent slopes, severely eroded
Bonnell silt loam, 15 to 25 percent slopes, eroded
Bonnell silt loam, 25 to 40 percent slopes
Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded
Blanchester silty clay loam, 0 to 1 percent slopes
Boonesboro silt loam, frequently flooded
Bonnell silt loam, 15 to 25 percent slopes, eroded
Bonnell silt loam, 25 to 40 percent slopes
Bonnell silt loam, 40 to 60 percent slopes
Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded
Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Chavies fine sandy loam, 2 to 6 percent slopes
Chavies fine sandy loam, 6 to 12 percent slopes
Chili loam, 35 to 70 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Cincinnati and Hickory soils, 12 to 25 percent slopes, severely eroded
Clermont silt loam, 0 to 1 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Cynthiana-Faywood complex, rocky, 20 to 35 percent slopes, eroded
Cynthiana-Faywood complex, very rocky, 12 to 30 percent slopes, eroded
Eden flaggy silt loam, 25 to 40 percent slopes
Eden flaggy silt loam, 40 to 70 percent slopes
Edenton loam, 6 to 12 percent slopes, moderately eroded
Edenton silt loam, 12 to 18 percent slopes, moderately eroded
Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded
Eden flaggy silty clay loam, 40 to 70 percent slopes, eroded
Eden silt loam, 6 to 20 percent slopes, eroded
Eel silt loam
Eden flaggy silty clay loam, 6 to 20 percent slopes, eroded
Eden flaggy silty clay loam, 20 to 35 percent slopes, eroded
Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded
Elkinsville silt loam, 2 to 6 percent slopes
Elk silt loam, 6 to 12 percent slopes
Elkinsville silt loam, 6 to 12 percent slopes, eroded
Elk silt loam, 0 to 2 percent slopes, occasionally flooded

Butler

Abscota sand, calcareous variant
Algiers silt loam
Brookston silty clay loam
Brenton silt loam
Carmel silt loam, 6 to 12 percent slopes, eroded
Casco loam, 2 to 6 percent slopes, moderately eroded
Casco loam, 6 to 12 percent slopes, moderately eroded
Carmel silty clay loam, 6 to 12 percent slopes, severely eroded
Casco and Rodman gravelly loams, 6 to 18 percent slopes, moderately eroded
Casco and Rodman gravelly loams, 18 to 35 percent slopes
Casco loam, 35 to 70 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, eroded
Casco and Rodman gravelly loams, 18 to 35 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cincinnati silt loam, 3 to 8 percent slopes, eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cope silt loam
Cope silty clay loam
Crosby silt loam, 0 to 2 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Cyclone silt loam, 0 to 2 percent slopes
Cyclone silt loam
Cyclone silt loam, 0 to 2 percent slopes
Dana silt loam, 0 to 2 percent slopes
Dana silt loam, 2 to 6 percent slopes
Dearborn loam, frequently flooded
Dana silt loam, bedrock substratum, 2 to 8 percent slopes
Dana silt loam, 2 to 6 percent slopes
Eden flaggy silty clay, 15 to 25 percent slopes, eroded
Eden silty clay loam, 25 to 40 percent slopes
Eden silty clay loam, 15 to 25 percent slopes, moderately eroded
Eden silty clay loam, 25 to 50 percent slopes, moderately eroded
Eden-Urban land complex, 3 to 8 percent slopes
Eden-Urban land complex, 8 to 15 percent slopes
Eden complex, 6 to 12 percent slopes, moderately eroded
Eden complex, 25 to 35 percent slopes, moderately eroded
Eden very flaggy silty clay, 25 to 60 percent slopes, stony
Eel silt loam
Eel silt loam, gravelly substratum, 0 to 1 percent slopes, occasionally flooded
Eldean gravelly clay loam, 6 to 12 percent slopes, severely eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes, moderately eroded
Eldean loam, 6 to 12 percent slopes, moderately eroded

Carroll

Aaron silty clay loam, 6 to 15 percent slopes, eroded
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 2 to 6 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks shaly silt loam, 15 to 25 percent slopes
Berks shaly silt loam, 25 to 40 percent slopes
Berks shaly silt loam, 3 to 8 percent slopes
Berks shaly silt loam, 40 to 70 percent slopes
Berks shaly silt loam, 8 to 15 percent slopes
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery clay loam, 8 to 25 percent slopes
Bethesda channery silty clay loam, 25 to 70 percent slopes
Boyer loam, 0 to 4 percent slopes
Chili gravelly loam, 3 to 8 percent slopes
Chili loam, 2 to 6 percent slopes
Chili silt loam, 0 to 3 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 3 to 8 percent slopes
Chili silt loam, 8 to 15 percent slopes
Chili-Urban land complex, undulating
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 3 to 8 percent slopes
Coshocton silt loam, 6 to 15 percent slopes
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey silt loams, 8 to 15 percent slopes
Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
Coshocton-Keene silt loams, 3 to 8 percent slopes
Culleoka silt loam, 3 to 8 percent slopes
Elba silty clay loam, 3 to 8 percent slopes
Elba silty clay loam, 8 to 15 percent slopes, eroded
Elba-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Elkinsville silt loam, rarely flooded
Fairpoint channery clay loam, 25 to 70 percent slopes
Fairpoint channery clay loam, 8 to 25 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint very channery silt loam, 25 to 70 percent slopes
Fairpoint very channery silt loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, 3 to 8 percent slopes
Germano fine sandy loam, 6 to 15 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 6 to 12 percent slopes

Champaign

Adrian muck, drained
Algiers silt loam
Blount silt loam, 0 to 2 percent slopes
Brookston silty clay loam
Brookston silty clay loam, 0 to 2 percent slopes
Brookston silty clay loam, 2 to 6 percent slopes
Carlisle muck
Casco loam, 2 to 6 percent slopes
Casco loam, 6 to 12 percent slopes, moderately eroded
Casco gravelly loam, 12 to 20 percent slopes, eroded
Casco-Eldean complex, 12 to 18 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Casco gravelly loam, 12 to 20 percent slopes, eroded
Casco gravelly loam, 12 to 18 percent slopes, moderately eroded
Celina-Strawn complex, 0 to 2 percent slopes
Celina-Strawn complex, 2 to 6 percent slopes
Casco-Eldean complex, 12 to 18 percent slopes, moderately eroded
Casco-Miami-Fox complex, 12 to 18 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, moderately eroded
Celina silt loam, 6 to 12 percent slopes, moderately eroded
Celina bouldery silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby bouldery silt loam, 0 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 2 to 6 percent slopes
Del Rey silt loam, 2 to 6 percent slopes
Edwards muck
Eel silt loam
Eldean loam, 2 to 6 percent slopes
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes, eroded
Eldean silt loam, 6 to 12 percent slopes, moderately eroded
Eldean-Casco complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, severely eroded
Eldean-Miamian complex, 18 to 30 percent slopes, eroded
Fox loam, 2 to 6 percent slopes
Fox sandy loam, 2 to 6 percent slopes
Fox silt loam, 0 to 2 percent slopes

Clark

Adrian muck, drained
Adrian muck, undrained
Algiers silt loam
Brookston silty clay loam
Carlisle muck, drained
Carlisle muck, undrained
Casco gravelly loam, 12 to 20 percent slopes, eroded
Casco gravelly loam, 12 to 20 percent slopes, eroded
Casco-Rodman loams, 18 to 50 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina-Strawn complex, 0 to 2 percent slopes
Celina-Strawn complex, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 2 to 6 percent slopes
Donnelsville channery silt loam, 18 to 30 percent slopes
Donnelsville-Rock outcrop complex, 30 to 70 percent slopes
Drummer silty clay loam, gravelly substratum
Eldean loam, 2 to 6 percent slopes
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes, eroded
Eldean silt loam, 6 to 12 percent slopes, eroded
Eldean-Casco complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Eldean-Miamian complex, 2 to 6 percent slopes
Eldean-Miamian complex, 2 to 6 percent slopes, eroded
Eldean-Miamian complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 6 to 12 percent slopes, severely eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, severely eroded
Eldean-Miamian complex, 18 to 30 percent slopes, eroded
Eldean-Casco complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 2 to 6 percent slopes
Eldean-Rodman complex, 18 to 30 percent slopes, severely eroded
Genesee silt loam, till substratum, rarely flooded
Genesee silt loam, till substratum, occasionally flooded
Ionia silt loam, 0 to 2 percent slopes
Kokomo silty clay loam
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Linwood muck, undrained
Linwood mucky silt loam, drained
Lippincott mucky silt loam

Clermont

Algiers silt loam, frequently flooded
Alluvial land, steep, (wheeling, 25 to 30 percent slopes, rarely flooded)
Ashton silt loam, 2 to 6 percent slopes (occasionally flooded)
Avonburg silt loam (0 to 4 percent slopes)
Avonburg-Urban land complex, nearly level
Bonnell silt loam, 15 to 25 percent slopes, eroded
Bonnell silt loam, 25 to 40 percent slopes
Bonnell silt loam, 40 to 60 percent slopes
Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded
Casco loam, 25 to 35 percent slopes
Chavies fine sandy loam, 0 to 6 percent slopes
Chavies fine sandy loam, 6 to 12 percent slopes
Cincinnati and Hickory soils, 12 to 25 percent slopes, severely eroded
Clermont silt loam, 0 to 1 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Eden flaggy silty clay loam, 12 to 18 percent slopes, moderately eroded
Eden flaggy silt loam, 25 to 40 percent slopes
Eden flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded
Eden flaggy silt loam, 40 to 70 percent slopes
Eden flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded
Edenton loam, 6 to 12 percent slopes, moderately eroded
Edenton loam, 12 to 18 percent slopes, moderately eroded
Edenton loam, 18 to 25 percent slopes, moderately eroded
Edenton loam, 25 to 50 percent slopes, moderately eroded
Eden silty clay loam, 25 to 40 percent slopes
Edenton clay loam, 12 to 25 percent slopes, severely eroded
Eden silty clay loam, 20 to 35 percent slopes, eroded
Edenton loam, 25 to 50 percent slopes, moderately eroded
Edenton and Fairmount soils, 25 to 50 percent slopes, severely eroded
Eel silt loam
Egam silty clay loam, (woolper 0 to 4 percent slopes)
Elkinsville silt loam, 2 to 6 percent slopes
Eldean loam, 6 to 12 percent slopes, eroded
Fairmount very flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded
Fairmount very flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded
Faywood silty clay loam, 12 to 20 percent slopes
Faywood silt loam, 15 to 25 percent slopes, eroded
Faywood-Lowell silt loams, 8 to 15 percent slopes, eroded
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 6 to 12 percent slopes, moderately eroded
Fox loam, 0 to 2 percent slopes
Fox-Urban land complex, gently sloping

Clinton

Algiers silt loam
Birkbeck silt loam, 1 to 4 percent slopes
Birkbeck silt loam, 2 to 6 percent slopes
Birkbeck silt loam, 0 to 2 percent slopes
Birkbeck silt loam, 2 to 6 percent slopes
Blanchester silty clay loam, 0 to 1 percent slopes
Bonnell silt loam, 15 to 25 percent slopes, eroded
Brookston silty clay loam
Brookston silty clay loam
Brookston silty clay loam
Casco silt loam, 12 to 18 percent slopes, eroded
Casco silt loam, 18 to 50 percent slopes, eroded
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, eroded
Celina-Crosby silt loams, 0 to 2 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Casco-Eldean loams, 12 to 18 percent slopes, moderately eroded
Celina-Losantville silt loams, 2 to 6 percent slopes
Casco-Rodman loams, 18 to 50 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes, eroded
Casco silt loam, 18 to 50 percent slopes, eroded
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Xenia silt loams, 0 to 2 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes, eroded
Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded
Clermont silt loam, 0 to 1 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Coblen loam, 0 to 2 percent slopes, rarely flooded
Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded
Crosby silt loam, 0 to 2 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded
Crouse-Miamian silt loams, 12 to 18 percent slopes, eroded
Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded
Dana silt loam, 0 to 2 percent slopes
Dunham silt loam, 0 to 2 percent slopes, overwash
Dunham silty clay loam, 0 to 2 percent slopes
Edenton loam, 6 to 12 percent slopes, moderately eroded
Edenton loam, 12 to 18 percent slopes, moderately eroded

Columbiana

Amanda loam, 35 to 70 percent slopes
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 2 to 6 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks-Urban land complex, 15 to 25 percent slopes
Berks-Urban land complex, 2 to 6 percent slopes
Berks-Urban land complex, 6 to 15 percent slopes
Bethesda very channery silt loam, 25 to 70 percent slopes
Bogart loam, 6 to 12 percent slopes, eroded
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart silt loam, 6 to 12 percent slopes
Calcutta silt loam, 0 to 3 percent slopes
Canfield silt loam, 12 to 20 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 20 to 35 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Carlisle muck, 0 to 1 percent slopes
Chili loam, 12 to 20 percent slopes, eroded
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 6 to 12 percent slopes
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 6 to 15 percent slopes
Doles silt loam, 0 to 3 percent slopes
Ernest silt loam, 15 to 25 percent slopes
Ernest silt loam, 6 to 15 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Fairpoint very channery silt loam, 0 to 8 percent slopes
Fairpoint very channery silt loam, 25 to 70 percent slopes
Fairpoint very channery silt loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fredericktown gravelly loam, 15 to 25 percent slopes, eroded
Fredericktown gravelly loam, 6 to 15 percent slopes, eroded
Fredericktown silt loam, 2 to 6 percent slopes
Frenchtown silt loam, 0 to 2 percent slopes
Gavers silt loam, 2 to 6 percent slopes
Germano fine sandy loam, 15 to 25 percent slopes
Germano fine sandy loam, 6 to 15 percent slopes
Gilpin silt loam, 15 to 25 percent slopes

Coshocton

Aaron silt loam 6 to 15 percent slopes, eroded
Aaron silt loam, 2 to 6 percent slopes
Aaron silt loam, 2 to 8 percent slopes
Aaron silt loam, 8 to 15 percent slopes
Aaron silt loam, 8 to 15 percent slopes, eroded
Alford silt loam, 2 to 6 percent slopes
Alford silt loam, 6 to 15 percent slopes, eroded
Alford silt loam, 8 to 15 percent slopes, eroded
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda channery loam, 8 to 25 percent slopes
Bethesda clay loam, 25 to 40 percent slopes
Bethesda loam, 0 to 8 percent slopes
Bethesda loam, 25 to 40 percent slopes
Bethesda loam, 8 to 25 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 35 to 70 percent slopes
Brownsville-Westmoreland complex, 25 to 40 percent slopes
Caneadea silt loam, 0 to 2 percent slopes
Chavies loam, 0 to 2 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 15 to 25 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 25 to 35 percent slopes
Chili loam, 6 to 15 percent slopes
Chili-Urban land complex, 0 to 2 percent slopes
Chili-Urban land complex, 2 to 6 percent slopes
Cidermill silt loam, 0 to 2 percent slopes
Cidermill silt loam, 2 to 6 percent slopes
Clarksburg silt loam, 15 to 25 percent slopes
Clarksburg silt loam, 6 to 15 percent slopes
Clarksburg silt loam, 8 to 15 percent slopes, eroded
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 15 to 25 percent slopes, eroded
Coshocton silt loam, 15 to 25 percent slopes, very stony
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 25 to 35 percent slopes
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton silt loam, 6 to 15 percent slopes, very stony
Coshocton silt loam, 8 to 15 percent slopes, eroded
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
Coshocton-Rigley complex, 15 to 25 percent slopes

Crawford

Alexandria silt loam, 12 to 18 percent slopes, moderately eroded
Alexandria silt loam, 2 to 6 percent slopes
Alexandria silt loam, 6 to 12 percent slopes, moderately eroded
Algiers silt loam
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 3 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes, eroded
Bennington-Fitchville silt loams, 2 to 6 percent slopes
Bennington-Urban land complex, undulating
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bono silty clay loam
Cardington silt loam, 12 to 18 percent slopes, moderately eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, moderately eroded
Cardington silt loam, 6 to 12 percent slopes
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Cardington-Urban land complex, rolling
Carlisle muck
Centerburg silt loam, 1 to 4 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 6 to 12 percent slopes, eroded
Chili loam, 0 to 2 percent slopes
Chili loam, 12 to 18 percent slopes, moderately eroded
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes, moderately eroded
Colwood silt loam
Condit silt loam
Condit silty clay loam
Condit-Bennington silt loams
Del Rey silt loam, 0 to 2 percent slopes
Elliott silt loam, 0 to 3 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Gallman silt loam, 0 to 2 percent slopes
Gallman silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 12 to 18 percent slopes, moderately eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Hennepin-Alexandria silt loams, 18 to 50 percent slopes

Cuyahoga

Allis silt loam
Allis-Urban land complex
Bogart loam, 2 to 6 percent slopes
Bogart-Urban land complex, undulating
Brecksville silt loam, 25 to 70 percent slopes
Canadice silty clay loam
Caneadea silt loam, 0 to 2 percent slopes
Carlisle silty clay loam
Chagrin silt loam, occasionally flooded
Chili gravelly loam, 12 to 18 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Condit silty clay loam
Condit-Urban land complex
Darien silt loam, 0 to 2 percent slopes
DeKalb-Loudonville complex, 25 to 70 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 25 to 70 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth-Urban land complex, rolling
Euclid silt loam
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Geeburg-Mentor silt loams, 25 to 70 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins-Urban land complex, nearly level
Holly silt loam, frequently flooded
Hornell silt loam, 12 to 18 percent slopes
Hornell silt loam, 2 to 6 percent slopes
Hornell silt loam, 6 to 12 percent slopes
Jimtown loam, 0 to 3 percent slopes
Jimtown-Urban land complex, nearly level
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville-Urban land complex, rolling
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning-Urban land complex, undulating
Mermill loam
Miner silty clay loam

Darke

Algiers silt loam, occasionally flooded
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 2 to 6 percent slopes, moderately eroded
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Brookston silty clay loam
Brookston silty clay loam
Carlisle muck
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, eroded
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Edwards muck
Eel silt loam, occasionally flooded
Eel silt loam, gravelly substratum, 0 to 1 percent slopes, occasionally flooded
Eel silt loam, gravelly substratum, 0 to 1 percent slopes, occasionally flooded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 2 to 6 percent slopes, moderately eroded
Eldean silt loam, 2 to 6 percent slopes
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean-Casco gravelly loams, 6 to 12 percent slopes, moderately eroded
Eldean-Miamian complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Eldean-Morley complex, 2 to 6 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, eroded
Genesee silt loam
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Glynwood silt loam, 12 to 18 percent slopes, moderately eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded

Defiance

Belmore loam, 2 to 6 percent slopes
Blount loam, 0 to 2 percent slopes
Blount loam, 0 to 3 percent slopes
Blount loam, 2 to 6 percent slopes
Bono silty clay loam
Boyer loamy sand, 1 to 6 percent slopes
Boyer loamy sand, 6 to 12 percent slopes
Bronson sandy loam, 1 to 6 percent slopes
Broughton clay, 12 to 18 percent slopes, moderately eroded
Broughton clay, 6 to 12 percent slopes, severely eroded
Broughton silt loam, 12 to 35 percent slopes
Broughton silty clay loam, 18 to 35 percent slopes, eroded
Broughton silty clay, 6 to 12 percent slopes, severely eroded
Carlisle muck
Colwood loam
Defiance silty clay loam, frequently flooded
Del Rey loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey Variant silt loam, 0 to 3 percent slopes
Digby loam, 0 to 3 percent slopes
Eel loam
Flatrock silt loam, frequently flooded
Fulton loam, 0 to 2 percent slopes
Fulton loam, 0 to 3 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 0 to 3 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes
Fulton silty clay loam, loamy substratum, 0 to 2 percent slopes
Genesee loam, occasionally flooded
Gilford fine sandy loam
Glynwood loam, 12 to 18 percent slopes, moderately eroded
Glynwood loam, 2 to 6 percent slopes
Glynwood loam, 2 to 6 percent slopes, eroded
Glynwood loam, 6 to 12 percent slopes, eroded
Granby loamy sand, clayey substratum
Haney loam, 1 to 6 percent slopes
Haskins fine sandy loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 3 percent slopes
Haskins loamy sand, 0 to 2 percent slopes
Haskins sandy loam, 0 to 3 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Hoytville clay, 0 to 1 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Kibbie loam, 0 to 3 percent slopes

Delaware

Amanda silt loam, 12 to 18 percent slopes, eroded
Amanda silt loam, 18 to 25 percent slopes
Amanda silt loam, 25 to 50 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 4 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 6 to 12 percent slopes, eroded
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 6 to 12 percent slopes, eroded
Condit silt loam, 0 to 1 percent slopes
Edwards muck, 0 to 1 percent slopes
Gallman loam, loamy substratum, 6 to 12 percent slopes, eroded
Gallman silt loam, loamy substratum, 0 to 2 percent slopes
Gallman silt loam, loamy substratum, 2 to 6 percent slopes
Gallman silt loam, till substratum, 2 to 6 percent slopes
Glynwood clay loam, 2 to 6 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, severely eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Heverlo silt loam, 25 to 70 percent slopes
Hyatts silt loam, 0 to 2 percent slopes
Hyatts silt loam, 2 to 4 percent slopes
Jimtown silt loam, 0 to 2 percent slopes
Latham-Brecksville complex, 25 to 70 percent slopes
Leoni gravelly loam, 12 to 25 percent slopes
Lobdell silt loam, channery substratum, 0 to 2 percent slopes, occasionally flooded
Lobdell, channery substratum-Sloan, till substratum complex, 0 to 2 percent slopes, occasionally flooded
Loudonville silt loam, 2 to 6 percent slopes
Lybrand silt loam, 12 to 18 percent slopes, eroded
Lybrand silt loam, 18 to 25 percent slopes, eroded
Lybrand silty clay loam, 12 to 18 percent slopes, severely eroded
Martinsville loam, 2 to 6 percent slopes
Martinsville loam, till substratum, 2 to 6 percent slopes
Mentor silt loam, 12 to 18 percent slopes, eroded
Millgrove silt loam, 0 to 2 percent slopes
Millgrove silty clay loam, 0 to 2 percent slopes
Millgrove silty clay loam, 0 to 2 percent slopes, rarely flooded
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 6 to 12 percent slopes, eroded
Milton-Lybrand complex, 12 to 18 percent slopes, eroded
Pacer silt loam, 0 to 2 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Rarden silt loam, 2 to 6 percent slopes, eroded

Erie

Adrian muck, 0 to 1 percent slopes
Alexandria silt loam, 25 to 50 percent slopes
Algiers silt loam, 0 to 2 percent slopes
Allis clay loam, 0 to 2 percent slopes
Amanda loam, 12 to 18 percent slopes, eroded
Amanda-Dekalb-Rock outcrop association, 40 to 70 percent slopes
Belmore loam, 2 to 6 percent slopes
Bennington loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bixler loamy fine sand, 0 to 2 percent slopes
Bixler loamy fine sand, 2 to 6 percent slopes
Brecksville silt loam, 40 to 70 percent slopes
Cardington silt loam, 0 to 2 percent slopes
Cardington silt loam, 2 to 6 percent slopes
Cardington silty clay loam, 6 to 12 percent slopes, eroded
Castalia very channery loam, 0 to 2 percent slopes
Castalia very channery loam, 12 to 18 percent slopes
Castalia very channery loam, 2 to 6 percent slopes
Chili loam, loamy substratum, 2 to 6 percent slopes
Colwood loam, 0 to 1 percent slopes
Colwood silt loam, bedrock substratum, 0 to 1 percent slopes
Condit silt loam, 0 to 1 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Conotton loam, 2 to 6 percent slopes
Dekalb channery loam, 12 to 18 percent slopes
Dekalb channery loam, 2 to 6 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Dunbridge loamy sand, 0 to 2 percent slopes
Dunbridge loamy sand, 2 to 6 percent slopes
Elliott silt loam, bedrock substratum, 0 to 2 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, eroded
Elnora loamy fine sand, 0 to 4 percent slopes
Elnora loamy fine sand, bedrock substratum, 0 to 4 percent slopes
Fox loam, 2 to 6 percent slopes
Fries silty clay loam, 0 to 1 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Gilford fine sandy loam, 0 to 1 percent slopes
Harrod silt loam, 0 to 1 percent slopes, frequently flooded
Haskins loam, 0 to 2 percent slopes
Holly silt loam, 0 to 1 percent slopes, occasionally flooded
Hornell loam, 2 to 6 percent slopes
Hornell silt loam, 2 to 6 percent slopes
Hornell silty clay loam, 0 to 2 percent slopes
Jimtown loam, 0 to 2 percent slopes

Fairfield

Aetna silt loam, fan, occasionally flooded
Aetna silt loam, occasionally flooded
Alford silt loam, 2 to 6 percent slopes
Alford silt loam, 6 to 12 percent slopes, eroded
Amanda silt loam, 12 to 20 percent slopes, eroded
Amanda silt loam, 2 to 6 percent slopes
Amanda silt loam, 2 to 6 percent slopes, eroded
Amanda silt loam, 20 to 35 percent slopes, eroded
Amanda silt loam, 6 to 12 percent slopes, eroded
Amanda silty clay loam, 12 to 20 percent slopes, severely eroded
Amanda silty clay loam, 6 to 12 percent slopes, severely eroded
Amanda-Loudonville complex, 12 to 20 percent slopes, eroded
Amanda-Loudonville complex, 2 to 6 percent slopes, eroded
Amanda-Loudonville complex, 6 to 12 percent slopes, eroded
Amanda-Ockley complex, 12 to 20 percent slopes, eroded
Amanda-Ockley complex, 6 to 12 percent slopes, eroded
Beaucoup silty clay loam, occasionally flooded
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Canal silt loam, 0 to 2 percent slopes
Cardington silt loam, 12 to 20 percent slopes, eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes, eroded
Carlisle muck
Cedarfalls-Rock outcrop complex, 40 to 70 percent slopes
Celina silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes, eroded
Centerburg silt loam, 6 to 12 percent slopes, eroded
Chagrin silt loam, frequently flooded
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Cincinnati-Wellston complex, 6 to 12 percent slopes, eroded
Condit silt loam
Corwin silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Eel silt loam, gravelly substratum, occasionally flooded
Eldean gravelly loam, 6 to 12 percent slopes, eroded
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Euclid silt loam, rarely flooded
Fitchville silt loam, 0 to 2 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 12 to 20 percent slopes, eroded
Fox loam, 2 to 6 percent slopes

Fayette

Algiers silt loam
Brookston silty clay loam
Cana silt loam, 2 to 6 percent slopes, moderately eroded
Cana silt loam, 6 to 12 percent slopes, moderately eroded
Casco and Rodman soils, 2 to 12 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, moderately eroded
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes, eroded
Corwin silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Fox and Casco soils, 6 to 12 percent slopes, severely eroded
Fox loam, 6 to 12 percent slopes, eroded
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 2 to 6 percent slopes, moderately eroded
Fox silt loam, 6 to 12 percent slopes, moderately eroded
Fox, Casco, and Rodman soils, 12 to 25 percent slopes, moderately eroded
Genesee silt loam
Gessie silt loam, occasionally flooded
Hennepin-Miamian silt loams, 18 to 25 percent slopes
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Henshaw silt loam, 0 to 2 percent slopes
Henshaw silt loam, dark variant, 0 to 2 percent slopes
Kendallville clay loam, 12 to 18 percent slopes, severely eroded
Kendallville clay loam, 6 to 12 percent slopes, severely eroded
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 2 to 6 percent slopes, moderately eroded
Kendallville silt loam, 6 to 12 percent slopes, moderately eroded
Kokomo silt loam, overwash
Kokomo silty clay loam
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Medway silt loam
Medway silt loam, moderately shallow variant
Miamian and Hennepin silt loams, 18 to 25 percent slopes, moderately eroded
Miamian and Hennepin silt loams, 25 to 35 percent slopes, moderately eroded
Miamian and Hennepin soils, 18 to 35 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded

Franklin

Alexandria silt loam, 12 to 18 percent slopes, eroded
Alexandria silt loam, 18 to 25 percent slopes, eroded
Alexandria silt loam, 2 to 6 percent slopes
Alexandria silt loam, 6 to 12 percent slopes, eroded
Algiers silt loam
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes, eroded
Carlisle muck
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, eroded
Celina silt loam, 6 to 12 percent slopes, eroded
Condit silt loam
Crane silt loam, 0 to 2 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Eel silt loam, occasionally flooded
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 12 to 18 percent slopes, eroded
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 6 to 12 percent slopes, eroded
Genesee silt loam, occasionally flooded
Glynwood clay loam, 2 to 6 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Hennepin and Miamian loams, 18 to 25 percent slopes, eroded
Hennepin and Miamian loams, 25 to 50 percent slopes, eroded
Kendallville silt loam, 0 to 2 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 6 to 12 percent slopes, eroded
Kokomo silty clay loam
Kokomo-Urban land complex
Latham-Brecksville complex, 25 to 70 percent slopes
Lewisburg-Crosby complex, 2 to 6 percent slopes
Medway silt loam, occasionally flooded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silty clay loam, 12 to 18 percent slopes, eroded
Miamian silty clay loam, 2 to 6 percent slopes, eroded
Miamian silty clay loam, 6 to 12 percent slopes, eroded
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 6 to 12 percent slopes, eroded

Fulton

Adrian muck
Bixler loamy fine sand, 0 to 3 percent slopes
Blount loam, 0 to 2 percent slopes
Blount loam, 2 to 6 percent slopes
Blount-Rimer complex, 2 to 6 percent slopes
Boyer loamy sand, 1 to 6 percent slopes
Brady sandy loam, 0 to 3 percent slopes
Cohoctah fine sandy loam, frequently flooded
Colonie fine sand, 1 to 6 percent slopes
Colonie fine sand, 12 to 18 percent slopes
Colonie fine sand, 6 to 12 percent slopes
Colwood loam
Del Rey silt loam, 0 to 3 percent slopes
Digby loam, 0 to 3 percent slopes
Dixboro fine sandy loam, 0 to 3 percent slopes
Eel silt loam, frequently flooded
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes
Galen loamy fine sand, 1 to 6 percent slopes
Gilford fine sandy loam
Glynwood clay loam, 6 to 12 percent slopes, severely eroded
Glynwood loam, 12 to 18 percent slopes, eroded
Glynwood loam, 2 to 6 percent slopes, eroded
Glynwood loam, 6 to 12 percent slopes, eroded
Granby loamy fine sand
Haskins loam, 0 to 3 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Kibbie loam, 0 to 3 percent slopes
Lamson fine sandy loam
Latty silty clay
Lenawee silty clay loam
Mermill loam
Millgrove loam
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 2 to 6 percent slopes
Oakville fine sand, 0 to 6 percent slopes
Oakville fine sand, 6 to 12 percent slopes
Oshtemo loamy sand, 0 to 6 percent slopes
Ottokee fine sand, 0 to 6 percent slopes
Ottokee-Glynwood complex, 3 to 8 percent slopes
Perrin sandy loam, 2 to 6 percent slopes
Pewamo clay loam
Rawson sandy loam, 2 to 6 percent slopes
Rimer loamy fine sand, 0 to 3 percent slopes
Seward loamy fine sand, 2 to 6 percent slopes
Seward loamy fine sand, 6 to 12 percent slopes

Gallia

Aaron silt loam, 8 to 15 percent slopes
Aaron-Gilpin complex, 8 to 15 percent slopes
Allegheny loam, 15 to 25 percent slopes
Allegheny loam, 3 to 8 percent slopes
Allegheny loam, 8 to 15 percent slopes
Berks-Upshur association, very steep
Bethesda channery clay loam, 40 to 70 percent slopes
Bethesda channery clay loam, 8 to 25 percent slopes
Chagrin silt loam, frequently flooded
Clymer loam, 15 to 25 percent slopes
Clymer silt loam, 3 to 8 percent slopes
Clymer silt loam, 8 to 15 percent slopes
Coolville silt loam, 1 to 6 percent slopes
Coolville silt loam, 3 to 8 percent slopes
Cuba silt loam, occasionally flooded
Doles silt loam, 0 to 3 percent slopes
Elkinsville silt loam, 1 to 6 percent slopes
Fairpoint channery silty clay loam, 1 to 8 percent slopes
Fairpoint channery silty clay loam, 25 to 40 percent slopes
Fairpoint channery silty clay loam, 8 to 25 percent slopes
Gallia loam, 8 to 15 percent slopes, eroded
Gallipolis silt loam, 1 to 6 percent slopes
Gallipolis silt loam, 2 to 6 percent slopes
Gallipolis silt loam, 6 to 15 percent slopes
Gilpin-Rarden association, steep
Gilpin-Rarden complex, 15 to 25 percent slopes, eroded
Gilpin-Rarden complex, 25 to 40 percent slopes
Gilpin-Steinsburg-Upshur association, steep
Guernsey-Gilpin association, steep
Guernsey-Gilpin silt loams, 8 to 15 percent slopes
Kanawha silt loam, 1 to 8 percent slopes
Kanawha silt loam, 2 to 6 percent slopes
Kyger loamy sand, frequently flooded
Licking silt loam, 1 to 6 percent slopes
Licking silt loam, 12 to 18 percent slopes, eroded
Licking silt loam, 15 to 25 percent slopes, eroded
Licking silt loam, 6 to 15 percent slopes, eroded
Lily loam, 15 to 25 percent slopes
Lily loam, 8 to 15 percent slopes
Lily silt loam, 8 to 15 percent slopes
Lily-Rarden complex, 15 to 25 percent slopes
Lily-Upshur complex, 15 to 25 percent slopes
Lindside silt loam, occasionally flooded
McGary silt loam, 1 to 6 percent slopes
Monongahela loam, 8 to 15 percent slopes
Newark silt loam, frequently flooded

Geauga

Bogart loam, 2 to 6 percent slopes
Brecksville silt loam, 25 to 70 percent slopes
Canadice silt loam
Caneadea silt loam, 0 to 2 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Carlisle muck, ponded
Chili gravelly loam, 12 to 18 percent slopes, eroded
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili-Oshtemo complex, 25 to 50 percent slopes
Chili-Oshtemo complex, 6 to 18 percent slopes
Damascus loam
Damascus silt loam
Darlen silt loam, bedrock substratum, 0 to 2 percent slopes
Darlen silt loam, bedrock substratum, 2 to 6 percent slopes
Darlen-Hornell silt loams complex, 2 to 6 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes, eroded
Ellsworth silt loam, 18 to 25 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes, eroded
Ellsworth silt loam, 25 to 50 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, eroded
Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes
Ellsworth silt loam, shale substratum, 12 to 18 percent slopes
Ellsworth silt loam, shale substratum, 6 to 12 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Frenchtown silt loam
Gageville silt loam, 18 to 50 percent slopes
Geeburg silt loam, 2 to 6 percent slopes
Geeburg silt loam, 6 to 12 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Holly silt loam, frequently flooded
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes

Greene

Adrian muck, undrained
Algiers silt loam
Birkbeck silt loam, 1 to 4 percent slopes
Birkbeck silt loam, 2 to 6 percent slopes
Brookston silt loam
Brookston silty clay loam
Brookston-Urban land complex
Casco gravelly loam, 12 to 20 percent slopes, eroded
Casco-Eldean loams, 12 to 18 percent slopes, moderately eroded
Casco-Rodman loams, 18 to 50 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Strawn complex, 0 to 2 percent slopes
Celina-Strawn complex, 2 to 6 percent slopes
Corwin silt loam, 0 to 2 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Edenton silt loam, 2 to 6 percent slopes
Edenton silt loam, 6 to 12 percent slopes, moderately eroded
Edenton silt loam, 12 to 18 percent slopes, moderately eroded
Eel loam
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes, moderately eroded
Eldean silt loam, 6 to 12 percent slopes, eroded
Eldean clay loam, 6 to 12 percent slopes, severely eroded
Eldean-Miamian complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Eldean-Miamian complex, 2 to 6 percent slopes, eroded
Eldean-Urban land complex, rolling
Eldean-Miamian complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 6 to 12 percent slopes, severely eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Fairmount silty clay loam, moderately deep variant, 25 to 50 percent slopes
Fox loam, 2 to 6 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Genesee loam
Hennepin and Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Kokomo silty clay loam
Linwood mucky silt loam, drained
Linwood muck

Guernsey

Aaron silt loam, 2 to 8 percent slopes
Aaron silt loam, 8 to 15 percent slopes
Aaron silt loam, 8 to 15 percent slopes, eroded
Aaron-Upshur complex, 2 to 8 percent slopes
Aaron-Upshur complex, 8 to 15 percent slopes, eroded
Allegheny loam, 8 to 15 percent slopes
Barkcamp loam, 8 to 25 percent slopes
Barkcamp very flaggy sandy loam, 0 to 8 percent slopes, very stony
Barkcamp very flaggy sandy loam, 8 to 40 percent slopes, very stony
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Berks channery silt loam, 8 to 15 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda channery loam, 8 to 25 percent slopes
Bethesda clay loam, 0 to 8 percent slopes
Bethesda clay loam, 25 to 40 percent slopes
Bethesda clay loam, 8 to 25 percent slopes
Brookside silt loam, 15 to 25 percent slopes
Brookside silt loam, 15 to 25 percent slopes, eroded
Brookside silty clay loam, 15 to 25 percent slopes
Brookside silty clay loam, 15 to 40 percent slopes
Brookside silty clay loam, 25 to 40 percent slopes
Brookside silty clay loam, 8 to 15 percent slopes, eroded
Brookside-Vandalia complex, 15 to 25 percent slopes
Brookside-Vandalia complex, 15 to 25 percent slopes, eroded
Brookside-Vandalia complex, 25 to 40 percent slopes
Brookside-Vandalia complex, 8 to 15 percent slopes
Chagrin loam, occasionally flooded
Clarksburg channery silt loam, 15 to 25 percent slopes
Clarksburg silt loam, 15 to 25 percent slopes
Claysville-Guernsey complex, 8 to 15 percent slopes
Coshocton loam, 15 to 25 percent slopes
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 8 to 15 percent slopes, eroded
Dekalb channery loam, 15 to 25 percent slopes
Dekalb channery loam, 25 to 40 percent slopes
Dekalb channery loam, 25 to 70 percent slopes, very stony
Dekalb channery loam, 40 to 70 percent slopes
Dekalb channery loam, 8 to 15 percent slopes
Elba silty clay loam, 15 to 25 percent slopes
Elba silty clay loam, 25 to 40 percent slopes
Elba silty clay loam, 8 to 15 percent slopes
Elba-Berks complex, 40 to 70 percent slopes
Enoch loam, 0 to 8 percent slopes

Hamilton

Alfic Udarents-Urban land complex, clayey substratum over bedrock, 0 to 12 percent slopes
Alfic Udarents-Urban land complex, clayey substratum over bedrock, 12 to 25 percent slopes
Alfic Udarents-Urban land complex, clayey substratum over bedrock, 25 to 60 percent slopes
Alfic Udarents-Urban land complex, fragipan substratum over till, 0 to 12 percent slopes
Alluvial land, steep, (wheeling, 25 to 30 percent slopes, rarely flooded)
Alfic Udarents-Urban land complex, loamy substratum over bedrock, 0 to 12 percent slopes
Ava silt loam, 0 to 3 percent slopes
Ava silt loam, 3 to 8 percent slopes, eroded
Ava silt loam, 8 to 15 percent slopes, eroded
Ashton silt loam, 0 to 2 percent slopes (occasionally flooded)
Ashton silt loam, 2 to 6 percent slopes (occasionally flooded)
Avonburg silt loam (0 to 4 percent slopes)
Avonburg-Urban land complex, nearly level
Alfic Udarents-Urban land complex, loamy substratum over outwash, 0 to 12 percent slopes
Alfic Udarents-Urban land complex, loamy substratum over till, 0 to 12 percent slopes
Alfic Udarents-Urban land complex, loamy substratum over till, 12 to 25 percent slopes
Alfic Udarents-Urban land complex, loamy substratum over till, 25 to 60 percent slopes
Bartle silt loam, 0 to 3 percent slopes
Bonnell silt loam, 6 to 12 percent slopes, eroded
Bonnell silt loam, 12 to 18 percent slopes, eroded
Bonnell silt loam, 12 to 18 percent slopes, severely eroded
Bonnell silt loam, 18 to 35 percent slopes
Bonnell silt loam, 15 to 25 percent slopes
Bonnell silt loam, 25 to 35 percent slopes
Bonnell silt loam, 35 to 60 percent slopes
Brashear silty clay loam, 6 to 12 percent slopes
Brashear silty clay loam, 12 to 20 percent slopes
Captina silt loam, 2 to 6 percent slopes
Carmel silt loam, 6 to 12 percent slopes, eroded
Carmel silt loam, 12 to 18 percent slopes, eroded
Carmel silt loam, 18 to 25 percent slopes, eroded
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Carmel silty clay loam, 6 to 12 percent slopes, severely eroded
Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded
Carmel silty clay loam, 12 to 18 percent slopes, severely eroded
Casco loam, 15 to 25 percent slopes
Casco loam, 25 to 35 percent slopes
Casco loam, 35 to 70 percent slopes
Casco and Rodman gravelly loams, 18 to 35 percent slopes
Chagrin gravelly silty clay loam (sensabaugh 0 to 4 percent slopes, occasionally flooded)
Chagrin silt loam, frequently flooded
Chavies fine sandy loam, 0 to 6 percent slopes
Chavies fine sandy loam, 6 to 12 percent slopes
Cincinnati and Hickory soils, 12 to 25 percent slopes, severely eroded

Hancock

Adrian muck, 0 to 1 percent slopes
Alvada loam, 0 to 1 percent slopes
Alvada-Urban land complex, 0 to 2 percent slopes
Arkport loamy fine sand, 2 to 6 percent slopes
Aurand loam, 0 to 2 percent slopes
Aurand-Urban land complex, 0 to 2 percent slopes
Biglick-Milton complex, 0 to 2 percent slopes
Biglick-Milton complex, 2 to 6 percent slopes
Blount loam, 0 to 2 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Blount-Houcktown complex, 0 to 3 percent slopes
Blount-Jenera complex, 0 to 3 percent slopes
Blount-Urban land complex, 0 to 2 percent slopes
Channahon-Biglick complex, 6 to 12 percent slopes
Colwood loam, 0 to 1 percent slopes
Cygnet loam, 0 to 2 percent slopes
Cygnet-Urban land complex, 0 to 2 percent slopes
Darroch loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Del Rey-Blount complex, 0 to 3 percent slopes
Dunbridge loamy fine sand, 1 to 4 percent slopes
Elliott silt loam, 0 to 2 percent slopes
Flatrock loam, 0 to 2 percent slopes, occasionally flooded
Flatrock silt loam, 0 to 2 percent slopes, occasionally flooded
Flatrock silt loam, limestone substratum, 0 to 2 percent slopes, occasionally flooded
Fox loam, 0 to 2 percent slopes
Fox loam, 2 to 6 percent slopes
Fox loam, 6 to 12 percent slopes, eroded
Fulton silt loam, 0 to 2 percent slopes
Fulton silt loam, till substratum, 0 to 2 percent slopes
Gallman loam, 2 to 6 percent slopes
Gilford mucky loam, 0 to 1 percent slopes
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood loam, limestone substratum, 0 to 2 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Glynwood-Blount-Houcktown complex, 1 to 4 percent slopes
Glynwood-Urban land complex, 2 to 6 percent slopes
Harrod silt loam, 0 to 1 percent slopes, frequently flooded
Haskins fine sandy loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Houcktown loam, 0 to 2 percent slopes

Hardin

Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Blount silt loam, limestone substratum, 0 to 3 percent slopes
Carlisle muck
Colwood loam
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, till substratum, 0 to 3 percent slopes
Eel silt loam, occasionally flooded
Flatrock silt loam, 0 to 2 percent slopes, occasionally flooded
Fox clay loam, 6 to 12 percent slopes, eroded
Fox loam, 0 to 2 percent slopes
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fulton silt loam, 0 to 2 percent slopes
Fulton silt loam, 2 to 6 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Genesee silt loam
Glynwood clay loam, 2 to 6 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 0 to 2 percent slopes
Glynwood silt loam, 12 to 18 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Haskins silt loam, 0 to 2 percent slopes
Haskins silt loam, 2 to 6 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kibbie loam, 0 to 3 percent slopes
Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded
Latty silty clay
Latty silty clay loam
Linwood muck
Martinsville loam, 1 to 4 percent slopes
McGuffey muck
Milford silty clay loam
Millsdale silty clay loam
Minster silty clay loam, 0 to 1 percent slopes
Minster silty clay loam, gravelly substratum, 0 to 1 percent slopes
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Morley clay loam, 12 to 18 percent slopes, eroded
Morley-Belmore complex, 6 to 15 percent slopes, eroded
Morley-Milton silt loams, 2 to 6 percent slopes
Nappanee silt loam, 2 to 6 percent slopes

Harrison

Aaron silt loam, 2 to 6 percent slopes
Aaron silt loam, 8 to 15 percent slopes
Aaron silty clay loam, 6 to 15 percent slopes, eroded
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks channery silt loam, 8 to 15 percent slopes
Berks-Aaron complex, 6 to 15 percent slopes
Berks-Guernsey complex, 15 to 25 percent slopes
Berks-Guernsey complex, 25 to 40 percent slopes
Berks-Guernsey complex, 8 to 15 percent slopes
Bethesda channery silty clay loam, 0 to 8 percent slopes
Bethesda channery silty clay loam, 25 to 70 percent slopes
Bethesda channery silty clay loam, 8 to 25 percent slopes
Brookside silty clay loam, 15 to 25 percent slopes
Brookside silty clay loam, 25 to 40 percent slopes
Canadice silty clay loam
Caneadea silty clay loam, 0 to 2 percent slopes
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 6 to 15 percent slopes
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey silt loams, 25 to 40 percent slopes
Dekalb channery loam, 6 to 15 percent slopes
Dekalb channery loam, 8 to 15 percent slopes
Elba silty clay loam, 8 to 15 percent slopes, eroded
Fairpoint gravelly clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 25 to 40 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Germano fine sandy loam, 15 to 25 percent slopes
Germano fine sandy loam, 6 to 15 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin-Coshocton complex, 15 to 25 percent slopes
Gilpin-Coshocton complex, 6 to 15 percent slopes
Gilpin-Lowell complex, 15 to 25 percent slopes
Gilpin-Lowell complex, 6 to 15 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 15 percent slopes
Guernsey silt loam, 15 to 25 percent slopes, eroded

Henry

Adrian muck

Arkport fine sand, 2 to 6 percent slopes

Arkport fine sand, 6 to 12 percent slopes

Aurand fine sandy loam, 0 to 2 percent slopes

Aurand loam, 0 to 2 percent slopes

Bixler loamy fine sand, 0 to 3 percent slopes

Cohoctah fine sandy loam

Colonie fine sand, 1 to 6 percent slopes

Colonie fine sand, 12 to 18 percent slopes

Colonie fine sand, 6 to 12 percent slopes

Colwood fine sandy loam, 0 to 1 percent slopes

Colwood loam

Colwood loam, 0 to 1 percent slopes

Colwood silt loam

Del Rey loam, 0 to 2 percent slopes

Del Rey silt loam, 0 to 2 percent slopes

Digby fine sandy loam, 0 to 2 percent slopes

Digby loam, 0 to 2 percent slopes

Digby loam, 0 to 3 percent slopes

Eel loam, 0 to 2 percent slopes, frequently flooded

Fulton loam, 0 to 2 percent slopes

Fulton loam, 2 to 6 percent slopes

Fulton loam, sandy subsoil variant, 0 to 2 percent slopes

Fulton silty clay loam, 0 to 2 percent slopes

Fulton silty clay loam, 2 to 6 percent slopes

Galen fine sand, 0 to 2 percent slopes

Galen fine sand, 2 to 6 percent slopes

Galen loamy fine sand, 1 to 6 percent slopes

Genesee loam

Gilford fine sandy loam

Granby loamy fine sand

Haney and Rawson loams, 6 to 12 percent slopes

Haney fine sandy loam, 0 to 2 percent slopes

Haney fine sandy loam, 2 to 6 percent slopes

Haney loam, 0 to 2 percent slopes

Haney loam, 2 to 6 percent slopes

Haskins fine sandy loam, 0 to 2 percent slopes

Haskins fine sandy loam, stratified substratum, 0 to 2 percent slopes

Haskins loam, 0 to 2 percent slopes

Haskins loam, 2 to 6 percent slopes

Hoytville clay loam, 0 to 1 percent slopes

Hoytville silty clay loam, 0 to 1 percent slopes

Kibbie fine sandy loam, 0 to 2 percent slopes

Kibbie loam, 0 to 2 percent slopes

Kibbie loamy fine sand, 0 to 2 percent slopes

Latty clay

Highland

Algiers silt loam

Algiers silt loam

Atlas silt loam, 2 to 6 percent slopes

Atlas silt loam, 2 to 6 percent slopes, moderately eroded

Atlas silt loam, 6 to 12 percent slopes, moderately eroded

Atlas silt loam, 2 to 6 percent slopes

Atlas silt loam, 2 to 6 percent slopes, moderately eroded

Atlas silt loam, 6 to 12 percent slopes, moderately eroded

Atlas silt loam, 6 to 12 percent slopes, severely eroded

Avonburg-Urban land complex, nearly level

Bonnell silt loam, 15 to 25 percent slopes, eroded

Bonnell silt loam, 25 to 40 percent slopes

Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded

Beasley silt loam, 6 to 12 percent slopes, moderately eroded

Berks channery silt loam, 12 to 20 percent slopes

Beasley silt loam, 12 to 18 percent slopes, moderately eroded

Berks channery silt loam, 12 to 20 percent slopes

Berks-Muskingum channery silt loams, 18 to 35 percent slopes

Berks-Muskingum channery silt loams, 35 to 50 percent slopes

Berks-Muskingum-Neotoma channery silt loams, 6 to 18 percent slopes

Berks-Muskingum-Neotoma channery silt loams, 18 to 35 percent slopes

Berks-Muskingum-Neotoma channery silt loams, 35 to 50 percent slopes

Blanchester silt loam

Berks silt loam, 15 to 25 percent slopes

Blanchester silty clay loam, 0 to 1 percent slopes

Boston-Bratton complex, 6 to 12 percent slopes, moderately eroded

Boston-Bratton complex, 6 to 12 percent slopes, severely eroded

Boston-Bratton complex, 12 to 18 percent slopes, moderately eroded

Boston-Bratton complex, 12 to 18 percent slopes, severely eroded

Boston-Bratton complex, 18 to 25 percent slopes, moderately eroded

Boston-Grayford silt loams, 2 to 6 percent slopes

Bratton silt loam, 2 to 8 percent slopes

Boston-Grayford silt loams, 2 to 6 percent slopes, moderately eroded

Boston-Urban land complex, gently sloping

Boston-Urban land complex, sloping

Bonnell silt loam, 15 to 25 percent slopes, eroded

Bonnell silt loam, 25 to 40 percent slopes

Bratton silt loam, 2 to 6 percent slopes

Bratton silt loam, 2 to 6 percent slopes, moderately eroded

Bratton silt loam, 6 to 12 percent slopes, moderately eroded

Bratton silt loam, 12 to 18 percent slopes, moderately eroded

Bratton silt loam, 3 to 8 percent slopes, eroded

Bratton-Opequon complex, 8 to 15 percent slopes, eroded

Bratton silty clay loam, 12 to 18 percent slopes, severely eroded

Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded

Brookston silt loam

Hocking

Aaron silt loam, 6 to 15 percent slopes
Alexandria silt loam, 12 to 18 percent slopes, eroded
Alexandria silt loam, 18 to 25 percent slopes
Alexandria silt loam, 18 to 35 percent slopes
Alexandria silt loam, 25 to 40 percent slopes
Alford silt loam, 2 to 6 percent slopes
Alford silt loam, 6 to 12 percent slopes
Allegheny loam, 2 to 6 percent slopes
Allegheny loam, 6 to 12 percent slopes
Amanda silt loam, 12 to 20 percent slopes, eroded
Amanda silt loam, 6 to 12 percent slopes, eroded
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 3 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Berks-Tarhollow complex, 6 to 15 percent slopes
Berks-Westmoreland silt loams, 15 to 25 percent slopes
Berks-Westmoreland silt loams, 25 to 40 percent slopes
Berks-Westmoreland silt loams, 40 to 70 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 20 to 40 percent slopes
Bethesda channery loam, 40 to 70 percent slopes
Bethesda channery loam, 8 to 20 percent slopes
Bethesda silty clay loam, 0 to 8 percent slopes
Bethesda silty clay loam, 20 to 40 percent slopes
Bethesda silty clay loam, 8 to 20 percent slopes
Cana silt loam, 12 to 20 percent slopes, eroded
Cana Variant silt loam, 15 to 25 percent slopes, eroded
Cana Variant silt loam, 8 to 15 percent slopes, eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 6 to 12 percent slopes, eroded
Cedarfalls-Rock outcrop complex, 40 to 70 percent slopes
Chagrin silt loam, frequently flooded
Chili loam, 0 to 3 percent slopes
Chili loam, 8 to 15 percent slopes, eroded
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Clifty silt loam, occasionally flooded
Crosby silt loam, 2 to 6 percent slopes
Cruze silt loam, 8 to 15 percent slopes
DeKalb-Shelock-Rock outcrop complex, 40 to 70 percent slopes
DeKalb-Westmoreland complex, 15 to 25 percent slopes
DeKalb-Westmoreland complex, 25 to 40 percent slopes
DeKalb-Westmoreland complex, 40 to 70 percent slopes
Euclid silt loam, rarely flooded
Germano sandy loam, 25 to 40 percent slopes

Holmes

Amanda loam, 18 to 25 percent slopes
Amanda-Wooster complex, 12 to 18 percent slopes, eroded
Amanda-Wooster complex, 2 to 6 percent slopes
Amanda-Wooster complex, 6 to 12 percent slopes, eroded
Berks silt loam, 15 to 25 percent slopes, very stony
Berks silt loam, 25 to 35 percent slopes, very stony
Berks silt loam, 25 to 70 percent slopes
Berks silt loam, 25 to 70 percent slopes, very stony
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda channery loam, 8 to 25 percent slopes
Bethesda very channery clay loam, 0 to 8 percent slopes
Bethesda very channery clay loam, 20 to 70 percent slopes
Bethesda very channery clay loam, 8 to 20 percent slopes
Bogart gravelly loam, 2 to 6 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville-Rock outcrop complex, 35 to 70 percent slopes
Brownsville-Westmoreland complex, 18 to 25 percent slopes
Brownsville-Westmoreland complex, 25 to 40 percent slopes
Canfield silt loam, 0 to 2 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, eroded
Carlisle muck
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 6 to 12 percent slopes, eroded
Chili and Conotton gravelly loams, 12 to 18 percent slopes
Chili and Conotton gravelly loams, 18 to 35 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 18 to 25 percent slopes
Chili gravelly loam, 25 to 70 percent slopes
Chili gravelly loam, 6 to 12 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 12 to 18 percent slopes, eroded
Chili loam, 18 to 25 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 25 to 70 percent slopes
Chili loam, 6 to 12 percent slopes, eroded
Chili-Amanda complex, 18 to 25 percent slopes
Chili-Wooster complex, 12 to 18 percent slopes
Chili-Wooster complex, 6 to 12 percent slopes
Cidermill silt loam, 0 to 2 percent slopes
Cidermill silt loam, 2 to 6 percent slopes

Huron

Alexandria silt loam, 12 to 18 percent slopes
Alexandria silt loam, 25 to 50 percent slopes
Alexandria silt loam, 6 to 12 percent slopes, moderately eroded
Alexandria silty clay loam, 12 to 18 percent slopes, eroded
Amanda loam, 12 to 18 percent slopes, eroded
Amanda-Dekalb-Rock outcrop association, 40 to 70 percent slopes
Belmore loam, 12 to 18 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes, moderately eroded
Bixler loamy fine sand, 0 to 2 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Brecksville silt loam, 40 to 70 percent slopes
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes
Cardington silt loam, 6 to 12 percent slopes, eroded
Cardington silty clay loam, 6 to 12 percent slopes, eroded
Carlisle muck
Carlisle muck, ponded
Castalia channery silt loam, 2 to 6 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, loamy substratum, 2 to 6 percent slopes
Chili loam, loamy substratum, 6 to 12 percent slopes
Chili-Udorthents complex, 18 to 30 percent slopes
Colwood loam, 0 to 1 percent slopes
Colwood silt loam
Condit silt loam
Condit silt loam, 0 to 1 percent slopes
Condit silty clay loam
Elnora loamy fine sand, 0 to 4 percent slopes
Elnora loamy fine sand, 1 to 3 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fries silty clay loam
Fries silty clay loam, 0 to 1 percent slopes
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 3 percent slopes
Holly silt loam, 0 to 1 percent slopes, occasionally flooded
Holly silt loam, frequently flooded
Hornell silty clay loam, 0 to 2 percent slopes
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 0 to 3 percent slopes

Jackson

Allegheny loam, 15 to 25 percent slopes
Allegheny loam, 3 to 8 percent slopes
Allegheny loam, 8 to 15 percent slopes
Barkcamp gravelly loamy sand, 8 to 25 percent slopes
Bethesda channery clay loam, 20 to 40 percent slopes
Bethesda channery clay loam, 8 to 20 percent slopes
Bethesda channery silty clay loam, 8 to 25 percent slopes
Bethesda shaly clay loam, 0 to 8 percent slopes
Bethesda shaly clay loam, 25 to 40 percent slopes
Bethesda shaly clay loam, 8 to 25 percent slopes
Bethesda silty clay loam, 20 to 40 percent slopes
Blairton-Rarden-Gilpin association, rolling
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville-Shelocta association, steep
Clymer loam, 15 to 25 percent slopes
Clymer silt loam, 3 to 8 percent slopes
Clymer silt loam, 8 to 15 percent slopes
Coolville silt loam, 3 to 8 percent slopes
Coolville-Tilsit silt loams, 2 to 6 percent slopes
Cruze silt loam, 12 to 20 percent slopes
Cuba silt loam, occasionally flooded
Doles silt loam, 0 to 2 percent slopes
Doles silt loam, 0 to 3 percent slopes
Ernest silt loam, 15 to 25 percent slopes
Ernest silt loam, 8 to 15 percent slopes
Fairpoint channery silty clay loam, 1 to 8 percent slopes
Fairpoint channery silty clay loam, 8 to 25 percent slopes
Fairpoint clay loam, 0 to 8 percent slopes
Fairpoint clay loam, 8 to 20 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Germano-Gilpin complex, 15 to 25 percent slopes
Germano-Gilpin complex, 25 to 40 percent slopes
Germano-Gilpin complex, 6 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin-Rarden association, steep
Gilpin-Tilsit complex, 6 to 12 percent slopes
Haymond silt loam, occasionally flooded
Latham-Steinsburg complex, 15 to 25 percent slopes
Lily loam, 15 to 25 percent slopes
Lily loam, 8 to 15 percent slopes
Lily-Rarden complex, 15 to 25 percent slopes
McGary silt loam, 0 to 2 percent slopes
McGary silt loam, 0 to 4 percent slopes
McGary silty clay loam, 0 to 2 percent slopes
Monongahela loam, 8 to 15 percent slopes

Jefferson

Aaron silty clay loam, 6 to 15 percent slopes, eroded
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks shaly silt loam, 15 to 25 percent slopes
Berks shaly silt loam, 3 to 8 percent slopes
Berks shaly silt loam, 8 to 15 percent slopes
Berks-Aaron complex, 6 to 15 percent slopes
Berks-Guernsey complex, 15 to 25 percent slopes
Berks-Guernsey complex, 25 to 40 percent slopes
Berks-Guernsey complex, 8 to 15 percent slopes
Bethesda silt loam, 8 to 25 percent slopes
Bethesda very channery clay loam, 25 to 70 percent slopes
Bethesda very channery clay loam, 3 to 15 percent slopes
Brookside silty clay loam, 15 to 25 percent slopes
Brookside silty clay loam, 25 to 40 percent slopes
Brookside silty clay loam, 8 to 15 percent slopes
Clarksburg silt loam, 15 to 25 percent slopes
Clarksburg-Urban land complex, 15 to 25 percent slopes
Coshocton silt loam, 1 to 7 percent slopes
Coshocton silt loam, 6 to 15 percent slopes
Dekalb channery loam, 25 to 40 percent slopes
Dekalb channery loam, 40 to 70 percent slopes
Elba silty clay loam, 15 to 25 percent slopes, eroded
Elba silty clay loam, 8 to 15 percent slopes, eroded
Fairpoint silt loam, 3 to 15 percent slopes
Fairpoint very shaly clay loam, 25 to 70 percent slopes
Fairpoint very shaly clay loam, 3 to 15 percent slopes
Fitchville variant silt loam, 1 to 6 percent slopes
Germano fine sandy loam, 15 to 25 percent slopes
Germano fine sandy loam, 6 to 15 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 3 to 8 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin-Coshocton complex, 6 to 15 percent slopes
Gilpin-Coshocton silt loams, 15 to 25 percent slopes
Gilpin-Coshocton silt loams, 8 to 15 percent slopes
Gilpin-Lowell complex, 6 to 15 percent slopes
Gilpin-Lowell silt loams, 15 to 25 percent slopes
Gilpin-Lowell silt loams, 8 to 15 percent slopes
Glenford silt loam, 1 to 7 percent slopes
Glenford silt loam, 7 to 15 percent slopes
Guernsey silt loam, 1 to 7 percent slopes
Guernsey silt loam, 6 to 15 percent slopes
Guernsey silty clay loam, 7 to 15 percent slopes, eroded

Knox

Amanda silt loam, 12 to 18 percent slopes, eroded
Amanda silt loam, 18 to 40 percent slopes, eroded
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Berks-Rock outcrop complex, 30 to 60 percent slopes
Bogart gravelly loam, 2 to 6 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Brownsville channery silt loam, 12 to 18 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 6 to 12 percent slopes
Brownsville-Rock outcrop complex, 35 to 60 percent slopes
Brownsville-Rock outcrop complex, 35 to 70 percent slopes
Brownsville-Westmoreland complex, 18 to 25 percent slopes
Brownsville-Westmoreland complex, 25 to 40 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes, eroded
Centerburg silt loam, 6 to 12 percent slopes
Centerburg silt loam, 6 to 12 percent slopes, eroded
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 18 to 25 percent slopes
Chili gravelly loam, 2 to 6 percent slopes
Chili gravelly loam, 6 to 12 percent slopes
Chili loam, 12 to 18 percent slopes, eroded
Chili loam, 15 to 25 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes, eroded
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili-Homewood silt loams, 12 to 18 percent slopes
Chili-Homewood silt loams, 6 to 12 percent slopes
Cidermill silt loam, 2 to 6 percent slopes
Condit silt loam
Coshocton loam, 6 to 15 percent slopes
Coshocton silt loam, 12 to 18 percent slopes
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 15 to 25 percent slopes, eroded
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 6 to 12 percent slopes
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton-Rigley complex, 15 to 25 percent slopes
Crane silt loam, 1 to 4 percent slopes
Fitchville silt loam, 0 to 2 percent slopes

Lake

Adrian muck
Allis silt loam
Carlisle muck
Colonie loamy fine sand, 2 to 6 percent slopes
Colonie loamy fine sand, 25 to 50 percent slopes
Colonie loamy fine sand, 6 to 18 percent slopes
Conneaut silt loam, 0 to 1 percent slopes
Conneaut silt loam, 1 to 4 percent slopes
Conneaut silt loam, shale substratum, 0 to 2 percent slopes
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 6 to 15 percent slopes
Conotton loam, 0 to 2 percent slopes
Darien silt loam, 0 to 1 percent slopes
Darien silt loam, 1 to 4 percent slopes
Darien silt loam, 6 to 12 percent slopes
Darien-Hornell silt loams, 2 to 6 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 25 to 70 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth silt loam, shale substratum, 12 to 18 percent slopes
Ellsworth silt loam, shale substratum, 6 to 12 percent slopes
Elnora loamy fine sand, 1 to 5 percent slopes
Euclid silt loam, 0 to 2 percent slopes
Fitchville silt loam, 1 to 4 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Gosport silty clay loam, 25 to 70 percent slopes
Granby sandy loam
Harbor fine sandy loam, 0 to 3 percent slopes
Holly silt loam, frequently flooded
Hornell silt loam, 0 to 2 percent slopes
Hornell silt loam, 2 to 6 percent slopes
Kingsville fine sand
Lobdell silt loam
Lordstown channery silt loam, 2 to 6 percent slopes
Lordstown channery silt loam, 6 to 12 percent slopes
Lordstown-Rock outcrop complex, 25 to 70 percent slopes
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, shale substratum, 1 to 6 percent slopes
Mill silt loam
Minoa fine sandy loam
Mitiwanga silt loam, 0 to 2 percent slopes
Orrville silt loam
Oshtemo sandy loam, 0 to 2 percent slopes

Lawrence

Berks-Upshur association, very steep
Bethesda channery clay loam, 40 to 70 percent slopes
Bethesda channery silty clay loam, 25 to 70 percent slopes
Bethesda channery silty clay loam, 8 to 25 percent slopes
Chagrin loam, frequently flooded
Chagrin silt loam, frequently flooded
Coolville-Tilsit silt loams, 2 to 6 percent slopes
Cuba silt loam, occasionally flooded
Elkinsville silt loam, 1 to 6 percent slopes
Elkinsville silt loam, 15 to 40 percent slopes
Fairpoint channery silty clay loam, 8 to 25 percent slopes
Gilpin-Latham silt loams, 15 to 25 percent slopes
Gilpin-Steinsburg-Upshur association, steep
Kanawha silt loam, 2 to 6 percent slopes
Kanawha silt loam, 6 to 12 percent slopes
Kyger loamy sand, frequently flooded
Lakin loamy fine sand, 8 to 25 percent slopes
Latham-Steinsburg complex, 15 to 25 percent slopes
Licking silt loam, 1 to 6 percent slopes
Licking silty clay loam, 6 to 12 percent slopes, eroded
Lily loam, 15 to 25 percent slopes
Lily loam, 8 to 15 percent slopes
McGary silt loam, 0 to 2 percent slopes
Melvin silt loam, ponded
Morristown channery silty clay loam, 0 to 8 percent slopes
Morristown channery silty clay loam, 25 to 70 percent slopes
Morristown channery silty clay loam, 8 to 25 percent slopes
Nolin silt loam, occasionally flooded
Omulga silt loam, 6 to 15 percent slopes
Omulga silt loam, 6 to 15 percent slopes, eroded
Orrville silt loam, frequently flooded
Peoga silt loam, rarely flooded
Pinegrove loamy coarse sand, 25 to 70 percent slopes
Pinegrove loamy coarse sand, 8 to 25 percent slopes
Pinegrove silty clay loam, 8 to 25 percent slopes
Piopolis silty clay loam, frequently flooded
Pope silt loam, frequently flooded
Rarden-Gilpin silt loams, 15 to 25 percent slopes
Rarden-Gilpin silt loams, 8 to 15 percent slopes
Rarden-Lily complex, 15 to 25 percent slopes
Rigley-Rarden association, steep
Rigley-Rarden complex, 15 to 25 percent slopes
Sciotoville silt loam, 1 to 6 percent slopes
Sciotoville silt loam, 1 to 8 percent slopes
Shelocta silt loam, 15 to 25 percent slopes
Shelocta silt loam, 2 to 6 percent slopes

Licking

Aaron silt loam, 2 to 8 percent slopes
Aaron silt loam, 8 to 15 percent slopes, eroded
Alford silt loam, 0 to 2 percent slopes
Alford silt loam, 2 to 6 percent slopes
Alford silt loam, 2 to 8 percent slopes
Alford silt loam, 6 to 12 percent slopes, eroded
Alford silt loam, 8 to 15 percent slopes, eroded
Alford-Urban land complex, 2 to 6 percent slopes
Algiers silt loam, frequently flooded
Amanda silt loam, 12 to 18 percent slopes, eroded
Amanda silt loam, 18 to 25 percent slopes
Amanda silt loam, 2 to 6 percent slopes, eroded
Amanda silt loam, 25 to 50 percent slopes
Amanda silt loam, 6 to 12 percent slopes, eroded
Amanda variant silt loam, 12 to 18 percent slopes, eroded
Amanda variant silt loam, 6 to 12 percent slopes, eroded
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington-Urban land complex, 0 to 3 percent slopes
Berks channery silt loam, 12 to 18 percent slopes
Berks channery silt loam, 2 to 6 percent slopes
Berks-Westmoreland complex, 40 to 70 percent slopes
Brownsville channery silt loam, 12 to 18 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 18 to 25 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 35 to 70 percent slopes
Brownsville channery silt loam, 6 to 12 percent slopes
Carlisle muck
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 6 to 12 percent slopes, eroded
Centerburg-Urban land complex, 2 to 6 percent slopes
Centerburg-Urban land complex, 6 to 12 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 12 to 18 percent slopes, eroded
Chili loam, 18 to 25 percent slopes, eroded
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes, eroded
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Cincinnati silt loam, 6 to 15 percent slopes, eroded
Clarksburg silt loam, 12 to 18 percent slopes, eroded
Clarksburg silt loam, 6 to 12 percent slopes, eroded
Clarksburg silt loam, 6 to 15 percent slopes
Clarksburg silt loam, 8 to 15 percent slopes, eroded
Condit silt loam

Logan

Algiers silt loam
Berks silt loam, 18 to 25 percent slopes
Berks silt loam, 25 to 50 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 2 to 6 percent slopes, moderately eroded
Brookston silty clay loam
Brookston silty clay loam, 0 to 2 percent slopes
Brookston silty clay loam, 2 to 6 percent slopes
Carlisle muck
Carlisle muck, ponded
Casco loam, 2 to 6 percent slopes
Casco loam, 6 to 12 percent slopes, moderately eroded
Casco-Eldean complex, 12 to 18 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Casco-Eldean complex, 12 to 18 percent slopes, moderately eroded
Casco-Miami-Fox complex, 12 to 18 percent slopes, moderately eroded
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 6 to 12 percent slopes, moderately eroded
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Urban land complex, nearly level
Defiance silty clay, frequently flooded
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, 2 to 6 percent slopes
Edwards muck
Eel silt loam
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 6 to 12 percent slopes, moderately eroded
Eldean-Urban land complex, undulating
Fox loam, 0 to 2 percent slopes
Fox loam, 2 to 6 percent slopes
Fox sandy loam, 2 to 6 percent slopes
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 2 to 6 percent slopes, moderately eroded
Fox silt loam, 6 to 12 percent slopes, moderately eroded
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox-Miami silt loams, 6 to 12 percent slopes, moderately eroded
Fulton silt loam, 0 to 4 percent slopes
Gallman loam, 1 to 4 percent slopes

Lorain

Allis loam, 0 to 2 percent slopes
Allis silty clay loam, 0 to 2 percent slopes
Allis-Urban land complex, nearly level
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart sandy loam, 0 to 2 percent slopes
Cardington silt loam, 2 to 6 percent slopes
Carlisle mucky silt loam
Chagrin silt loam
Chili gravelly loam, 12 to 25 percent slopes, moderately eroded
Chili gravelly loam, 25 to 70 percent slopes, moderately eroded
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 18 percent slopes, moderately eroded
Chili-Urban land complex, gently sloping
Condit silt loam
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Dekalb very channery loam, 1 to 6 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes, moderately eroded
Ellsworth silt loam, 18 to 50 percent slopes, moderately eroded
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes, moderately eroded
Ellsworth silt loam, 25 to 70 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, moderately eroded
Elnora loamy fine sand, 1 to 3 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, low terrace, 0 to 2 percent slopes
Fitchville-Urban land complex, nearly level
Fulton silt loam, 0 to 2 percent slopes
Fulton silt loam, 2 to 6 percent slopes
Fulton silt loam, sandy substratum, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins-Urban land complex, nearly level
Haskins-Urban land complex, nearly level
Holly silt loam
Hornell silt loam, 0 to 2 percent slopes
Hornell silt loam, 2 to 6 percent slopes
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown sandy loam, 0 to 2 percent slopes

Lucas

Belleville loamy sand
Bixler loamy fine sand, 0 to 2 percent slopes
Bixler loamy fine sand, 2 to 6 percent slopes
Bixler-Urban land complex, 0 to 3 percent slopes
Ceresco sandy loam, occasionally flooded
Colonie fine sand, 1 to 6 percent slopes
Colwood loam
Colwood-Urban land complex
Corunna sandy loam
Del Rey loam, 0 to 3 percent slopes
Del Rey loam, sandy substratum, 0 to 2 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey-Urban land complex, 0 to 3 percent slopes
Digby sandy loam, 0 to 2 percent slopes
Digby sandy loam, 2 to 6 percent slopes
Dixboro fine sandy loam, 0 to 2 percent slopes
Dixboro-Urban land complex, 0 to 2 percent slopes
Dunbridge sandy loam, 0 to 4 percent slopes
Eel loam, occasionally flooded
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes
Fulton-Urban land complex, 0 to 3 percent slopes
Gilford fine sandy loam
Granby loamy fine sand
Granby-Urban land complex
Haskins loam, 0 to 3 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Lamson fine sandy loam
Latty silty clay
Lenawee silty clay loam
Mermill loam
Mermill-Urban land complex
Metamora sandy loam, 0 to 3 percent slopes
Muskego muck
Nappanee loam, 0 to 3 percent slopes
Oakville fine sand, 2 to 6 percent slopes
Oakville fine sand, 6 to 18 percent slopes
Oakville-Urban land complex, 2 to 12 percent slopes
Ottokee fine sand, 0 to 6 percent slopes
Rimer loamy fine sand, 0 to 3 percent slopes
Ross loam, occasionally flooded
Seward loamy fine sand, 2 to 6 percent slopes
Shoals loam, occasionally flooded
Sisson loam, 12 to 18 percent slopes
Sisson loam, 2 to 6 percent slopes
Sisson loam, 6 to 12 percent slopes

Madison

Brookston silty clay loam
Carlisle muck
Casco loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes
Corwin silt loam, 0 to 2 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 2 to 6 percent slopes
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 6 to 12 percent slopes, eroded
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 6 to 12 percent slopes, eroded
Kokomo silty clay loam
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Lippincott silty clay loam
Medway silt loam, occasionally flooded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 18 to 25 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 25 to 50 percent slopes
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian-Eldean silt loams, 2 to 6 percent slopes
Miamian-Eldean silt loams, 6 to 12 percent slopes, eroded
Miamian-Kendallville silt loams, 2 to 6 percent slopes
Miamian-Kendallville silt loams, 6 to 12 percent slopes, eroded
Miamian-Lewisburg silt loams, 2 to 6 percent slopes
Muskego muck
Odell-Lewisburg complex, 0 to 2 percent slopes
Odell-Lewisburg complex, 2 to 6 percent slopes
Patton silty clay loam
Patton silty clay loam, overwash
Ross silt loam, occasionally flooded
Sloan silt loam, frequently flooded
Sloan silt loam, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silty clay loam, frequently flooded
Thackery silt loam, 1 to 4 percent slopes
Thackery variant silt loam, 0 to 2 percent slopes
Thackery variant silt loam, 2 to 6 percent slopes
Udorthents
Wallkill silt loam

Mahoning

Amanda loam, 35 to 70 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bethesda very channery silt loam, 25 to 70 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart loam, 6 to 12 percent slopes
Bogart loam, 6 to 12 percent slopes, eroded
Bogart loam, till substratum, 2 to 6 percent slopes
Bogart loam, till substratum, 6 to 12 percent slopes, moderately eroded
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart silt loam, 6 to 12 percent slopes
Canadice silty clay loam
Canfield silt loam, 12 to 20 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 20 to 35 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, moderately eroded
Canfield-Urban land complex
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Carlisle muck
Carlisle muck, 0 to 1 percent slopes
Chagrin loam
Chili and Conotton gravelly soils, 18 to 25 percent slopes
Chili and Conotton gravelly soils, 25 to 50 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 2 to 6 percent slopes
Chili gravelly loam, 6 to 12 percent slopes
Chili loam, 12 to 20 percent slopes, eroded
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 6 to 12 percent slopes
Chili-Urban land complex, rolling
Chili-Urban land complex, undulating
Condit silt loam
Damascus loam
Damascus loam, till substratum
Dekalb very stony loam, 12 to 25 percent slopes
Dekalb very stony loam, 2 to 12 percent slopes
Dekalb very stony loam, 25 to 50 percent slopes
Ellsworth-Urban land complex
Fairpoint silty clay loam, 0 to 8 percent slopes

Marion

Aeric Epiaquents-Urban land complex, till substratum, 0 to 3 percent slopes

Alfic Udarents-Urban land complex, till substratum, 1 to 8 percent slopes

Aquents, clayey-Urban land complex, 0 to 3 percent slopes

Bennington silt loam, 0 to 2 percent slopes

Bennington silt loam, 0 to 3 percent slopes

Blount silt loam, 0 to 2 percent slopes

Blount silt loam, 2 to 4 percent slopes

Blount silt loam, 2 to 6 percent slopes

Cardington silt loam, 2 to 6 percent slopes

Cardington silt loam, 2 to 6 percent slopes, moderately eroded

Cardington silt loam, 6 to 12 percent slopes, eroded

Carlisle muck

Centerburg silt loam, 1 to 4 percent slopes

Del Rey silt loam, 0 to 2 percent slopes

Del Rey silt loam, 0 to 3 percent slopes

Del Rey silt loam, 2 to 6 percent slopes

Elliott silt loam, 0 to 3 percent slopes

Elliott silty clay loam, 0 to 3 percent slopes

Fitchville silt loam, 0 to 3 percent slopes

Fox loam, 0 to 2 percent slopes

Fox loam, 2 to 6 percent slopes

Fulton silty clay loam, 0 to 2 percent slopes

Fulton silty clay loam, 2 to 6 percent slopes

Glynwood clay loam, 2 to 6 percent slopes, eroded

Glynwood clay loam, 6 to 12 percent slopes, eroded

Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded

Glynwood silt loam, 0 to 2 percent slopes

Glynwood silt loam, 12 to 18 percent slopes, eroded

Glynwood silt loam, 2 to 6 percent slopes

Glynwood silt loam, 2 to 6 percent slopes

Glynwood silt loam, 2 to 6 percent slopes, eroded

Kendallville loam, 12 to 18 percent slopes, eroded

Kendallville loam, 2 to 6 percent slopes

Kibbie loam, 0 to 3 percent slopes

Latty silty clay

Lenawee silty clay loam

Luray silty clay loam

Martinsville loam, 0 to 2 percent slopes

Martinsville loam, 2 to 6 percent slopes

Medway clay loam, rarely flooded

Medway silt loam

Medway silt loam, rarely flooded

Milford silty clay loam

Millgrove silt loam

Millgrove silty clay loam, 0 to 2 percent slopes

Milton silt loam, 1 to 4 percent slopes

Medina

Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington-Tiro silt loams, 0 to 2 percent slopes
Berks silt loam, 25 to 70 percent slopes
Bogart gravelly loam, 2 to 6 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Brecksville silt loam, 25 to 70 percent slopes
Canadice silty clay loam
Caneadea silt loam, 0 to 2 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Canfield silt loam, 0 to 2 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes, moderately eroded
Canfield silt loam, 6 to 12 percent slopes, moderately eroded
Cardington fine sandy loam, 2 to 6 percent slopes
Cardington silt loam, 12 to 25 percent slopes, moderately eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Carlisle muck
Chagrin silt loam
Chagrin silt loam, occasionally flooded
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 12 to 25 percent slopes, moderately eroded
Chili gravelly loam, 25 to 70 percent slopes, moderately eroded
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 6 to 12 percent slopes
Condit silt loam
Condit silty clay loam
Dekalb sandy loam, 12 to 18 percent slopes
Dekalb-Loudonville complex, 25 to 70 percent slopes
Ellsworth silt loam, 12 to 25 percent slopes, moderately eroded
Ellsworth silt loam, 18 to 50 percent slopes, moderately eroded
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes, moderately eroded
Ellsworth silt loam, 25 to 70 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, moderately eroded
Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes
Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes, moderately eroded

Meigs

Aaron-Gilpin complex, 8 to 15 percent slopes
Aaron-Upshur complex, 8 to 15 percent slopes, eroded
Berks-Westmoreland silt loams, 40 to 70 percent slopes
Chagrin silt loam, frequently flooded
Cidermill silt loam, 0 to 2 percent slopes
Cidermill silt loam, 2 to 6 percent slopes
Conotton gravelly loam, 0 to 2 percent slopes
Conotton gravelly loam, 18 to 40 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Doles silt loam, 0 to 2 percent slopes
Duncannon silt loam, 6 to 12 percent slopes
Elkinsville silt loam, 0 to 2 percent slopes
Gallia loam, 12 to 18 percent slopes
Gallia loam, 6 to 12 percent slopes
Gallipolis silt loam, 0 to 2 percent slopes
Gallipolis silt loam, 2 to 6 percent slopes
Gilpin silt loam, 3 to 8 percent slopes
Gilpin silt loam, 8 to 15 percent slopes, eroded
Gilpin-Rarden complex, 15 to 25 percent slopes
Gilpin-Rarden complex, 15 to 25 percent slopes, eroded
Gilpin-Rarden complex, 25 to 40 percent slopes
Gilpin-Upshur complex, 15 to 25 percent slopes
Gilpin-Upshur complex, 25 to 50 percent slopes
Gilpin-Upshur complex, 8 to 15 percent slopes
Guernsey-Gilpin complex, 15 to 25 percent slopes
Guernsey-Gilpin complex, 25 to 40 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 6 to 12 percent slopes
Kyger loamy sand, frequently flooded
Lakin loamy fine sand, 1 to 6 percent slopes
Lakin loamy fine sand, 12 to 18 percent slopes
Lakin loamy fine sand, 18 to 40 percent slopes
Lakin loamy fine sand, 6 to 12 percent slopes
Licking silt loam, 1 to 6 percent slopes
Licking silt loam, 12 to 18 percent slopes, eroded
Licking silt loam, 6 to 12 percent slopes, eroded
Moshannon silt loam, frequently flooded
Newark silt loam, frequently flooded
Nolin silt loam, frequently flooded
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 6 to 12 percent slopes
Orrville silt loam, frequently flooded
Pinegrove coarse sandy loam, 0 to 8 percent slopes
Pinegrove coarse sandy loam, 25 to 70 percent slopes
Pinegrove coarse sandy loam, 8 to 25 percent slopes
Pinegrove silty clay loam, 0 to 8 percent slopes

Mercer

Blount loam, 0 to 2 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 2 to 6 percent slopes, moderately eroded
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Carlisle muck
Del Rey silt loam, 0 to 3 percent slopes
Digby loam, 0 to 2 percent slopes
Digby loam, 2 to 6 percent slopes
Edwards muck
Eel silt loam
Eldean loam, 2 to 6 percent slopes
Eldean loam, 6 to 12 percent slopes, moderately eroded
Elliott silt loam, 1 to 4 percent slopes
Gallman loam, 2 to 6 percent slopes
Gallman sandy loam, 2 to 6 percent slopes
Genesee silt loam
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
McGary silty clay loam, 0 to 2 percent slopes
McGary silty clay loam, 2 to 6 percent slopes
Millgrove clay loam
Millgrove silty clay loam
Millsdale silty clay loam
Minster silty clay loam, 0 to 1 percent slopes
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Morley clay loam, 9 to 18 percent slopes, severely eroded
Morley silt loam, 12 to 18 percent slopes, moderately eroded
Morley silt loam, 18 to 25 percent slopes, moderately eroded
Ockley loam, 0 to 2 percent slopes
Ockley loam, 2 to 6 percent slopes
Olentangy mucky silt loam
Pewamo silty clay
Pewamo silty clay loam
Pewamo silty clay loam, ponded
Rawson loam, 2 to 6 percent slopes
Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded
Saranac-Spencerville silty clay loams, 0 to 1 percent slopes, frequently flooded
Shoals silt loam
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded

Miami

Algiers silt loam

Blount silt loam, 0 to 2 percent slopes

Blount silt loam, 2 to 6 percent slopes

Blount silt loam, 2 to 6 percent slopes, moderately eroded

Brookston silt loam

Brookston silt loam, overwash

Brookston silty clay loam

Brookston silty clay loam, 0 to 2 percent slopes

Brookston silty clay loam, 2 to 6 percent slopes

Carlisle muck

Casco gravelly loam, 12 to 20 percent slopes, eroded

Celina silt loam, 0 to 2 percent slopes

Celina silt loam, 2 to 6 percent slopes

Celina silt loam, 2 to 6 percent slopes, moderately eroded

Celina silt loam, 2 to 6 percent slopes

Corwin silt loam, 0 to 2 percent slopes

Corwin silt loam, 2 to 6 percent slopes

Crosby silt loam, 0 to 2 percent slopes

Crosby silt loam, 2 to 6 percent slopes

Crosby silt loam, 0 to 2 percent slopes

Crosby-Celina silt loams, 2 to 6 percent slopes

Donnelsville channery silt loam, 18 to 30 percent slopes

Edwards muck

Eel silt loam

Eldean loam, 0 to 2 percent slopes

Eldean loam, 2 to 6 percent slopes

Eldean loam, 2 to 6 percent slopes, moderately eroded

Eldean silt loam, 0 to 2 percent slopes

Eldean silt loam, 2 to 6 percent slopes

Eldean silt loam, 2 to 6 percent slopes, eroded

Eldean-Casco complex, 6 to 12 percent slopes, eroded

Eldean-Casco gravelly loams, 6 to 12 percent slopes, moderately eroded

Eldean-Casco gravelly loams, 12 to 18 percent slopes, moderately eroded

Eldean-Miamian complex, 2 to 6 percent slopes

Eldean-Miamian complex, 2 to 6 percent slopes, eroded

Eldean-Miamian complex, 6 to 12 percent slopes, eroded

Eldean-Miamian complex, 12 to 18 percent slopes, eroded

Eldean-Casco complex, 6 to 18 percent slopes, severely eroded

Eldean-Casco complex, 6 to 12 percent slopes, eroded

Eldean-Miamian complex, 2 to 6 percent slopes

Eldean-Miamian complex, 6 to 12 percent slopes

Fox loam, 2 to 6 percent slopes

Fox silt loam, 0 to 2 percent slopes

Fox silt loam, 2 to 6 percent slopes

Fox silt loam, 6 to 12 percent slopes, moderately eroded

Fox soils, 6 to 12 percent slopes, severely eroded

Monroe

Allegheny silt loam, 12 to 18 percent slopes
Ashton silt loam, 0 to 3 percent slopes
Barkcamp channery sandy loam, 25 to 70 percent slopes, very stony
Brooke silty clay loam, 12 to 18 percent slopes, moderately eroded
Brooke silty clay loam, 18 to 35 percent slopes, moderately eroded
Brookside silt loam, 15 to 25 percent slopes, eroded
Captina silt loam, 12 to 18 percent slopes, moderately eroded
Captina silt loam, 2 to 6 percent slopes
Captina silt loam, 6 to 12 percent slopes, moderately eroded
Chagrin silt loam
Conotton gravelly loam, 0 to 2 percent slopes
Conotton gravelly loam, 6 to 18 percent slopes
Coolville-Rarden silt loams, 12 to 18 percent slopes, moderately eroded
Coolville-Rarden silt loams, 6 to 12 percent slopes, moderately eroded
Dekalb channery loam, 25 to 40 percent slopes
Dekalb loam, 12 to 18 percent slopes
Dekalb loam, 12 to 18 percent slopes, moderately eroded
Dekalb loam, 18 to 25 percent slopes
Dekalb loam, 18 to 35 percent slopes, moderately eroded
Dekalb loam, 6 to 12 percent slopes, moderately eroded
Dekalb moderately channery loam, 40 to 70 percent slopes
Elba silty clay loam, 15 to 25 percent slopes, eroded
Elba silty clay loam, 25 to 40 percent slopes, eroded
Elba-Guernsey silty clay loams, 15 to 25 percent slopes, eroded
Gilpin and Dekalb very stony soils, 12 to 35 percent slopes
Gilpin and Dekalb very stony soils, 35 to 70 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 25 to 35 percent slopes
Gilpin silt loam, 35 to 70 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin-Upshur complex, 12 to 18 percent slopes
Gilpin-Upshur complex, 12 to 18 percent slopes, moderately eroded
Gilpin-Upshur complex, 15 to 25 percent slopes, eroded
Gilpin-Upshur complex, 18 to 35 percent slopes, moderately eroded
Gilpin-Upshur complex, 18 to 35 percent slopes, severely eroded
Gilpin-Upshur complex, 2 to 6 percent slopes, moderately eroded
Gilpin-Upshur complex, 25 to 35 percent slopes, eroded
Gilpin-Upshur complex, 35 to 70 percent slopes
Gilpin-Upshur complex, 35 to 70 percent slopes, eroded
Gilpin-Upshur complex, 35 to 70 percent slopes, severely eroded
Gilpin-Upshur complex, 6 to 12 percent slopes, moderately eroded
Gilpin-Upshur complex, steep, benched
Gilpin-Upshur complex, very steep, benched
Gilpin-Upshur very stony complex, 12 to 35 percent slopes
Gilpin-Upshur very stony complex, 35 to 70 percent slopes
Gilpin-Westmoreland silt loams, 12 to 18 percent slopes, moderately eroded

Montgomery

Abscota sand, calcareous variant
Algiers silt loam
Brookston silt loam
Brookston silty clay loam
Brookston silty clay loam
Brookston-Urban land complex
Carlisle muck
Casco-Rodman loams, 18 to 50 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, moderately eroded
Celina bouldery silt loam, 2 to 6 percent slopes
Corwin silt loam, 0 to 2 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 2 to 6 percent slopes
Crosby-Urban land complex
Dana silt loam, 2 to 6 percent slopes
Edenton silt loam, 2 to 6 percent slopes
Eden complex, 25 to 35 percent slopes, moderately eroded
Eel silt loam
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 2 to 6 percent slopes, moderately eroded
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes, moderately eroded
Eldean silt loam, 6 to 12 percent slopes, eroded
Eldean-Casco gravelly loams, 6 to 12 percent slopes, moderately eroded
Eldean-Casco gravelly loams, 12 to 18 percent slopes, moderately eroded
Fairmount silty clay loam, 12 to 25 percent slopes, moderately eroded
Fairmount silty clay loam, 25 to 50 percent slopes, moderately eroded
Fincastle silt loam, 0 to 4 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fox sandy loam, 0 to 2 percent slopes
Fox sandy loam, 2 to 6 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 2 to 6 percent slopes
Fox loam, 6 to 12 percent slopes, moderately eroded
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 6 to 12 percent slopes, moderately eroded

Morgan

Aaron silt loam, 6 to 12 percent slopes, eroded
Aaron-Gilpin complex, 6 to 12 percent slopes, eroded
Barkcamp channery sandy loam, 20 to 70 percent slopes
Berks channery silt loam, 35 to 70 percent slopes
Berks-Westmoreland complex, 35 to 70 percent slopes
Berks-Westmoreland complex, 40 to 70 percent slopes
Bethesda channery loam, 20 to 70 percent slopes
Brookside silty clay loam, 12 to 20 percent slopes
Brookside silty clay loam, 15 to 40 percent slopes
Brookside silty clay loam, 20 to 35 percent slopes
Chagrin silt loam, frequently flooded
Chavies loam, 0 to 6 percent slopes
Chavies loam, 2 to 6 percent slopes
Claysville-Guernsey complex, 8 to 15 percent slopes
Conotton gravelly loam, 0 to 6 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes, eroded
Elba silty clay loam, 20 to 35 percent slopes, eroded
Euclid silt loam, rarely flooded
Gilpin silt loam, 6 to 12 percent slopes, eroded
Gilpin-Upshur complex, 12 to 20 percent slopes, eroded
Gilpin-Upshur complex, 20 to 35 percent slopes, eroded
Gilpin-Upshur complex, 25 to 40 percent slopes, eroded
Gilpin-Upshur complex, 35 to 70 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Guernsey-Upshur complex, 12 to 20 percent slopes, eroded
Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Guernsey-Upshur silty clay loams, 6 to 15 percent slopes, eroded
Licking silt loam, 0 to 6 percent slopes
Licking silt loam, 6 to 12 percent slopes, eroded
Lobdell loam, channery substratum, occasionally flooded
Lobdell silt loam, channery substratum, occasionally flooded
Lowell silt loam, 12 to 20 percent slopes, eroded
Lowell silt loam, 15 to 25 percent slopes, eroded
Lowell-Gilpin complex, 20 to 35 percent slopes, eroded
Lowell-Gilpin complex, 25 to 40 percent slopes, eroded
Lowell-Gilpin complex, 35 to 70 percent slopes
Lowell-Gilpin complex, 40 to 70 percent slopes
Markland silty clay loam, 12 to 25 percent slopes, eroded
Melvin silt loam, ponded
Morristown channery clay loam, 0 to 6 percent slopes
Morristown channery clay loam, 20 to 70 percent slopes, very stony
Morristown channery clay loam, 6 to 20 percent slopes
Morristown channery silty clay loam, 25 to 70 percent slopes
Morristown silty clay loam, 0 to 6 percent slopes
Morristown silty clay loam, 1 to 8 percent slopes
Morristown silty clay loam, 15 to 25 percent slopes

Morrow

Alexandria silt loam, 12 to 18 percent slopes, moderately eroded
Alexandria silt loam, 2 to 6 percent slopes
Alexandria silt loam, 6 to 12 percent slopes, moderately eroded
Amanda silt loam, 12 to 18 percent slopes, eroded
Amanda silt loam, 18 to 25 percent slopes, eroded
Amanda silt loam, 2 to 6 percent slopes
Amanda silt loam, 6 to 12 percent slopes, eroded
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 6 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes, moderately eroded
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Carlisle muck
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 6 to 12 percent slopes
Centerburg silt loam, 6 to 12 percent slopes, eroded
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Colyer Variant silt loam, 25 to 70 percent slopes
Condit silt loam
Gallman silt loam, loamy substratum, 2 to 6 percent slopes
Gallman silt loam, loamy substratum, 6 to 12 percent slopes
Glynwood clay loam, 2 to 6 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 12 to 18 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 6 to 12 percent slopes
Glynwood silt loam, ground moraine, 6 to 12 percent slopes
Holly silt loam
Lobdell silt loam, occasionally flooded
Luray silty clay loam
Milford silty clay loam
Millgrove silt loam
Morley silt loam, 12 to 18 percent slopes, eroded
Newark silt loam, occasionally flooded
Ockley loam, 0 to 2 percent slopes

Muskingum

Aaron silt loam, 15 to 25 percent slopes, eroded
Aaron silt loam, 2 to 8 percent slopes
Aaron silt loam, 8 to 15 percent slopes, eroded
Aaron-Upshur complex, 2 to 6 percent slopes
Alford silt loam, 2 to 8 percent slopes
Alford silt loam, 8 to 15 percent slopes, eroded
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 15 to 25 percent slopes, eroded
Berks channery silt loam, 2 to 6 percent slopes
Berks channery silt loam, 2 to 8 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks-Westmoreland complex, 40 to 70 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda channery loam, 40 to 70 percent slopes
Bethesda channery loam, 8 to 25 percent slopes
Bethesda flaggy silt loam, 25 to 70 percent slopes
Bethesda shaly silt loam, 1 to 15 percent slopes
Bethesda shaly silt loam, 15 to 25 percent slopes
Brookside silty clay loam, 15 to 40 percent slopes
Brookside silty clay loam, 8 to 15 percent slopes, eroded
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 35 to 70 percent slopes
Chagrin loam, rarely flooded
Chavies loam, 0 to 2 percent slopes
Chavies loam, 2 to 6 percent slopes
Chili gravelly loam, 0 to 3 percent slopes
Chili gravelly loam, 3 to 8 percent slopes
Chili gravelly loam, 8 to 15 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 0 to 3 percent slopes
Chili loam, 3 to 8 percent slopes
Chili loam, 6 to 12 percent slopes, eroded
Cidermill silt loam, 0 to 3 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 6 to 15 percent slopes, eroded
Clarksburg silt loam, 8 to 15 percent slopes, eroded
Claysville-Guernsey silty clay loams, 8 to 15 percent slopes
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 8 to 15 percent slopes, eroded
Coshocton-Westmoreland silt loams, 25 to 40 percent slopes
Fairpoint channery silty clay loam, 25 to 70 percent slopes
Fairpoint loam, 8 to 25 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 1 to 15 percent slopes
Fairpoint silty clay loam, 15 to 25 percent slopes

Noble

Aaron silt loam, 6 to 12 percent slopes, eroded
Allegheny silt loam, 12 to 18 percent slopes
Barkcamp channery sandy loam, 0 to 8 percent slopes, very stony
Barkcamp channery sandy loam, 25 to 70 percent slopes, very stony
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Berks channery silt loam, 8 to 15 percent slopes
Berks shaly silt loam, 15 to 25 percent slopes
Berks shaly silt loam, 25 to 35 percent slopes
Berks shaly silt loam, 35 to 70 percent slopes
Berks shaly silt loam, 8 to 15 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda clay loam, 8 to 25 percent slopes
Bethesda silty clay loam, 15 to 25 percent slopes
Bethesda very shaly silty clay loam, 0 to 8 percent slopes
Bethesda very shaly silty clay loam, 25 to 70 percent slopes
Brookside silt loam, 15 to 25 percent slopes
Brookside silt loam, 15 to 25 percent slopes, eroded
Brookside silt loam, 25 to 40 percent slopes
Brookside silt loam, 8 to 15 percent slopes
Brookside silt loam, 8 to 15 percent slopes, eroded
Brookside-Vandalia complex, 15 to 25 percent slopes
Brookside-Vandalia complex, 15 to 25 percent slopes, eroded
Brookside-Vandalia complex, 25 to 35 percent slopes, eroded
Brookside-Vandalia complex, 25 to 40 percent slopes
Brookside-Vandalia complex, 8 to 15 percent slopes
Chagrin silt loam, occasionally flooded
Dekalb channery loam, 25 to 40 percent slopes
Dekalb channery loam, 40 to 70 percent slopes
Dekalb loam, 8 to 15 percent slopes
Elba silty clay loam, 15 to 25 percent slopes
Elba silty clay loam, 15 to 25 percent slopes, eroded
Elba silty clay loam, 25 to 40 percent slopes
Elba silty clay loam, 25 to 40 percent slopes, eroded
Elba silty clay loam, 40 to 70 percent slopes, eroded
Elba-Guernsey silty clay loams, 15 to 25 percent slopes, eroded
Elba-Guernsey silty clay loams, 25 to 35 percent slopes, eroded
Enoch shaly silty clay loam, 0 to 8 percent slopes, very stony
Enoch shaly silty clay loam, 15 to 25 percent slopes, very stony
Enoch shaly silty clay loam, 25 to 70 percent slopes, very stony
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 25 to 35 percent slopes
Gilpin silt loam, 35 to 70 percent slopes
Gilpin silt loam, 8 to 15 percent slopes

Ottawa

Algansee fine sand, occasionally flooded
Bono silty clay
Castalia very stony fine sandy loam, 1 to 6 percent slopes
Colwood loam
Del Rey silt loam, 1 to 3 percent slopes
Dunbridge fine sandy loam, 2 to 6 percent slopes
Genesee silt loam, frequently flooded
Genesee variant loam, frequently flooded
Glendora loamy fine sand, frequently flooded
Haskins loam, 0 to 3 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Kibbie fine sandy loam, 0 to 2 percent slopes
Latty silty clay
Lenawee silty clay loam
Millsdale silty clay loam
Milton silt loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 3 percent slopes
Oakville fine sand, 2 to 8 percent slopes
Rawson loam, 2 to 6 percent slopes
Rimer loamy fine sand, stratified substratum, 0 to 2 percent slopes
Shoals silt loam, frequently flooded
St. Clair silty clay loam, 4 to 12 percent slopes, eroded
Toledo silty clay
Toledo silty clay, ponded
Wabasha silty clay, frequently flooded

Paulding

Belmore loam, till substratum, 2 to 6 percent slopes
Bixler loamy sand, clayey substratum, 0 to 2 percent slopes
Broughton silty clay loam, 12 to 18 percent slopes, eroded
Broughton silty clay loam, 18 to 35 percent slopes, eroded
Broughton silty clay loam, 2 to 6 percent slopes, eroded
Broughton silty clay loam, 6 to 12 percent slopes, eroded
Broughton silty clay, 12 to 18 percent slopes, severely eroded
Broughton silty clay, 6 to 12 percent slopes, severely eroded
Defiance silty clay loam, frequently flooded
Defiance silty clay loam, occasionally flooded
Flatrock silt loam, frequently flooded
Flatrock silt loam, occasionally flooded
Fulton loam, 0 to 2 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes, eroded
Fulton silty clay loam, loamy substratum, 0 to 2 percent slopes
Fulton silty clay loam, loamy substratum, 2 to 6 percent slopes
Granby loamy sand, clayey substratum
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins loamy sand, 0 to 2 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Hoytville silty clay, 0 to 1 percent slopes
Knoxdale silt loam, occasionally flooded
Landes loam, occasionally flooded
Latty silty clay
Latty silty clay loam
Lucas silt loam, loamy substratum, 0 to 2 percent slopes
Lucas silty clay loam, loamy substratum, 2 to 6 percent slopes, eroded
Lucas silty clay loam, loamy substratum, 6 to 12 percent slopes, eroded
Medway silt loam, occasionally flooded
Mermill loam
Millgrove loam, till substratum
Nappanee loam, 0 to 2 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes, eroded
Oshtemo sandy loam, till substratum, 2 to 6 percent slopes
Ottokee loamy sand, 0 to 6 percent slopes
Paulding clay
Rimer loamy sand, 0 to 2 percent slopes
Rimer loamy sand, 2 to 6 percent slopes
Rimer-Fulton complex, 0 to 2 percent slopes
Roselms loam, 0 to 2 percent slopes
Roselms silty clay loam, 0 to 2 percent slopes
Roselms silty clay loam, 2 to 6 percent slopes

Perry

Aetna silt loam, occasionally flooded
Alford silt loam, 1 to 8 percent slopes
Alford silt loam, 15 to 25 percent slopes
Alford silt loam, 8 to 15 percent slopes
Alford silt loam, 8 to 15 percent slopes, eroded
Amanda silt loam, 12 to 18 percent slopes, eroded
Amanda silt loam, 2 to 6 percent slopes, eroded
Amanda silt loam, 6 to 12 percent slopes, eroded
Amanda silty clay loam, 6 to 12 percent slopes, severely eroded
Bennington silt loam, 0 to 3 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks-Westmoreland complex, 40 to 70 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 40 to 70 percent slopes
Bethesda channery loam, 8 to 20 percent slopes
Bethesda silt loam, 0 to 8 percent slopes
Bethesda silt loam, 8 to 20 percent slopes
Brownsville silt loam, 40 to 70 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 1 to 8 percent slopes
Cincinnati silt loam, 6 to 15 percent slopes, eroded
Cincinnati silt loam, 8 to 15 percent slopes, eroded
DeKalb loam, 15 to 25 percent slopes
DeKalb loam, 25 to 40 percent slopes
DeKalb loam, 40 to 70 percent slopes, very stony
DeKalb loam, 8 to 15 percent slopes
Enoch shaly clay loam, 20 to 40 percent slopes
Euclid silt loam, rarely flooded
Fairpoint channery clay loam, 40 to 70 percent slopes
Fairpoint channery clay loam, 8 to 20 percent slopes
Fairpoint channery silty clay loam, 25 to 70 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Glenford silt loam, 1 to 8 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Guernsey-Westmoreland silt loams, 15 to 25 percent slopes
Guernsey-Westmoreland silt loams, 25 to 40 percent slopes
Guernsey-Westmoreland silt loams, 8 to 15 percent slopes
Homewood silt loam, 15 to 20 percent slopes, eroded
Homewood-Westmoreland silt loams, 15 to 25 percent slopes, eroded
Homewood-Westmoreland silt loams, 25 to 40 percent slopes, eroded
Killbuck silt loam, frequently flooded
Lakin loamy sand, 1 to 8 percent slopes
Lindside silt loam, occasionally flooded
Linwood muck

Pickaway

Alexandria silt loam, 12 to 18 percent slopes, eroded
Alexandria silt loam, 18 to 35 percent slopes
Alexandria silt loam, 2 to 6 percent slopes, eroded
Alexandria silt loam, 20 to 35 percent slopes, eroded
Alexandria silt loam, 6 to 12 percent slopes, eroded
Algiers silt loam
Amanda silt loam, 12 to 20 percent slopes, eroded
Amanda silt loam, 2 to 6 percent slopes, eroded
Amanda silt loam, 20 to 35 percent slopes, eroded
Amanda silt loam, 6 to 12 percent slopes, eroded
Amanda silty clay loam, 12 to 20 percent slopes, severely eroded
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Cana Variant silt loam, 18 to 50 percent slopes
Cana Variant silt loam, 2 to 6 percent slopes
Cana Variant silt loam, 6 to 18 percent slopes
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 6 to 12 percent slopes, eroded
Carlisle muck
Casco gravelly loam, 6 to 12 percent slopes
Casco-Kendallville complex, 12 to 18 percent slopes
Casco-Kendallville complex, 18 to 35 percent slopes
Casco-Rodman gravelly loams, 12 to 18 percent slopes
Casco-Rodman gravelly loams, 18 to 35 percent slopes
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina Variant silt loam, 6 to 15 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes, eroded
Chili loam, 0 to 3 percent slopes
Chili loam, 8 to 15 percent slopes, eroded
Corwin silt loam, 0 to 2 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Eel silt loam, occasionally flooded
Eldean gravelly loam, 0 to 2 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes, eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 6 to 12 percent slopes, eroded
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 6 to 12 percent slopes, eroded

Pike

Alexandria silt loam, 20 to 35 percent slopes, eroded
Algiers silt loam
Allegheny Variant loam, 15 to 25 percent slopes
Blairton-Rarden-Gilpin association, rolling
Bratton silt loam, 3 to 8 percent slopes, eroded
Bratton-Opequon complex, 8 to 15 percent slopes, eroded
Clifty silt loam, occasionally flooded
Clymer loam, 15 to 25 percent slopes
Clymer silt loam, 8 to 15 percent slopes
Coolville silt loam, 1 to 8 percent slopes
Coolville silt loam, 2 to 6 percent slopes
Coolville silt loam, 6 to 12 percent slopes, eroded
Coolville silt loam, 8 to 15 percent slopes
Coolville-Blairton association, rolling
Coolville-Rarden silt loams, 8 to 15 percent slopes
Cruze silt loam, 20 to 35 percent slopes
Cruze silt loam, 6 to 12 percent slopes, eroded
Doles silt loam, 0 to 3 percent slopes
Elkinsville silt loam, rarely flooded
Ernest silt loam, 8 to 15 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 2 to 6 percent slopes
Fox loam, 6 to 12 percent slopes
Genesee silt loam, occasionally flooded
Gessie silt loam, occasionally flooded
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 3 to 8 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Haymond silt loam, occasionally flooded
Huntington silt loam, occasionally flooded
Kinn silt loam, occasionally flooded
Latham silt loam, 8 to 15 percent slopes
Latham-Wharton silt loams, 15 to 25 percent slopes
Libre silt loam, 2 to 6 percent slopes
Markland silt loam, 12 to 18 percent slopes, moderately eroded
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 6 to 12 percent slopes, moderately eroded
Markland silty clay loam, 15 to 25 percent slopes, eroded
Markland silty clay loam, 3 to 8 percent slopes, eroded
Markland silty clay loam, 8 to 15 percent slopes, eroded
Martinsville loam, rarely flooded
McGary silt loam, 0 to 4 percent slopes
Melvin silt loam, occasionally flooded
Mentor silt loam, rarely flooded
Miami Variant silt loam, 15 to 30 percent slopes
Miamian clay loam, 15 to 25 percent slopes, severely eroded

Portage

Bogart loam, 2 to 6 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart-Haskins complex, 2 to 6 percent slopes
Canadice silt loam
Canadice silty clay loam
Caneadea silt loam, 0 to 2 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Canfield silt loam, 0 to 2 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, moderately eroded
Carlisle muck
Carlisle muck, ponded
Chili gravelly loam, 12 to 18 percent slopes, moderately eroded
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 6 to 12 percent slopes
Chili silt loam, 6 to 12 percent slopes, moderately eroded
Chili-Oshtemo complex, 12 to 18 percent slopes
Chili-Oshtemo complex, 18 to 25 percent slopes
Chili-Oshtemo complex, 25 to 50 percent slopes
Chili-Wooster complex, 12 to 18 percent slopes, moderately eroded
Chili-Wooster complex, 18 to 30 percent slopes
Chili-Wooster complex, 6 to 12 percent slopes, moderately eroded
Conotton gravelly loam, 18 to 25 percent slopes, moderately eroded
Damascus loam
Dekalb channery loam 12 to 25 percent slopes
Dekalb channery loam, 2 to 6 percent slopes
Dekalb channery loam, 25 to 70 percent slopes
Dekalb channery loam, 6 to 12 percent slopes
Dekalb very stony loam, 25 to 50 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes, moderately eroded
Ellsworth silt loam, 18 to 25 percent slopes
Ellsworth silt loam, 18 to 40 percent slopes, moderately eroded
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes, moderately eroded
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, moderately eroded
Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes

Preble

Brookston silt loam
Brookston silty clay loam
Brookston silty clay loam
Casco and Rodman gravelly loams, 6 to 18 percent slopes, moderately eroded
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, eroded
Celina bouldery silt loam, 2 to 6 percent slopes
Corwin silt loam, 0 to 2 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Cyclone silt loam, 0 to 2 percent slopes
Dana silt loam, 0 to 2 percent slopes
Dana silt loam, 2 to 6 percent slopes
Dana silt loam, bedrock substratum, 2 to 8 percent slopes
Eden silty clay loam, 15 to 25 percent slopes, moderately eroded
Eden silty clay loam, 25 to 50 percent slopes, moderately eroded
Eel silt loam, occasionally flooded
Eel silt loam, gravelly substratum, 0 to 1 percent slopes, occasionally flooded
Eel silt loam, gravelly substratum, 0 to 1 percent slopes, occasionally flooded
Eldean gravelly loam, 0 to 2 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes, eroded
Eldean gravelly clay loam, 6 to 12 percent slopes, severely eroded
Eldean gravelly clay loam, 12 to 18 percent slopes, severely eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 2 to 6 percent slopes, eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 2 to 6 percent slopes, moderately eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes, moderately eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Fincastle silt loam, bedrock substratum, 0 to 2 percent slopes
Fincastle silt loam, bedrock substratum, 2 to 6 percent slopes
Fox silt loam, till substratum, 0 to 2 percent slopes

Putnam

Alvada loam, 0 to 1 percent slopes
Alvada silty clay loam, 0 to 1 percent slopes
Arkport loamy fine sand, 2 to 6 percent slopes
Aurand loam, 0 to 2 percent slopes
Aurand loam, 0 to 3 percent slopes
Belmore loam, 0 to 2 percent slopes
Belmore loam, 2 to 6 percent slopes
Belmore loam, 6 to 12 percent slopes
Belmore sandy loam, 2 to 6 percent slopes
Blount loam, 0 to 2 percent slopes
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Blount-Del Rey silt loams, 1 to 6 percent slopes
Blount-Jenera complex, 0 to 3 percent slopes
Bono silty clay loam
Broughton clay, 12 to 18 percent slopes, moderately eroded
Broughton clay, 18 to 25 percent slopes, severely eroded
Broughton clay, 2 to 6 percent slopes, moderately eroded
Broughton clay, 6 to 12 percent slopes, moderately eroded
Broughton silty clay loam, 2 to 6 percent slopes
Broughton silty clay loam, 2 to 6 percent slopes, eroded
Broughton silty clay loam, 6 to 12 percent slopes, eroded
Colwood loam
Colwood loam, 0 to 1 percent slopes
Cygnet loam, 0 to 2 percent slopes
Cygnet loam, 0 to 3 percent slopes
Darroch loam, 0 to 2 percent slopes
Defiance silty clay loam
Del Rey loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, 2 to 6 percent slopes
Del Rey-Blount complex, 0 to 3 percent slopes
Del Rey-Fulton silt loams, 1 to 6 percent slopes
Digby loam, 0 to 2 percent slopes
Digby loam, 2 to 6 percent slopes
Digby loam, moderately shallow variant, 0 to 2 percent slopes
Fulton loam, 0 to 2 percent slopes
Fulton silt loam, 0 to 2 percent slopes
Fulton silt loam, till substratum, 0 to 2 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes
Fulton silty clay loam, gravelly substratum, 0 to 2 percent slopes
Gallman loam, 2 to 6 percent slopes
Genesee silt loam
Glynwood loam, 0 to 2 percent slopes
Glynwood silt loam, 2 to 6 percent slopes

Richland

Alexandria silt loam, 12 to 18 percent slopes
Alexandria silt loam, 12 to 18 percent slopes, moderately eroded
Alexandria silt loam, 18 to 25 percent slopes
Alexandria silt loam, 18 to 25 percent slopes, moderately eroded
Alexandria silt loam, 2 to 6 percent slopes
Alexandria silt loam, 25 to 40 percent slopes
Alexandria silt loam, 6 to 12 percent slopes
Alexandria silt loam, 6 to 12 percent slopes, moderately eroded
Alexandria silty clay loam, 12 to 18 percent slopes, severely eroded
Algiers silt loam
Belmore loam, 12 to 18 percent slopes
Belmore loam, 2 to 6 percent slopes
Belmore loam, 6 to 12 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes, moderately eroded
Bennington-Fitchville silt loams, 2 to 6 percent slopes
Berks channery silt loam, 12 to 18 percent slopes
Berks channery silt loam, 2 to 6 percent slopes
Berks channery silt loam, 6 to 12 percent slopes
Berks-Rock outcrop complex, steep
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Brownsville channery silt loam, 12 to 18 percent slopes
Brownsville channery silt loam, 6 to 12 percent slopes
Brownsville-Westmoreland complex, 18 to 25 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes, moderately eroded
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, moderately eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, moderately eroded
Cardington silt loam, 6 to 12 percent slopes
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Cardington silty clay loam, 6 to 12 percent slopes, severely eroded
Carlisle muck
Chili and Conotton soils, 12 to 18 percent slopes
Chili and Conotton soils, 12 to 18 percent slopes, severely eroded
Chili and Conotton soils, 18 to 25 percent slopes
Chili and Conotton soils, 25 to 40 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Condit silt loam
Condit silty clay loam

Ross

Adrian muck

Alexandria silt loam, 12 to 20 percent slopes, eroded

Alexandria silt loam, 20 to 35 percent slopes, eroded

Alexandria silt loam, 6 to 12 percent slopes, eroded

Alexandria-Fox complex, 20 to 35 percent slopes, eroded

Berks channery silt loam, 12 to 20 percent slopes

Berks channery silt loam, 20 to 35 percent slopes

Berks-Tarhollow complex, 6 to 15 percent slopes

Cana silt loam, 12 to 20 percent slopes, eroded

Cana silt loam, 2 to 6 percent slopes

Cana silt loam, 20 to 35 percent slopes, eroded

Cana silt loam, 6 to 12 percent slopes, eroded

Carlisle muck

Celina silt loam, 0 to 2 percent slopes

Celina silt loam, 2 to 6 percent slopes

Celina silt loam, 2 to 6 percent slopes, eroded

Chavies silt loam, rarely flooded

Cidermill silt loam, 0 to 2 percent slopes

Cidermill silt loam, 2 to 6 percent slopes

Clifty silt loam, occasionally flooded

Coolville silt loam, 0 to 2 percent slopes

Coolville silt loam, 2 to 6 percent slopes

Coolville silt loam, 6 to 12 percent slopes, eroded

Crosby silt loam, 0 to 2 percent slopes

Crosby silt loam, 2 to 6 percent slopes

Cruze silt loam, 12 to 20 percent slopes

Cruze silt loam, 20 to 35 percent slopes

Cruze silt loam, 6 to 12 percent slopes, eroded

Eldean gravelly loam, 0 to 2 percent slopes

Eldean gravelly loam, 2 to 6 percent slopes

Eldean gravelly loam, 6 to 12 percent slopes, eroded

Eldean loam, 0 to 2 percent slopes

Eldean loam, 2 to 6 percent slopes

Eldean loam, 6 to 12 percent slopes, eroded

Ernest silt loam, 15 to 25 percent slopes

Euclid silt loam, rarely flooded

Fitchville silt loam, 0 to 2 percent slopes

Fitchville silt loam, 2 to 6 percent slopes

Fox loam, 2 to 6 percent slopes

Fox loam, 6 to 12 percent slopes, eroded

Gessie silt loam, frequently flooded

Gessie silt loam, occasionally flooded

Gilpin silt loam, 6 to 12 percent slopes, eroded

Gilpin-Tilsit complex, 6 to 12 percent slopes

Glenford silt loam, 0 to 2 percent slopes

Glenford silt loam, 2 to 6 percent slopes

Sandusky

Adrian muck, 0 to 1 percent slopes
Belmore loam, 2 to 6 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bixler loamy fine sand, 2 to 6 percent slopes
Blount silt loam, 0 to 2 percent slopes
Bono silty clay
Castalia very stony loam, 1 to 6 percent slopes
Chili loam, loamy substratum, 2 to 6 percent slopes
Colwood fine sandy loam
Del Rey silt loam, 0 to 2 percent slopes
Dixboro-Kibbie complex, 0 to 2 percent slopes
Dunbridge sandy loam, 1 to 4 percent slopes
Fulton silty clay loam, 0 to 3 percent slopes
Gilford fine sandy loam
Glenford silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Granby loamy sand
Haskins sandy loam, 1 to 4 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Kibbie fine sandy loam, 0 to 2 percent slopes
Lenawee silty clay loam
Lucas silty clay, 2 to 6 percent slopes
Mentor silt loam, 1 to 4 percent slopes
Mentor silt loam, 25 to 50 percent slopes
Mermill loam
Mermill loam, 0 to 1 percent slopes
Mermill Variant sandy loam
Millsdale silty clay loam
Nappanee silt loam, 0 to 3 percent slopes
Pewamo silty clay loam
Rimer loamy fine sand, 1 to 4 percent slopes
Rossburg silt loam, occasionally flooded
Sandusky gravelly coarse sandy loam
Saylesville silty clay loam, 6 to 12 percent slopes, eroded
Seward loamy fine sand, 2 to 6 percent slopes
Shoals silt loam, frequently flooded
Spinks fine sand, 2 to 6 percent slopes
Tedrow loamy fine sand, 0 to 2 percent slopes
Tedrow-Dixboro complex, 0 to 2 percent slopes
Toledo silty clay
Toledo silty clay loam, ponded
Weyers coarse sandy loam

Scioto

Alford silt loam, 10 to 25 percent slopes
Berks channery silt loam, 8 to 15 percent slopes
Bethesda channery silty clay loam, 8 to 25 percent slopes
Bethesda very shaly clay loam, 8 to 25 percent slopes
Casco loam, 40 to 70 percent slopes
Clymer silt loam, 8 to 15 percent slopes
Coolville silt loam, 1 to 8 percent slopes
Coolville-Rarden silt loams, 8 to 15 percent slopes
Cuba silt loam, occasionally flooded
Doles silt loam, 0 to 3 percent slopes
Elkinsville silt loam, 1 to 6 percent slopes
Elkinsville silt loam, 1 to 8 percent slopes
Elkinsville silt loam, 25 to 40 percent slopes
Ernest silt loam, 15 to 25 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Fox loam, 2 to 6 percent slopes
Genesee silt loam, occasionally flooded
Gilpin-Latham silt loams, 15 to 25 percent slopes
Haymond silt loam, occasionally flooded
Huntington silt loam, occasionally flooded
Landes fine sandy loam, occasionally flooded
Latham silt loam, 15 to 25 percent slopes
Latham silt loam, 15 to 25 percent slopes, eroded
Latham silt loam, 8 to 15 percent slopes
Latham-Brownsville-Shelocta association, steep
Latham-Gilpin association, hilly
Latham-Steinsburg association, hilly
Latham-Steinsburg complex, 15 to 25 percent slopes
Latham-Wharton silt loams, 15 to 25 percent slopes
Monongahela silt loam, 1 to 8 percent slopes
Monongahela silt loam, 8 to 15 percent slopes, eroded
Nolin silt loam, occasionally flooded
Ockley loam, 1 to 8 percent slopes
Omulga silt loam, 1 to 6 percent slopes
Omulga silt loam, 1 to 8 percent slopes
Omulga silt loam, 6 to 15 percent slopes, eroded
Omulga silt loam, 8 to 15 percent slopes
Omulga-Urban land complex, 1 to 8 percent slopes
Omulga-Urban land complex, 8 to 15 percent slopes
Peoga silt loam, rarely flooded
Piopolis silt loam, ponded
Rarden silt loam, 8 to 15 percent slopes
Rarden-Gilpin silt loams, 8 to 15 percent slopes
Rossburg silty clay loam, occasionally flooded
Sardinia silt loam, 1 to 8 percent slopes
Sciotoville silt loam, 1 to 8 percent slopes

Seneca

Adrian muck, 0 to 1 percent slopes
Belmore loam, 2 to 6 percent slopes
Belmore-Morley complex, 18 to 50 percent slopes, eroded
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes, eroded
Bixler loamy fine sand, 0 to 2 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Blount-Houcktown complex, 0 to 3 percent slopes
Blount-Urban land complex, 0 to 2 percent slopes
Bogart loam, 0 to 2 percent slopes
Bono silty clay, loamy substratum
Cardington silt loam, 2 to 6 percent slopes, moderately eroded
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Carlisle muck
Chagrin silt loam, occasionally flooded
Channahon silt loam, 0 to 2 percent slopes
Channahon silt loam, 2 to 6 percent slopes
Colwood fine sandy loam
Colwood silt loam
Cygnet loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Digby loam, 0 to 3 percent slopes
Digby loam, 1 to 4 percent slopes
Dunbridge loamy fine sand, 1 to 4 percent slopes
Dunbridge sandy loam, 1 to 4 percent slopes
Dunbridge-Spinks, deep to limestone, loamy fine sands, 2 to 6 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 1 to 4 percent slopes
Gallman loam, 0 to 2 percent slopes
Gallman loam, 2 to 6 percent slopes
Genesee silt loam, occasionally flooded
Gilford mucky loam, 0 to 1 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood loam, limestone substratum, 0 to 2 percent slopes
Glynwood silt loam, 0 to 2 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Haney loam, 0 to 2 percent slopes
Haney loam, 2 to 6 percent slopes

Shelby

Algiers silt loam
Algiers silt loam
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 2 to 6 percent slopes, moderately eroded
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Brookston silty clay loam
Brookston silty clay loam, 0 to 2 percent slopes
Brookston silty clay loam, 2 to 6 percent slopes
Carlisle muck
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, moderately eroded
Crane silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, moderately eroded
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Digby loam, 0 to 2 percent slopes
Eel silt loam, occasionally flooded
Eel Variant silt loam, occasionally flooded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 2 to 6 percent slopes, moderately eroded
Eldean loam, 6 to 12 percent slopes
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean-Casco complex, 6 to 15 percent slopes, eroded
Eldean-Casco complex, 6 to 18 percent slopes, severely eroded
Eldean-Morley complex, 2 to 6 percent slopes, eroded
Eldean-Morley complex, 6 to 15 percent slopes, eroded
Fox-Miami silt loams, 6 to 12 percent slopes, moderately eroded
Genesee silt loam, occasionally flooded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, eroded
Glynwood silt loam, 12 to 18 percent slopes, eroded
Glynwood clay loam, 12 to 18 percent slopes, severely eroded
Genesee silt loam, occasionally flooded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Glynwood silt loam, 12 to 18 percent slopes, moderately eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, severely eroded
Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded

Stark

Arkport fine sandy loam, 0 to 6 percent slopes
Arkport fine sandy loam, 12 to 18 percent slopes
Arkport fine sandy loam, 6 to 12 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks shaly silt loam, 40 to 70 percent slopes
Berks silt loam, 12 to 18 percent slopes
Berks silt loam, 3 to 8 percent slopes
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery clay loam, 8 to 15 percent slopes
Bethesda channery clay loam, 8 to 25 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart silt loam, 6 to 12 percent slopes
Bogart-Urban land complex
Boyer loam, 0 to 4 percent slopes
Brooke silty clay loam, 12 to 25 percent slopes, moderately eroded
Brooke silty clay loam, 4 to 12 percent slopes, moderately eroded
Canadice silt loam
Canfield silt loam, 0 to 2 percent slopes
Canfield silt loam, 12 to 18 percent slopes
Canfield silt loam, 12 to 18 percent slopes, moderately eroded
Canfield silt loam, 12 to 20 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 20 to 35 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, moderately eroded
Canfield silt loam, 8 to 15 percent slopes
Canfield silt loam, moderately shallow variant, 2 to 6 percent slopes
Canfield silt loam, moderately shallow variant, 6 to 12 percent slopes
Canfield-Urban land complex, rolling
Canfield-Urban land complex, undulating
Carlisle muck
Chagrin loam
Chagrin loam, alkaline phase
Chagrin silt loam, alkaline phase
Chili and Conotton gravelly loams, 25 to 50 percent slopes, moderately eroded
Chili gravelly loam, 12 to 18 percent slopes, moderately eroded
Chili gravelly loam, 12 to 25 percent slopes, eroded
Chili gravelly loam, 18 to 25 percent slopes, moderately eroded
Chili gravelly loam, 6 to 12 percent slopes
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili silt loam, 0 to 2 percent slopes

Summit

Berks channery silt loam, 25 to 70 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart-Haskins loams, 2 to 6 percent slopes
Canadice silt loam
Canadice silty clay loam
Caneadea silt loam, 0 to 2 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Canfield silt loam, 0 to 2 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, moderately eroded
Canfield silt loam, sandstone substratum, 2 to 6 percent slopes
Canfield-Urban land complex, rolling
Canfield-Urban land complex, undulating
Carlisle muck
Chagrin loam, alkaline phase
Chagrin silt loam
Chagrin silt loam, alkaline
Chagrin-Urban land complex
Chili and Conotton gravelly loams, 25 to 50 percent slopes, moderately eroded
Chili gravelly loam, 12 to 18 percent slopes, moderately eroded
Chili gravelly loam, 12 to 25 percent slopes, moderately eroded
Chili gravelly loam, 6 to 12 percent slopes
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 6 to 12 percent slopes
Chili silt loam, 6 to 12 percent slopes, moderately eroded
Chili-Oshtemo complex, 25 to 50 percent slopes
Chili-Urban land complex, rolling
Chili-Urban land complex, undulating
Chili-Wooster complex, 12 to 18 percent slopes, moderately eroded
Chili-Wooster complex, 18 to 25 percent slopes, moderately eroded
Chili-Wooster complex, 6 to 12 percent slopes, moderately eroded
Conotton gravelly loam, 12 to 18 percent slopes, moderately eroded
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Conotton-Oshtemo complex, 12 to 18 percent slopes
Conotton-Oshtemo complex, 18 to 25 percent slopes
Conotton-Oshtemo complex, 25 to 50 percent slopes
Damascus loam
Dekalb sandy loam, 12 to 18 percent slopes

Trumbull

Bogart silt loam, 0 to 2 percent slopes
Braceville gravelly loam, 3 to 8 percent slopes, moderately eroded
Brecksville silt loam, 25 to 50 percent slopes
Cambridge silt loam, 2 to 6 percent slopes
Cambridge silt loam, 6 to 12 percent slopes
Canadice silty clay loam
Caneadea silt loam, 0 to 2 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Caneadea-Canadice complex, 0 to 2 percent slopes
Caneadea-Urban land complex, 0 to 2 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield-Urban land complex, 2 to 8 percent slopes
Carlisle muck, ponded
Chili gravelly loam, 12 to 18 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili-Oshtemo complex, 25 to 50 percent slopes
Chili-Urban land complex, 2 to 6 percent slopes
Chili-Urban land complex, 6 to 12 percent slopes
Condit silt loam
Damascus loam
Darien silt loam, 0 to 2 percent slopes
Darien silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes, eroded
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes, eroded
Ellsworth silt loam, 25 to 50 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, eroded
Ellsworth-Urban land complex, 2 to 8 percent slopes
Elnora loamy fine sand, 2 to 6 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville-Urban land complex, 0 to 3 percent slopes
Frenchtown silt loam, 0 to 3 percent slopes
Geeburg silt loam, 2 to 6 percent slopes
Geeburg silt loam, 2 to 6 percent slopes, eroded
Geeburg silt loam, 6 to 12 percent slopes
Geeburg silt loam, 6 to 12 percent slopes, eroded
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford-Urban land complex, 2 to 6 percent slopes
Haskins loam, 0 to 2 percent slopes

Tuscarawas

Aaron silt loam, 2 to 6 percent slopes
Aaron silt loam, 2 to 8 percent slopes
Aaron silt loam, 8 to 15 percent slopes
Aaron silty clay loam, 6 to 15 percent slopes, eroded
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks channery silt loam, 8 to 15 percent slopes
Berks shaly silt loam, 15 to 25 percent slopes
Berks shaly silt loam, 25 to 40 percent slopes
Berks shaly silt loam, 40 to 70 percent slopes
Berks shaly silt loam, 8 to 15 percent slopes
Berks silt loam, 3 to 8 percent slopes
Bethesda channery clay loam, 0 to 8 percent slopes
Bethesda channery clay loam, 15 to 25 percent slopes
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery clay loam, 8 to 15 percent slopes
Bethesda channery silty clay loam, 25 to 70 percent slopes
Bethesda very channery clay loam, 20 to 70 percent slopes
Bethesda very channery clay loam, 8 to 20 percent slopes
Bogart variant loam, 0 to 3 percent slopes
Bogart variant loam, 3 to 8 percent slopes
Canadice silty clay loam
Caneadea silty clay loam, 0 to 2 percent slopes
Caneadea silty clay loam, 0 to 3 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 8 to 15 percent slopes
Chagrin silt loam, alkaline phase
Chili gravelly loam, 3 to 8 percent slopes
Chili gravelly loam, 8 to 15 percent slopes
Chili loam, 2 to 6 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 0 to 3 percent slopes
Chili silt loam, 2 to 6 percent slopes
Conotton gravelly loam, 0 to 3 percent slopes
Conotton gravelly loam, 15 to 25 percent slopes
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 3 to 8 percent slopes
Coshocton loam, 15 to 25 percent slopes
Coshocton silt loam, 3 to 8 percent slopes
Coshocton silt loam, 6 to 15 percent slopes
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton silt loam, 8 to 15 percent slopes, eroded
Coshocton-Guernsey silt loams, 15 to 25 percent slopes

Union

Algiers silt loam
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 2 to 6 percent slopes, moderately eroded
Brookston silty clay loam
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 2 to 6 percent slopes
Eel silt loam
Eldean silt loam, 2 to 6 percent slopes
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 2 to 6 percent slopes, moderately eroded
Fox silt loam, 6 to 12 percent slopes, moderately eroded
Genesee silt loam
Glynwood clay loam, 2 to 6 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 6 to 12 percent slopes
Glynwood silt loam, ground moraine, 6 to 12 percent slopes
Henshaw silt loam, 0 to 2 percent slopes
Homer silt loam
Kane silt loam
Kendallville silt loam, 0 to 2 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kokomo silty clay loam, 0 to 2 percent slopes
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Lewisburg-Crosby complex, 2 to 6 percent slopes
Lippincott silty clay loam
Lobdell, channery substratum-Sloan, till substratum complex, 0 to 2 percent slopes, occasionally flooded
Lybrand silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 18 to 35 percent slopes, moderately eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Millgrove silty clay loam, 0 to 2 percent slopes, rarely flooded
Minster silty clay loam, 0 to 1 percent slopes
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Morley silt loam, 12 to 18 percent slopes, moderately eroded
Morley silt loam, 18 to 25 percent slopes, moderately eroded

VanWert

Belmore loam, 0 to 2 percent slopes
Belmore loam, 2 to 6 percent slopes
Belmore loam, 6 to 12 percent slopes
Belmore sandy loam, 2 to 6 percent slopes
Blount loam, 0 to 2 percent slopes
Blount loam, 2 to 6 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 2 to 6 percent slopes, moderately eroded
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Colwood silt loam
Defiance silt loam
Defiance silty clay loam
Digby loam, 0 to 2 percent slopes
Digby loam, 2 to 6 percent slopes
Digby sandy loam, 0 to 2 percent slopes
Digby sandy loam, 2 to 6 percent slopes
Eel silt loam
Elliott silt loam, 0 to 4 percent slopes
Gallman sandy loam, 2 to 6 percent slopes
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Haney loam, 0 to 2 percent slopes
Haney loam, 2 to 6 percent slopes
Haney sandy loam, 2 to 6 percent slopes
Haskins fine sandy loam, 0 to 2 percent slopes
Haskins fine sandy loam, 2 to 6 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, moderately shallow variant
Hoytville silty clay, 0 to 1 percent slopes
Kibbie silt loam
Latty clay
Latty silty clay
Latty silty clay loam
McGary silt loam
Mermill silt loam
Millgrove silt loam
Millgrove silty clay loam
Minster silty clay loam, 0 to 1 percent slopes

Vinton

Aaron silt loam, 6 to 15 percent slopes
Berks-Tarhollow complex, 6 to 15 percent slopes
Bethesda channery clay loam, 20 to 40 percent slopes
Bethesda channery clay loam, 40 to 70 percent slopes
Bethesda channery clay loam, 8 to 20 percent slopes
Bethesda silty clay loam, 0 to 8 percent slopes
Bethesda silty clay loam, 20 to 40 percent slopes
Bethesda silty clay loam, 8 to 20 percent slopes
Bonnie silt loam, frequently flooded
Bonnie silt loam, ponded
Chagrin silt loam, frequently flooded
Chavies silt loam, 0 to 2 percent slopes, rarely flooded
Chavies silt loam, 2 to 6 percent slopes, rarely flooded
Chavies silt loam, 6 to 15 percent slopes
Clifty silt loam, occasionally flooded
Clymer silt loam, 8 to 15 percent slopes
Cruze silt loam, 12 to 20 percent slopes
Cruze silt loam, 20 to 35 percent slopes
Cuba silt loam, frequently flooded
Dekalb-Shelocta-Rock outcrop complex, 40 to 70 percent slopes
Dekalb-Westmoreland complex, 15 to 25 percent slopes
Doles silt loam, 0 to 2 percent slopes
Ernest silt loam, 15 to 25 percent slopes
Ernest silt loam, 6 to 15 percent slopes
Ernest silt loam, 8 to 15 percent slopes
Fairpoint clay loam, 0 to 8 percent slopes
Fairpoint clay loam, 8 to 20 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Germano-Gilpin complex, 15 to 25 percent slopes
Germano-Gilpin complex, 25 to 40 percent slopes
Germano-Gilpin complex, 6 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes, eroded
Gilpin-Aaron complex, 6 to 15 percent slopes
Gilpin-Guernsey complex, 15 to 25 percent slopes
Gilpin-Guernsey complex, 25 to 40 percent slopes
Gilpin-Guernsey complex, 40 to 70 percent slopes
Gilpin-Rarden complex, 15 to 25 percent slopes
Gilpin-Rarden complex, 25 to 40 percent slopes
Gilpin-Rarden complex, 6 to 15 percent slopes
Gilpin-Tarhollow complex, 6 to 15 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Licking silt loam, 15 to 25 percent slopes, eroded
Licking silt loam, 2 to 6 percent slopes
Licking silt loam, 6 to 15 percent slopes, eroded
McGary silty clay loam, 0 to 2 percent slopes

Warren

Abscota sand, calcareous variant
Alford silt loam, till substratum, 1 to 4 percent slopes
Algiers silt loam
Birkbeck silt loam, 1 to 4 percent slopes
Blanchester silty clay loam, 0 to 1 percent slopes
Bonnell silt loam, 15 to 25 percent slopes
Bonnell silt loam, 25 to 35 percent slopes
Brookston silt loam
Brookston silty clay loam
Casco silt loam, 12 to 18 percent slopes, eroded
Casco silt loam, 18 to 50 percent slopes, eroded
Cincinnati silt loam, 2 to 6 percent slopes
Casco loam, 2 to 6 percent slopes, moderately eroded
Casco loam, 6 to 12 percent slopes, moderately eroded
Casco-Eldean loams, 12 to 18 percent slopes, moderately eroded
Casco-Rodman complex, 12 to 18 percent slopes, moderately eroded
Casco loam, 25 to 35 percent slopes
Casco-Rodman loams, 18 to 50 percent slopes, moderately eroded
Celina silt loam, 2 to 6 percent slopes
Casco silt loam, 18 to 50 percent slopes, eroded
Clermont silt loam, 0 to 1 percent slopes
Cincinnati silt loam, 8 to 15 percent slopes, eroded
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Corwin silt loam, 0 to 2 percent slopes
Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded
Crider silt loam, 2 to 6 percent slopes
Crosby-Celina silt loams, 2 to 6 percent slopes
Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded
Dana silt loam, 0 to 2 percent slopes
Dana silt loam, 2 to 6 percent slopes
Dunham silty clay loam, 0 to 2 percent slopes
Eden flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded
Edenton loam, 6 to 12 percent slopes, moderately eroded
Edenton loam, 12 to 18 percent slopes, moderately eroded
Edenton loam, 18 to 25 percent slopes, moderately eroded
Eden flaggy silty clay loam, 40 to 60 percent slopes
Edenton loam, 25 to 50 percent slopes, moderately eroded
Eden silty clay loam, 15 to 25 percent slopes
Eden silty clay loam, 25 to 40 percent slopes
Eden silty clay loam, 15 to 25 percent slopes, moderately eroded
Edenton clay loam, 12 to 25 percent slopes, severely eroded
Edenton silt loam, 2 to 6 percent slopes
Eden complex, 2 to 6 percent slopes, moderately eroded
Eden complex, 6 to 12 percent slopes, moderately eroded

Washington

Alford silt loam, 2 to 6 percent slopes
Alford silt loam, 6 to 12 percent slopes
Allegheny silt loam, 12 to 18 percent slopes
Allegheny silt loam, 18 to 50 percent slopes
Allegheny silt loam, 2 to 6 percent slopes
Allegheny silt loam, 6 to 12 percent slopes
Ashton silt loam, 0 to 2 percent slopes
Ashton silt loam, 2 to 6 percent slopes
Belpre clay, 12 to 18 percent slopes
Belpre clay, 18 to 25 percent slopes
Belpre clay, 25 to 35 percent slopes
Belpre clay, 6 to 12 percent slopes
Brookside bouldery silty clay loam, 18 to 35 percent slopes
Brookside silty clay loam, 12 to 18 percent slopes
Brookside silty clay loam, 18 to 25 percent slopes
Brookside silty clay loam, 6 to 12 percent slopes
Chagrin silt loam
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Clymer silt loam, 12 to 18 percent slopes
Clymer silt loam, 6 to 12 percent slopes
Conotton gravelly loam, 1 to 6 percent slopes
Conotton-Chili gravelly loams, 18 to 25 percent slopes
Dekalb and Gilpin stony soils, 25 to 70 percent slopes
Dekalb loam, 12 to 18 percent slopes
Dekalb loam, 18 to 25 percent slopes
Dekalb loam, 25 to 35 percent slopes
Dekalb loam, 6 to 12 percent slopes
Duncannon silt loam, 2 to 6 percent slopes
Duncannon silt loam, 6 to 12 percent slopes
Duncannon-Lakin complex, 12 to 18 percent slopes
Duncannon-Lakin complex, 18 to 25 percent slopes
Elba-Belpre complex, 12 to 18 percent slopes
Elba-Belpre complex, 18 to 25 percent slopes
Elba-Belpre complex, 25 to 35 percent slopes
Gallia silt loam, 12 to 18 percent slopes
Gallia silt loam, 2 to 6 percent slopes
Gallia silt loam, 6 to 12 percent slopes
Gilpin silt loam, 12 to 18 percent slopes
Gilpin silt loam, 18 to 25 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 25 to 35 percent slopes
Gilpin silt loam, 6 to 12 percent slopes
Gilpin-Summitville-Upshur complex, 12 to 18 percent slopes
Gilpin-Summitville-Upshur complex, 12 to 18 percent slopes, severely eroded

Wayne

Alexandria silt loam, 12 to 18 percent slopes
Alexandria silt loam, 18 to 25 percent slopes
Alexandria silt loam, 18 to 50 percent slopes
Alexandria silt loam, 25 to 50 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Berks silt loam, 12 to 18 percent slopes
Berks silt loam, 18 to 25 percent slopes
Berks silt loam, 25 to 70 percent slopes
Berks-Rock outcrop complex, 30 to 60 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Canfield silt loam, 0 to 2 percent slopes
Canfield silt loam, 12 to 18 percent slopes, moderately eroded
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes, eroded
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, eroded
Canfield silt loam, sandstone substratum, 2 to 6 percent slopes
Canfield-Urban land complex, 2 to 6 percent slopes
Cardington silt loam, 12 to 25 percent slopes, moderately eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes
Cardington silt loam, 6 to 12 percent slopes, eroded
Carlisle muck
Carlisle muck, ponded
Chili gravelly loam, 12 to 18 percent slopes, moderately eroded
Chili gravelly loam, 12 to 25 percent slopes, eroded
Chili gravelly loam, 25 to 70 percent slopes
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili loam, 0 to 2 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 6 to 12 percent slopes
Chili silt loam, 6 to 12 percent slopes, moderately eroded
Chili-Urban land complex, 2 to 6 percent slopes
Condit silt loam
Conotton gravelly loam, 6 to 12 percent slopes
Coshocton silt loam, 6 to 12 percent slopes
DeKalb channery loam, 12 to 18 percent slopes
DeKalb channery loam, 18 to 25 percent slopes
DeKalb sandy loam, 12 to 25 percent slopes, moderately eroded

Williams

Arkport loamy fine sand, 2 to 6 percent slopes
Belmore sandy loam, 1 to 6 percent slopes
Blount loam, 0 to 2 percent slopes
Blount loam, 0 to 3 percent slopes
Blount loam, 2 to 6 percent slopes
Blount loam, 2 to 6 percent slopes, moderately eroded
Blount loam, loamy substratum, 0 to 2 percent slopes
Blount loam, loamy substratum, 2 to 6 percent slopes
Bono silty clay loam
Boyer gravelly loamy sand, 12 to 18 percent slopes
Boyer loamy sand, 1 to 6 percent slopes
Boyer loamy sand, 6 to 12 percent slopes
Bronson sandy loam, 1 to 6 percent slopes
Carlisle muck
Ceresco sandy loam
Cohoctah loam
Colwood loam
Colwood silt loam
Del Rey loam, 0 to 2 percent slopes
Del Rey loam, 2 to 6 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silty clay loam, 0 to 2 percent slopes
Del Rey silty clay loam, 2 to 6 percent slopes
Digby loam, 0 to 3 percent slopes
Digby sandy loam, 0 to 3 percent slopes
Edwards muck
Eel loam
Fulton loam, 0 to 2 percent slopes
Fulton loam, 2 to 6 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 0 to 3 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes
Genesee loam
Gilford fine sandy loam
Glynwood loam, 12 to 18 percent slopes, moderately eroded
Glynwood loam, 18 to 40 percent slopes, moderately eroded
Glynwood loam, 2 to 6 percent slopes
Glynwood loam, 2 to 6 percent slopes, moderately eroded
Glynwood loam, 6 to 12 percent slopes
Glynwood loam, 6 to 12 percent slopes, moderately eroded
Haney loam, 1 to 6 percent slopes
Haney-Rawson sandy loams, 1 to 6 percent slopes
Haney-Rawson sandy loams, 6 to 12 percent slopes
Haskins fine sandy loam, 0 to 2 percent slopes
Haskins loam, 0 to 3 percent slopes
Haskins sandy loam, 0 to 3 percent slopes

Wood

Alvada loam, 0 to 1 percent slopes
Aurand fine sandy loam, 0 to 2 percent slopes
Aurand loam, 0 to 2 percent slopes
Aurand-Urban land complex, 0 to 2 percent slopes
Belmore loam, 1 to 4 percent slopes
Belmore sandy loam, 1 to 4 percent slopes
Castalia very cobbly loam, 0 to 2 percent slopes
Castalia-Marblehead complex, very stony, 0 to 6 percent slopes
Castalia-Marblehead-Urban land complex, very stony, 0 to 6 percent slopes
Colonie fine sand, 1 to 6 percent slopes
Colonie fine sand, 12 to 18 percent slopes
Colonie fine sand, 6 to 12 percent slopes
Colwood fine sandy loam, 0 to 1 percent slopes
Colwood loam, 0 to 1 percent slopes
Colwood-Urban land complex, 0 to 1 percent slopes
Cygnet loam, 0 to 2 percent slopes
Digby loam, 0 to 2 percent slopes
Digby sandy loam, 0 to 2 percent slopes
Dunbridge sandy loam, 0 to 2 percent slopes
Dunbridge-Spinks, deep to limestone, loamy fine sands, 0 to 2 percent slopes
Dunbridge-Spinks, deep to limestone, loamy fine sands, 2 to 6 percent slopes
Eel loam, 0 to 2 percent slopes, frequently flooded
Eel silt loam, 0 to 2 percent slopes, frequently flooded
Eel silt loam, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded
Flatrock silt loam, 0 to 2 percent slopes, occasionally flooded
Fulton silty clay loam, till substratum, 0 to 2 percent slopes
Fulton silty clay loam, till substratum, 2 to 6 percent slopes
Fulton, till substratum-Urban land complex, 0 to 2 percent slopes
Genesee loam, 0 to 2 percent slopes, frequently flooded
Genesee silt loam, 0 to 2 percent slopes, frequently flooded
Granby loamy fine sand, till substratum, 0 to 1 percent slopes
Haney loam, 0 to 2 percent slopes
Haney loam, 2 to 6 percent slopes
Haney sandy loam, 0 to 2 percent slopes
Haney sandy loam, 2 to 6 percent slopes
Haskins and Digby, till substratum, fine sandy loams, 0 to 2 percent slopes
Haskins and Digby, till substratum, fine sandy loams, 2 to 6 percent slopes
Haskins and Digby, till substratum, loams, 0 to 2 percent slopes
Haskins and Digby, till substratum, loams, 2 to 6 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Hoytville-Urban land complex, 0 to 1 percent slopes
Joliet silty clay loam, 0 to 1 percent slopes
Kibbie fine sandy loam, 0 to 2 percent slopes
Kibbie fine sandy loam, 2 to 6 percent slopes
Kibbie loamy fine sand, 0 to 2 percent slopes

Wyandot

Alexandria silt loam, 6 to 12 percent slopes, moderately eroded
Belmore loam, 0 to 2 percent slopes
Belmore loam, 2 to 6 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Biglick-Milton complex, 2 to 6 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Blount-Jenera complex, 0 to 3 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bono silty clay
Cardington silt loam, 12 to 18 percent slopes, eroded
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes, eroded
Carlisle muck
Centerburg silt loam, 1 to 4 percent slopes
Chagrin silt loam, rarely flooded
Chili loam, 2 to 6 percent slopes
Chili loam, 6 to 12 percent slopes, moderately eroded
Colwood silt loam
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, 2 to 6 percent slopes
Digby loam, 0 to 3 percent slopes
Elliott silt loam, 0 to 3 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Genesee silt loam, occasionally flooded
Glenford silt loam, 2 to 6 percent slopes
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, eroded
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Haney loam, 0 to 2 percent slopes
Haney loam, 2 to 6 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Hennepin-Alexandria silt loams, 18 to 50 percent slopes
Jimtown loam, 0 to 2 percent slopes
Kendallville loam, 2 to 6 percent slopes

Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 6 to 15 percent slopes, eroded
Peoga silt loam
Plainfield sand, 3 to 8 percent slopes
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Sardinia silt loam, 1 to 6 percent slopes
Sardinia silt loam, 2 to 6 percent slopes
Sciotoville silt loam, 1 to 6 percent slopes
Shelocta-Berks association, steep
Shelocta-Berks association, very steep
Shelocta-Brownsville association, steep
Shelocta-Brownsville association, very steep
Shelocta-Muse association, hilly
Shelocta-Muse-Colyer association, steep
Skidmore gravelly loam, occasionally flooded
Skidmore silt loam, occasionally flooded
Tilsit silt loam, 0 to 3 percent slopes
Trappist silt loam, 15 to 25 percent slopes, eroded
Trappist silt loam, 3 to 8 percent slopes
Trappist silt loam, 8 to 15 percent slopes
Trappist-Shelocta association, steep
Udorthents, silty
Wernock silt loam, 8 to 15 percent slopes
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Williamsburg silt loam, 1 to 6 percent slopes
Williamsburg silt loam, 6 to 15 percent slopes, eroded

Millsdale silty clay loam, 0 to 1 percent slopes
Milton loam, 0 to 2 percent slopes
Nappanee clay loam, 0 to 2 percent slopes
Patton silty clay loam, loamy substratum, 0 to 1 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo-Urban land complex, 0 to 2 percent slopes
Rensselaer loam, 0 to 1 percent slopes
Rensselaer loam, till substratum, 0 to 1 percent slopes
Rensselaer silt loam, 0 to 1 percent slopes
Roundhead muck, loamy substratum, 0 to 1 percent slopes
Saranac silty clay loam, 0 to 1 percent slopes, rarely flooded
Saranac silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Seward loamy fine sand, deep phase, 0 to 5 percent slopes
Shawtown loam, 2 to 6 percent slopes
Shinrock clay loam, 6 to 12 percent slopes, eroded
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam, till substratum, 0 to 1 percent slopes, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Thackery loam, sandy substratum, 0 to 2 percent slopes
Thackery sandy loam, sandy substratum, 1 to 3 percent slopes
Tiderishi loam, 0 to 2 percent slopes
Westland clay loam, 0 to 1 percent slopes
Westland-Rensselaer complex, 0 to 1 percent slopes

Chili-Wooster complex, 6 to 12 percent slopes
Cidermill silt loam, 0 to 2 percent slopes
Cidermill silt loam, 2 to 6 percent slopes
Condit silt loam
Condit silty clay loam
Conotton gravelly loam, 2 to 12 percent slopes
Conotton Variant gravelly loam, 10 to 20 percent slopes
Coshocton loam, 2 to 6 percent slopes
Coshocton loam, 6 to 15 percent slopes
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 6 to 15 percent slopes, eroded
Ellsworth silt loam, 12 to 25 percent slopes, eroded
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes, eroded
Ellsworth silt loam, 25 to 70 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, eroded
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 1 to 4 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, gravelly subsoil variant, 0 to 2 percent slopes
Frenchtown silt loam
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 6 to 12 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Haskins silt loam, 0 to 3 percent slopes
Holly silt loam
Jimtown loam, 0 to 3 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown silt loam, 0 to 2 percent slopes
Jimtown silt loam, 2 to 6 percent slopes
Killbuck silt loam
Latham silt loam, 2 to 6 percent slopes
Linwood muck
Lobdell silt loam
Lordstown and Loudonville silt loams, 18 to 25 percent slopes
Lordstown silt loam, 12 to 18 percent slopes
Lordstown silt loam, 18 to 25 percent slopes
Lordstown silt loam, 2 to 6 percent slopes
Lordstown silt loam, 25 to 40 percent slopes
Lordstown silt loam, 6 to 12 percent slopes
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 18 to 25 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes

Pierpont silt loam, 12 to 18 percent slopes
Pierpont silt loam, 6 to 12 percent slopes, eroded
Platea-Darien silt loams, 0 to 2 percent slopes
Platea-Darien silt loams, 2 to 6 percent slopes
Platea-Darien silt loams, 2 to 6 percent slopes, eroded
Platea-Urban land complex, 2 to 6 percent slopes
Platea-Urban land complex, 6 to 12 percent slopes
Red Hook silt loam, 0 to 2 percent slopes
Red Hook silt loam, 2 to 6 percent slopes
Sebring silt loam, 0 to 2 percent slopes
Stanhope silt loam, 0 to 2 percent slopes, frequently flooded
Towerville silt loam, 12 to 18 percent slopes
Tyner-Otisville complex, 2 to 6 percent slopes
Urban land-Elnora complex, 1 to 5 percent slopes
Urban land-Tyner-Otisville complex, 2 to 6 percent slopes
Venango silt loam, 0 to 2 percent slopes
Venango silt loam, 2 to 6 percent slopes
Wick silt loam, 0 to 2 percent slopes, frequently flooded
Willette muck, 0 to 1 percent slopes

Gilpin-Guernsey complex, 15 to 25 percent slopes
Gilpin-Guernsey complex, 25 to 40 percent slopes
Gilpin-Summitville-Upshur complex, 12 to 18 percent slopes
Gilpin-Summitville-Upshur complex, 18 to 25 percent slopes
Gilpin-Summitville-Upshur complex, 18 to 25 percent slopes, severely eroded
Gilpin-Summitville-Upshur complex, 25 to 35 percent slopes
Gilpin-Summitville-Upshur complex, 25 to 35 percent slopes, benched
Gilpin-Summitville-Upshur complex, 35 to 70 percent slopes, benched
Gilpin-Summitville-Upshur complex, 6 to 12 percent slopes
Gilpin-Upshur complex, 12 to 20 percent slopes, eroded
Gilpin-Upshur complex, 15 to 25 percent slopes
Gilpin-Upshur complex, 20 to 35 percent slopes, eroded
Gilpin-Upshur complex, 25 to 50 percent slopes
Gilpin-Upshur complex, 35 to 70 percent slopes
Gilpin-Upshur complex, 8 to 15 percent slopes
Glenford silt loam, 0 to 3 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 3 to 8 percent slopes
Glenford silt loam, 8 to 15 percent slopes
Guernsey silt loam, 3 to 8 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey-Gilpin complex, 15 to 25 percent slopes
Guernsey-Gilpin complex, 25 to 40 percent slopes
Guernsey-Upshur complex, 15 to 25 percent slopes
Guernsey-Upshur complex, 8 to 15 percent slopes
Guernsey-Westmoreland silt loams, 15 to 25 percent slopes
Guernsey-Westmoreland silt loams, 25 to 40 percent slopes
Guernsey-Westmoreland silt loams, 8 to 15 percent slopes
Hackers silt loam, 0 to 3 percent slopes
Hartshorn silt loam
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 6 to 12 percent slopes
Licking silt loam, 2 to 6 percent slopes
Licking silt loam, 3 to 8 percent slopes
Licking silt loam, 6 to 12 percent slopes, eroded
Licking silt loam, 8 to 15 percent slopes
Lowell-Gilpin complex, 35 to 70 percent slopes
Lowell-Upshur complex, 6 to 12 percent slopes
McGary silt loam, 0 to 3 percent slopes
Melvin silt loam, frequently flooded
Morristown channery clay loam, 20 to 70 percent slopes, very stony
Morristown silty clay loam, 6 to 20 percent slopes
Moshannon silt loam, frequently flooded
Negley gravelly loam, 25 to 40 percent slopes
Negley loam, 8 to 15 percent slopes
Newark silt loam, frequently flooded
Nolin silt loam, frequently flooded

Saranac-Spencerville silty clay loams, 0 to 1 percent slopes, frequently flooded
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam, occasionally flooded
Shoals silt loam, till substratum, 0 to 1 percent slopes, occasionally flooded
Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, frequently flooded
Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Thackery loam, sandy substratum, 0 to 2 percent slopes
Thackery sandy loam, sandy substratum, 1 to 3 percent slopes
Udorthents, loamy, rolling
Wallkill silty clay loam
Westland clay loam, 0 to 1 percent slopes
Westland silty clay loam, clay substratum

Lowell silt loam, 40 to 70 percent slopes
Lowell silt loam, 8 to 15 percent slopes
Lowell-Westmoreland silt loams, 15 to 25 percent slopes
Lowell-Westmoreland silt loams, 25 to 40 percent slopes
Lowell-Westmoreland silt loams, 3 to 8 percent slopes
Lowell-Westmoreland silt loams, 40 to 70 percent slopes
Lowell-Westmoreland silt loams, 8 to 15 percent slopes
Lowell-Westmoreland silt loams, benched, 30 to 70 percent slopes
Morristown clay loam, 0 to 8 percent slopes
Morristown clay loam, 25 to 40 percent slopes
Morristown clay loam, 8 to 25 percent slopes
Morristown stony clay loam, 0 to 8 percent slopes
Morristown stony clay loam, 25 to 40 percent slopes
Morristown stony clay loam, 8 to 25 percent slopes
Morristown very stony clay loam, 40 to 70 percent slopes
Newark silt loam, frequently flooded
Newark silt loam, ponded
Newark Variant silt loam, frequently flooded
Nolin variant silt loam, occasionally flooded
Otwell silt loam, 3 to 8 percent slopes
Otwell silt loam, 8 to 15 percent slopes
Richland channery loam, 15 to 25 percent slopes
Richland channery loam, 8 to 15 percent slopes
Richland loam, 15 to 25 percent slopes
Richland loam, 8 to 15 percent slopes
Richland moderately stony loam, 25 to 40 percent slopes
Richland silt loam, 3 to 8 percent slopes
Wellston silt loam, 3 to 8 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Westmore silt loam, 15 to 25 percent slopes
Westmore silt loam, 3 to 8 percent slopes
Westmore silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 3 to 8 percent slopes
Westmoreland silt loam, 40 to 70 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland-Upshur complex, 15 to 25 percent slopes
Westmoreland-Upshur complex, 8 to 15 percent slopes
Zanesville silt loam, 3 to 8 percent slopes
Zanesville silt loam, 8 to 15 percent slopes

Elk silt loam, 2 to 6 percent slopes, rarely flooded
Fairmount very flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded
Faywood silty clay loam, 15 to 25 percent slopes, eroded
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Faywood silt loam, 15 to 25 percent slopes, eroded
Faywood-Lowell silt loams, 8 to 15 percent slopes, eroded
Fitchville silt loam, 2 to 6 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fairmount-Rock outcrop complex, 30 to 65 percent slopes
Genesee silt loam, occasionally flooded
Genesee silt loam
Haubstadt silt loam, 2 to 6 percent slopes
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, moderately eroded
Hickory silt loam, 18 to 25 percent slopes, moderately eroded
Hickory clay loam, 6 to 12 percent slopes, severely eroded
Jessup silt loam, 8 to 15 percent slopes, eroded
Jessup silt loam, 15 to 25 percent slopes, eroded
Jessup silt loam, 15 to 25 percent slopes, eroded
Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes
Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded
Jules silt loam, frequently flooded
Lawrence silt loam, rarely flooded
Loudon silt loam, 2 to 6 percent slopes
Loudon silt loam, 2 to 6 percent slopes
Loudon silt loam, 3 to 8 percent slopes, eroded
Lowell silt loam, 6 to 12 percent slopes
Loudon silt loam, 6 to 12 percent slopes, moderately eroded
Lowell silt loam, 12 to 20 percent slopes
Loudon silt loam, 12 to 18 percent slopes, moderately eroded
Lowell silt loam, 3 to 8 percent slopes, eroded
Lowell silt loam, shale substratum, 6 to 12 percent slopes, eroded
Lowell silt loam, shale substratum, 12 to 20 percent slopes, eroded
Monongahela loam, 2 to 6 percent slopes
Morrisville silty clay loam, 12 to 18 percent slopes, eroded
Newark silt loam, frequently flooded
Newark silt loam, ponded
Nicholson silt loam, 2 to 6 percent slopes
Nicholson silt loam, 6 to 12 percent slopes
Nolin silt loam, frequently flooded
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 6 to 12 percent slopes
Otwell silt loam, 2 to 6 percent slopes, rarely flooded
Otwell silt loam, 6 to 12 percent slopes, moderately eroded
Pate silty clay, 8 to 15 percent slopes, eroded
Pate silty clay, 15 to 25 percent slopes, eroded

Eldean gravelly loam, 0 to 2 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes, moderately eroded
Eldean loam, 2 to 6 percent slopes, eroded
Eldean loam, 6 to 12 percent slopes, eroded
Eel silt loam
Eldean-Urban land complex, nearly level
Eldean-Urban land complex, gently sloping
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Fincastle silt loam, bedrock substratum, 0 to 2 percent slopes
Fincastle silt loam, bedrock substratum, 2 to 6 percent slopes
Fincastle and Crosby silt loams, 0 to 2 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 2 to 6 percent slopes
Fox loam, 2 to 6 percent slopes, moderately eroded
Fox loam, 6 to 12 percent slopes, moderately eroded
Fox silt loam, 12 to 18 percent slopes, slightly eroded
Genesee fine sandy loam
Gessie loam, sandy substratum, occasionally flooded
Genesee loam
Genesee-Urban land complex
Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Hennepin loam, 25 to 35 percent slopes, slightly eroded
Hennepin-Miamian silt loams, 25 to 50 percent slopes, eroded
Hennepin loam, 25 to 60 percent slopes
Hennepin loam, 35 to 50 percent slopes, slightly eroded
Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Henshaw silt loam, 0 to 2 percent slopes
Henshaw silt loam, 1 to 4 percent slopes
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, moderately eroded
Holton silt loam, occasionally flooded
Hennepin-Wynn silt loams, 18 to 25 percent slopes, eroded
Hennepin-Wynn silt loams, 25 to 50 percent slopes, eroded
Kendallville-Eldean silt loams, 6 to 12 percent slopes, eroded
Kendallville-Eldean silt loams, 12 to 18 percent slopes, eroded
Kokomo silt loam, 0 to 1 percent slopes
Kokomo silty clay loam, 0 to 1 percent slopes
Landes sandy loam
Lanier fine sandy loam
Lanier sandy loam, occasionally flooded
Markland silty clay loam, 2 to 6 percent slopes
Martinsville silt loam, 0 to 2 percent slopes

Gilpin-Coshocton complex, 15 to 25 percent slopes
Gilpin-Coshocton complex, 6 to 15 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 3 to 8 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 15 percent slopes
Glenford silt loam, 8 to 15 percent slopes
Guernsey silt loam, 6 to 15 percent slopes
Guernsey silty clay loam, 3 to 8 percent slopes
Guernsey silty clay loam, 8 to 15 percent slopes, eroded
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 2 to 6 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 6 to 15 percent slopes
Hazleton channery loam, 8 to 15 percent slopes
Hazleton loam, 15 to 25 percent slopes
Hazleton loam, 15 to 25 percent slopes
Hazleton loam, 25 to 40 percent slopes
Hazleton loam, 3 to 8 percent slopes
Hazleton loam, 8 to 15 percent slopes
Holly silt loam, 0 to 2 percent slopes, frequently flooded
Holly silt loam, ponded
Jimtown silt loam, 0 to 3 percent slopes
Keene silt loam, 2 to 6 percent slopes
Library Variant silt loam, 3 to 8 percent slopes
Lorain silty clay loam, silty substratum
Morristown shaly silty clay loam, 8 to 25 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Orrville silt loam, 0 to 2 percent slopes, occasionally flooded
Orrville silt loam, occasionally flooded
Oshtemo sandy loam, 3 to 8 percent slopes
Oshtemo sandy loam, loamy substratum, 3 to 8 percent slopes
Peoga silt loam, rarely flooded
Rigley loam, 15 to 25 percent slopes
Rigley loam, 25 to 40 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 25 to 40 percent slopes
Rigley sandy loam, 3 to 8 percent slopes
Rigley sandy loam, 8 to 15 percent slopes
Sebring silt loam
Sebring-Urban land complex

Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 2 to 6 percent slopes, moderately eroded
Fox silt loam, 6 to 12 percent slopes, moderately eroded
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 2 to 6 percent slopes, moderately eroded
Fox-Miami silt loams, 6 to 12 percent slopes, moderately eroded
Fox-Miami silt loams, 6 to 12 percent slopes, moderately eroded
Genesee silt loam, till substratum, rarely flooded
Genesee silt loam
Genesee silt loam, till substratum, occasionally flooded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Henshaw silt loam, 0 to 2 percent slopes
Henshaw silt loam, 2 to 6 percent slopes
Homer silt loam, 0 to 2 percent slopes
Ionia silt loam, 0 to 2 percent slopes
Ionia silt loam, 2 to 6 percent slopes
Kane silt loam, 0 to 2 percent slopes
Kendallville silt loam, 0 to 2 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 6 to 12 percent slopes, moderately eroded
Kendallville silt loam, 12 to 18 percent slopes, moderately eroded
Kokomo silty clay loam
Lippincott silty clay loam
Linwood mucky silt loam, drained
Lippincott mucky silt loam
Linwood muck
Linwood mucky silt loam, drained
Lippincott silty clay loam
Martinsville and Ockley loams, till substratum, 2 to 6 percent slopes
Miami bouldery silt loam, 2 to 12 percent slopes
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian silt loam, 18 to 25 percent slopes, moderately eroded
Miamian silty clay loam, 2 to 6 percent slopes, eroded
Miamian silty clay loam, 6 to 12 percent slopes, eroded
Miamian silty clay loam, 12 to 18 percent slopes, eroded
Miami silt loam, 0 to 2 percent slopes
Miami silt loam, 2 to 6 percent slopes
Miami silt loam, 2 to 6 percent slopes, moderately eroded
Miami silt loam, 6 to 12 percent slopes
Miami silt loam, 6 to 12 percent slopes, moderately eroded

Linwood muck
Lippincott silty clay loam
Lippincott-Urban land complex
Miamian-Eldean silt loams, 2 to 6 percent slopes
Miamian-Eldean silt loams, 6 to 12 percent slopes, eroded
Miamian silt loam, 18 to 25 percent slopes, eroded
Miamian silty clay loam, limestone substratum, 2 to 6 percent slopes, eroded
Miamian silty clay loam, limestone substratum, 6 to 12 percent slopes, eroded
Miamian silty clay loam, limestone substratum, 18 to 30 percent slopes, eroded
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 18 to 30 percent slopes
Miamian silt loam, 18 to 30 percent slopes, eroded
Miamian silty clay loam, 2 to 6 percent slopes, eroded
Miamian silty clay loam, 6 to 12 percent slopes, eroded
Miamian silty clay loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian silt loam, 18 to 25 percent slopes, eroded
Miamian silt loam, 25 to 50 percent slopes
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 18 to 30 percent slopes, severely eroded
Miamian-Urban land complex, 2 to 6 percent slopes
Miamian-Urban land complex, 6 to 12 percent slopes
Miamian-Eldean silt loams, 6 to 12 percent slopes, eroded
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Milford silty clay loam, sandy substratum
Millsdale silty clay loam
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton soils, channery variant, 25 to 50 percent slopes
Milton silty clay loam, 6 to 12 percent slopes, eroded
Milton-Urban land complex, 2 to 6 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes, moderately eroded
Patton silty clay loam

Genesee silt loam, occasionally flooded
Genesee silt loam
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Glenford silt loam, 18 to 25 percent slopes, moderately eroded
Hickory loam, 12 to 18 percent slopes, moderately eroded
Hickory loam, 18 to 35 percent slopes, moderately eroded
Hickory clay loam, 25 to 50 percent slopes, severely eroded
Huntington silt loam
Jessup silt loam, 8 to 15 percent slopes, eroded
Jessup silt loam, 15 to 25 percent slopes, eroded
Lakin loamy fine sand, 0 to 2 percent slopes (bruno occasionally flooded)
Lanier sandy loam
Lindside silt loam
Mahalasville silty clay loam
Martinsville silt loam, 2 to 6 percent slopes
Markland silt loam, 2 to 6 percent slopes
McGary silt loam, 0 to 2 percent slopes
Medway silt loam, overwash
Newark silt loam
Newark silt loam (0 to 2 percent slopes, occasionally flooded)
Nolin silt loam, occasionally flooded
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley-Urban land complex, nearly level
Pate silty clay, 15 to 25 percent slopes, eroded
Pate silty clay, 15 to 25 percent slopes, eroded
Rodman and Casco loams, 12 to 18 percent slopes, moderately eroded
Rodman and Casco loams, 18 to 25 percent slopes, moderately eroded
Ross silt loam
Rossmoyne silt loam, 0 to 2 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 0 to 2 percent slopes
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 0 to 6 percent slopes
Rossmoyne silt loam, 6 to 12 percent slopes
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne-Urban land complex, gently sloping
Rossmoyne-Urban land complex, sloping
Rossmoyne-Bonnell complex, 6 to 12 percent slopes, severely eroded
Sardinia silt loam, 0 to 2 percent slopes
Sardinia silt loam, 1 to 6 percent slopes
Sciotoville silt loam, 0 to 2 percent slopes

Eden complex, 6 to 12 percent slopes, moderately eroded
Eel loam
Eldean silt loam, 2 to 6 percent slopes
Eldean gravelly loam, 6 to 12 percent slopes, eroded
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 6 to 12 percent slopes, moderately eroded
Fairmount silty clay loam, moderately deep variant, 25 to 50 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 4 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 4 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Fincastle silt loam, 2 to 4 percent slopes
Fox loam, 2 to 6 percent slopes, moderately eroded
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 6 to 12 percent slopes, eroded
Genesee fine sandy loam
Genesee loam
Henshaw silt loam, 0 to 2 percent slopes
Hennepin silt loam, 25 to 35 percent slopes
Hennepin-Miamian silt loams, 18 to 35 percent slopes, moderately eroded
Hennepin-Miamian complex, 12 to 25 percent slopes, severely eroded
Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes, eroded
Hickory silt loam, 25 to 35 percent slopes, eroded
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes, eroded
Hickory silt loam, 25 to 35 percent slopes, eroded
Hickory-Morrisville silt loams, 18 to 25 percent slopes, eroded
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory-Morrisville silt loams, 18 to 25 percent slopes, eroded
Hickory clay loam, 12 to 18 percent slopes, severely eroded
Jessup silt loam, 15 to 25 percent slopes, eroded
Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes
Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes
Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded
Kendallville loam, 2 to 6 percent slopes
Kendallville silt loam, 6 to 12 percent slopes, moderately eroded
Kendallville clay loam, 12 to 18 percent slopes, severely eroded
Kokomo silt loam, 0 to 1 percent slopes
Kokomo silty clay loam
Kokomo silty clay loam, 0 to 1 percent slopes

Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin-Coshocton silt loams, 15 to 25 percent slopes
Gilpin-Coshocton silt loams, 6 to 15 percent slopes
Gilpin-Coshocton-Urban land complex, 6 to 15 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Guernsey silt loam, 15 to 25 percent slopes
Guernsey silt loam, 6 to 15 percent slopes
Guernsey silt loam, 6 to 15 percent slopes, eroded
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 2 to 6 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 6 to 15 percent slopes
Hazleton-Rock outcrop complex, 40 to 70 percent slopes
Hazleton-Westmoreland channery loams, 40 to 70 percent slopes
Holly silt loam, 0 to 2 percent slopes, frequently flooded
Homewood silt loam, 2 to 6 percent slopes
Homeworth loam, 0 to 2 percent slopes
Homeworth loam, 2 to 6 percent slopes
Homeworth silt loam, 0 to 2 percent slopes
Homeworth silt loam, 2 to 6 percent slopes
Jimtown silt loam, 0 to 2 percent slopes
Jimtown silt loam, 2 to 6 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 2 to 6 percent slopes
Kensington silt loam, 15 to 25 percent slopes
Kensington silt loam, 2 to 6 percent slopes
Kensington silt loam, 6 to 15 percent slopes
Lobdell silt loam, 0 to 2 percent slopes, occasionally flooded
Lorain silt loam, 0 to 2 percent slopes
Mechanicsburg silt loam, 2 to 6 percent slopes
Mechanicsburg silt loam, 6 to 15 percent slopes
Morristown channery silty clay loam, 0 to 8 percent slopes
Morristown channery silty clay loam, 8 to 25 percent slopes
Morristown silty clay loam, 0 to 8 percent slopes
Morristown silty clay loam, 8 to 25 percent slopes
Olmsted and Valley soils, 0 to 2 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 6 to 12 percent slopes
Orrville silt loam, 0 to 2 percent slopes, occasionally flooded
Rainsboro silt loam, 2 to 6 percent slopes
Rainsboro silt loam, 6 to 12 percent slopes, eroded
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Ravenna silt loam, 2 to 6 percent slopes

Coshocton-Rigley complex, 25 to 35 percent slopes
Coshocton-Westmoreland complex, 15 to 25 percent slopes
Coshocton-Westmoreland complex, 25 to 35 percent slopes
Coshocton-Westmoreland silt loams, 25 to 40 percent slopes
DeKalb channery sandy loam, 6 to 15 percent slopes, stony
Euclid silt loam, occasionally flooded
Fairpoint loam, 0 to 8 percent slopes
Fairpoint loam, 25 to 35 percent slopes
Fairpoint loam, 8 to 25 percent slopes
Farmerstown loam, 0 to 8 percent slopes
Farmerstown loam, 8 to 20 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Germano sandy loam, 2 to 6 percent slopes
Germano sandy loam, 6 to 15 percent slopes, eroded
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes, eroded
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 15 percent slopes
Glenford silt loam, 6 to 15 percent slopes, eroded
Glenford silt loam, occasionally flooded
Guernsey silt loam, 15 to 25 percent slopes
Guernsey silt loam, 6 to 15 percent slopes
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 25 to 70 percent slopes, stony
Hazleton channery loam, 40 to 60 percent slopes
Hazleton channery sandy loam, 15 to 25 percent slopes
Hazleton channery sandy loam, 25 to 35 percent slopes
Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery
Hazleton channery sandy loam, 35 to 70 percent slopes
Homewood silt loam, 2 to 6 percent slopes
Homewood silt loam, 6 to 15 percent slopes
Huntington silt loam, rarely flooded
Jimtown loam, 0 to 2 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 6 to 15 percent slopes
Keene silt loam, 6 to 15 percent slopes, eroded
Keene silt loam, 8 to 15 percent slopes
Landes loam, occasionally flooded
Landes sandy loam, rarely flooded
Lobdell silt loam, occasionally flooded
Loudon silt loam, 2 to 6 percent slopes

Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Kibbie fine sandy loam, 0 to 2 percent slopes
Kibbie loam, 0 to 2 percent slopes
Kibbie-Bennington complex, 2 to 6 percent slopes
Lenawee silt loam, overwash
Lenawee silty clay loam
Lenawee Variant silty clay loam
Lindside silt loam, occasionally flooded
Linwood muck
Lobdell silt loam
Luray silty clay loam
Luray-Urban land complex
Lykens silt loam, 2 to 6 percent slopes
Marengo silty clay loam
Medway silt loam
Milford silty clay loam
Mitiwanga silt loam, 0 to 3 percent slopes
Muskego muck
Newark silt loam, occasionally flooded
Olentangy mucky silt loam
Olmsted silty clay loam
Pandora silt loam
Pandora silty clay loam
Pewamo silty clay loam
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes, moderately eroded
Sebring silt loam
Shoals silt loam
Shoals silt loam
Sloan silt loam
Sloan silty clay loam, occasionally flooded
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 2 to 6 percent slopes
Tuscola fine sandy loam, 2 to 6 percent slopes
Tuscola-Bennington complex, 2 to 6 percent slopes
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wallkill silt loam
Wallkill silt loam, lacustrine substratum, occasionally flooded
Westland clay loam
Wilmer Variant silt loam, 0 to 2 percent slopes
Wilmer Variant silt loam, 2 to 6 percent slopes

Mitiwanga silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Mitiwanga-Urban land complex, undulating
Orrville silt loam, frequently flooded
Oshtemo sandy loam, 0 to 2 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 25 to 55 percent slopes
Oshtemo-Urban land complex, undulating
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Sebring silt loam
Stafford variant sandy loam
Tioga loam, frequently flooded
Tioga variant loam
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes

Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, severely eroded
Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded
Glynwood clay loam, 12 to 18 percent slopes, severely eroded
Kendallville-Eldean silt loams, 12 to 18 percent slopes, eroded
Kokomo silty clay loam, 0 to 1 percent slopes
Lewisburg silt loam, 2 to 6 percent slopes
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Linwood muck
Lippincott silty clay loam
Lippincott silty clay loam, 0 to 2 percent slopes
Lippincott silty clay loam, 0 to 2 percent slopes
Martinsville and Ockley loams, till substratum, 2 to 6 percent slopes
McGary silty clay loam, 0 to 2 percent slopes
McGary silty clay loam, 2 to 6 percent slopes
Miami-Kendallville silt loams, 18 to 25 percent slopes, eroded
Medway silt loam, occasionally flooded
Miami loam, 6 to 12 percent slopes, eroded
Miami-Kendallville silt loams, 18 to 25 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian-Celina silt loams, 2 to 6 percent slopes
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian and Hennepin silt loams, 25 to 50 percent slopes
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Minster silty clay loam, 0 to 1 percent slopes
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Milford silty clay loam, gravelly substratum, 0 to 2 percent slopes
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Milford silty clay loam, gravelly substratum, 0 to 2 percent slopes
Morley clay loam, 9 to 18 percent slopes, severely eroded
Mahalasville silt loam, 0 to 2 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Odell silt loam, 0 to 3 percent slopes
Patton silty clay loam

Knoxdale silt loam, occasionally flooded
Landes fine sandy loam, occasionally flooded
Latty silty clay
Lenawee silty clay loam
Lucas silty clay loam, 12 to 18 percent slopes, moderately eroded
Lucas silty clay loam, 2 to 6 percent slopes
Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded
Medway silt loam
Mermill clay loam
Mermill loam
Millgrove clay loam
Millgrove loam
Morley clay loam, 12 to 18 percent slopes, eroded
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 0 to 3 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 0 to 3 percent slopes
Oshtemo loamy sand, 6 to 12 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Ottokee loamy fine sand, 1 to 6 percent slopes
Paulding clay
Pewamo silty clay loam
Rawson loam, 6 to 12 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rawson sandy loam, 6 to 12 percent slopes
Rimer loamy fine sand, 0 to 2 percent slopes
Rimer loamy fine sand, 0 to 3 percent slopes
Rimer loamy sand, 0 to 2 percent slopes
Roselms loam, 0 to 2 percent slopes
Roselms loam, 0 to 3 percent slopes
Roselms silty clay loam, 0 to 2 percent slopes
Roselms silty clay loam, 2 to 6 percent slopes
Roselms silty clay, 0 to 2 percent slopes
Roselms silty clay, 0 to 3 percent slopes
Roselms silty clay, 2 to 6 percent slopes
Ross silt loam, occasionally flooded
Seward loamy fine sand, 1 to 6 percent slopes
Seward loamy fine sand, 2 to 6 percent slopes
Shoals silt loam, frequently flooded
Sloan silty clay loam, frequently flooded
St. Clair clay, 12 to 18 percent slopes, severely eroded
St. Clair clay, 18 to 35 percent slopes, severely eroded
St. Clair loam, 2 to 6 percent slopes
St. Clair silty clay loam, 18 to 35 percent slopes
St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded

Rarden silt loam, 20 to 50 percent slopes, eroded
Rarden silt loam, 6 to 15 percent slopes, eroded
Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded
Rossburg-Sloan complex, 0 to 2 percent slopes, occasionally flooded
Scioto silt loam, 0 to 2 percent slopes
Scioto silt loam, 0 to 2 percent slopes, rarely flooded
Scioto silt loam, 2 to 6 percent slopes
Scioto silty clay loam, 6 to 12 percent slopes, eroded
Shoals silt loam, 0 to 2 percent slopes, occasionally flooded
Sloan silt loam, 0 to 2 percent slopes, occasionally flooded
Sloan silt loam, till substratum, 0 to 2 percent slopes, occasionally flooded
Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded
Smothers silt loam, 0 to 2 percent slopes
Smothers silt loam, 2 to 4 percent slopes
Stone clay loam, 0 to 2 percent slopes, rarely flooded
Stone silty clay loam, 0 to 2 percent slopes

Joliet silt loam, 0 to 1 percent slopes
Kibbie fine sandy loam, 0 to 2 percent slopes
Kibbie loam, 0 to 2 percent slopes
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Marblehead loam, 0 to 6 percent slopes
Mermill silty clay loam, 0 to 1 percent slopes
Milford silty clay loam, 0 to 1 percent slopes
Millgrove loam, 0 to 1 percent slopes
Millsdale silty clay loam, 0 to 1 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Miner silt loam, bedrock substratum, 0 to 1 percent slopes
Miner silty clay loam, 0 to 1 percent slopes
Mitiwanga silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Nolin silt loam, 0 to 2 percent slopes, occasionally flooded
Oakville loamy fine sand, 0 to 6 percent slopes
Ogontz fine sandy loam, 0 to 2 percent slopes
Ogontz silt loam, 2 to 6 percent slopes
Olmsted loam, 0 to 1 percent slopes
Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, frequently flooded
Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, occasionally flooded
Orrville silt loam, frequently flooded
Oshtemo loamy sand, 0 to 6 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Plumbrook fine sandy loam, 0 to 2 percent slopes
Prout silt loam, 0 to 2 percent slopes
Randolph silt loam, 0 to 2 percent slopes
Rawson sandy loam, 0 to 2 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rimer loamy fine sand, 0 to 2 percent slopes
Ritchey loam, 0 to 2 percent slopes
Ritchey loam, 2 to 6 percent slopes
Ritchey loam, 6 to 12 percent slopes
Sandusky loam, 0 to 1 percent slopes
Saylesville silt loam, 25 to 40 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silty clay loam, 12 to 18 percent slopes, eroded
Shinrock silty clay loam, 6 to 12 percent slopes, eroded
Spinks loamy fine sand, 0 to 6 percent slopes
Spinks loamy fine sand, 12 to 18 percent slopes
Spinks loamy fine sand, 2 to 6 percent slopes
Tioga loam, 0 to 2 percent slopes, occasionally flooded
Toledo silty clay loam, 0 to 1 percent slopes
Toledo silty clay, 0 to 1 percent slopes
Toledo silty clay, 0 to 1 percent slopes, ponded

Fox loam, 6 to 12 percent slopes, eroded
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Gallman silt loam, loamy substratum, 2 to 6 percent slopes
Germano sandy loam, 15 to 25 percent slopes
Germano sandy loam, 25 to 40 percent slopes
Germano-Rock outcrop complex, 40 to 70 percent slopes
Gessie silt loam, frequently flooded
Gessie silt loam, occasionally flooded
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 15 percent slopes, eroded
Hickory silt loam, 6 to 12 percent slopes, eroded
Hickory-Germano complex, 20 to 35 percent slopes
Hickory-Gilpin complex, 12 to 20 percent slopes, eroded
Homewood silt loam, 6 to 12 percent slopes, eroded
Homewood-Gilpin complex, 12 to 20 percent slopes, eroded
Homewood-Gilpin complex, 20 to 35 percent slopes, eroded
Jeneva silt loam, 2 to 6 percent slopes
Kokomo silt loam, overwash
Kokomo silty clay loam
Lindside silt loam, occasionally flooded
Loudonville-Steinsburg complex, 12 to 20 percent slopes, eroded
Loudonville-Steinsburg complex, 20 to 35 percent slopes
Loudonville-Steinsburg complex, 35 to 70 percent slopes
Loudonville-Steinsburg complex, 6 to 12 percent slopes, eroded
Marengo clay loam
Marengo silt loam, overwash
McGary silt loam, 2 to 6 percent slopes
Medway silt loam, occasionally flooded
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian-Thrifton complex, 12 to 20 percent slopes, severely eroded
Miamian-Thrifton complex, 6 to 12 percent slopes, severely eroded
Minster silty clay loam, 0 to 1 percent slopes
Muskego muck
Negley loam, 12 to 20 percent slopes, eroded
Negley loam, 20 to 35 percent slopes
Newark silt loam, occasionally flooded
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Patton silty clay loam
Patton silty clay loam, rarely flooded
Pewamo silty clay loam
Pike silt loam, 2 to 6 percent slopes
Pike silt loam, 6 to 12 percent slopes, eroded

Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian-Kendallville silt loams, 6 to 12 percent slopes, eroded
Millsdale silty clay loam
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Odell silt loam, 0 to 2 percent slopes
Patton silty clay loam
Patton silty clay loam, overwash
Randolph silt loam, 2 to 6 percent slopes
Ritchey and Romeo silt loams, 12 to 35 percent slopes, moderately eroded
Ritchey and Romeo silt loams, 2 to 12 percent slopes
Ross silt loam
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam, frequently flooded
Sloan silty clay loam, occasionally flooded
Thackery silt loam, 1 to 4 percent slopes
Thrifton clay loam, 12 to 20 percent slopes, severely eroded
Thrifton clay loam, 20 to 35 percent slopes, severely eroded
Thrifton clay loam, 6 to 12 percent slopes, severely eroded
Treaty silty clay loam, 0 to 1 percent slopes
Wapahani-Miamian clay loams, 12 to 18 percent slopes, severely eroded
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Warners muck
Warsaw silt loam, 1 to 4 percent slopes
Wea silt loam, 0 to 2 percent slopes
Westland clay loam
Westland silty clay loam
Westland silty clay loam, overwash

Minster silty clay loam, till substratum, 0 to 1 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 6 to 12 percent slopes, eroded
Pewamo silty clay loam
Pewamo-Urban land complex
Rarden silt loam, 20 to 50 percent slopes, eroded
Ritchey silt loam, 12 to 18 percent slopes, eroded
Ritchey silt loam, 2 to 6 percent slopes
Ross silt loam, occasionally flooded
Shoals silt loam, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam, frequently flooded
Thackery silt loam, 0 to 2 percent slopes
Thackery silt loam, 2 to 6 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 2 to 6 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 2 to 6 percent slopes
Westland silty clay loam

Shinrock silty clay loam, 2 to 6 percent slopes, eroded
Shinrock silty clay loam, 6 to 12 percent slopes, eroded
Shinrock-Tuscola complex, 3 to 8 percent slopes, eroded
Shoals silt loam, frequently flooded
Sloan silty clay loam, frequently flooded
Spinks fine sand, 1 to 6 percent slopes
Spinks fine sand, 6 to 12 percent slopes
Tedrow loamy fine sand, 0 to 3 percent slopes
Toussaint silty clay loam, 0 to 1 percent slopes
Tuscola fine sandy loam, 3 to 8 percent slopes
Wauseon fine sandy loam
Ziegenfuss clay loam, 0 to 1 percent slopes

Nolin silt loam, occasionally flooded
Omulga silt loam, 1 to 6 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 6 to 12 percent slopes
Omulga silt loam, 6 to 15 percent slopes
Orrville silt loam, frequently flooded
Peoga silt loam
Pinegrove coarse sandy loam, 0 to 8 percent slopes
Pinegrove coarse sandy loam, 25 to 70 percent slopes
Pinegrove coarse sandy loam, 8 to 25 percent slopes
Pinegrove sand, 25 to 70 percent slopes
Pinegrove sand, 8 to 25 percent slopes
Pinegrove sandy loam, 1 to 8 percent slopes
Piopolis silt loam, frequently flooded
Piopolis silty clay loam, frequently flooded
Pope fine sandy loam, frequently flooded
Pope silt loam, occasionally flooded
Rarden silt loam, 8 to 15 percent slopes, eroded
Rarden-Gilpin silt loams, 15 to 25 percent slopes
Rarden-Gilpin silt loams, 15 to 25 percent slopes, eroded
Rarden-Gilpin silt loams, 8 to 15 percent slopes
Rarden-Gilpin silt loams, 8 to 15 percent slopes, eroded
Rarden-Steinsburg association, steep
Rarden-Wharton complex, 15 to 25 percent slopes, eroded
Rarden-Wharton complex, 6 to 15 percent slopes, eroded
Rigley-Rarden association, steep
Steinsburg-Clymer association, steep
Steinsburg-Gilpin association, steep
Steinsburg-Gilpin association, very steep
Steinsburg-Rock outcrop association, very steep
Stendal silt loam, occasionally flooded
Taggart silt loam, 0 to 2 percent slopes
Taggart silt loam, 0 to 3 percent slopes
Upshur-Gilpin complex, 15 to 25 percent slopes
Upshur-Gilpin complex, 15 to 25 percent slopes, eroded
Upshur-Gilpin complex, 25 to 50 percent slopes
Upshur-Gilpin complex, 8 to 15 percent slopes
Upshur-Gilpin complex, 8 to 15 percent slopes, eroded
Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded
Vandalia silty clay loam, 6 to 15 percent slopes, eroded
Vandalia-Gilpin complex, 15 to 25 percent slopes, severely eroded
Wellston silt loam, 1 to 6 percent slopes
Wheeling silt loam, 0 to 3 percent slopes
Wheeling silt loam, 25 to 40 percent slopes
Wheeling silt loam, 3 to 6 percent slopes
Wheeling silt loam, 6 to 15 percent slopes
Woodsfield silt loam, 1 to 6 percent slopes

Jimtown silt loam, 0 to 3 percent slopes
Lordstown loam, 2 to 6 percent slopes
Lordstown loam, 6 to 12 percent slopes
Lordstown-Rock outcrop complex, 12 to 18 percent slopes
Lordstown-Rock outcrop complex, 18 to 70 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes, moderately eroded
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, 6 to 12 percent slopes
Mahoning silt loam, shale substratum, 0 to 2 percent slopes
Mahoning silt loam, shale substratum, 2 to 6 percent slopes
Mill silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 0 to 3 percent slopes
Mitiwanga silt loam, moderately well drained variant, 2 to 6 percent slopes
Mitiwanga silt loam, moderately well drained variant, 6 to 12 percent slopes
Orrville silt loam, frequently flooded
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Platea silt loam, 0 to 2 percent slopes
Platea silt loam, 2 to 6 percent slopes
Platea-Darien silt loams complex, 0 to 2 percent slopes
Platea-Darien silt loams complex, 2 to 6 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Rawson silt loam, 2 to 6 percent slopes
Rittman silt loam, 12 to 18 percent slopes
Rittman silt loam, 18 to 25 percent slopes
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 25 to 50 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, eroded
Sebring silt loam
Sheffield silt loam
Tioga loam, frequently flooded
Trumbull silt loam, 0 to 2 percent slopes
Wabasha silty clay loam, ponded
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wallkill silt loam, ponded
Wick silt loam, 0 to 2 percent slopes, frequently flooded
Willette muck, ponded
Wooster silt loam, 12 to 18 percent slopes

Lippincott silty clay loam
Medway silt loam
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silty clay loam, 2 to 6 percent slopes, eroded
Miamian silty clay loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian-Casco complex, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian-Casco complex, 18 to 35 percent slopes, moderately eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Milford silty clay loam, sandy substratum
Miamian-Eldean silt loams, 2 to 6 percent slopes, moderately eroded
Miamian-Eldean silt loams, 6 to 12 percent slopes, moderately eroded
Miamian and Hennepin soils, 18 to 25 percent slopes
Miamian and Hennepin soils, 25 to 50 percent slopes
Miamian-Thrifton complex, 18 to 25 percent slopes, eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Miamian-Urban land complex, rolling
Millsdale silty clay loam
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton soils, channery variant, 25 to 50 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes, moderately eroded
Odell-Lewisburg complex, 0 to 2 percent slopes
Odell silt loam, 2 to 6 percent slopes
Patton silty clay loam
Ragsdale silty clay loam
Randolph silt loam, 0 to 2 percent slopes
Randolph silt loam, 0 to 2 percent slopes
Raub silt loam, 0 to 2 percent slopes

Enoch loam, 8 to 25 percent slopes
Euclid silt loam, rarely flooded
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 25 to 40 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 2 to 8 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Guernsey silt loam, 15 to 25 percent slopes, eroded
Guernsey silt loam, 8 to 15 percent slopes
Guernsey-Upshur complex, 15 to 25 percent slopes
Guernsey-Upshur complex, 8 to 15 percent slopes
Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Hartshorn silt loam, occasionally flooded
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 25 to 70 percent slopes, stony
Holton silt loam, occasionally flooded
Kanawha loam, 2 to 6 percent slopes
Keene silt loam, 1 to 8 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 8 to 15 percent slopes
Lindside silt loam, frequently flooded
Lindside silt loam, occasionally flooded
Lowell silt loam, 15 to 25 percent slopes
Lowell silt loam, 15 to 25 percent slopes, eroded
Lowell silt loam, 3 to 8 percent slopes
Lowell silt loam, 8 to 15 percent slopes
Lowell-Gilpin complex, 25 to 40 percent slopes, eroded
Lowell-Gilpin complex, 40 to 70 percent slopes
Lowell-Upshur complex, 25 to 40 percent slopes
Lowell-Westmoreland complex, 15 to 25 percent slopes
Lowell-Westmoreland complex, 25 to 40 percent slopes
Lowell-Westmoreland complex, 40 to 70 percent slopes
Lowell-Westmoreland complex, 8 to 15 percent slopes
McGary silt loam, 0 to 3 percent slopes
Melvin silt loam, ponded
Mentor silt loam, 15 to 25 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 2 to 8 percent slopes
Mentor silt loam, 8 to 15 percent slopes
Mentor-Urban land complex, 2 to 8 percent slopes
Morristown channery clay loam, 40 to 70 percent slopes
Morristown channery silty clay loam, 25 to 70 percent slopes
Morristown silty clay loam, 0 to 8 percent slopes

Clermont silt loam, 0 to 1 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cincinnati silt loam, 3 to 8 percent slopes, eroded
Cincinnati silt loam, 8 to 15 percent slopes, eroded
Chagrin-Nelse-Wheeling complex, 2 to 75 percent slopes, frequently flooded
Cynthiana flaggy silty clay loam, 20 to 50 percent slopes
Dana silt loam, 0 to 4 percent slopes
Dana silt loam, 2 to 6 percent slopes
Eden flaggy silty clay loam, 12 to 18 percent slopes, moderately eroded
Eden flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded
Eden flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded
Edenton loam, 6 to 12 percent slopes, moderately eroded
Edenton loam, 12 to 18 percent slopes, moderately eroded
Edenton loam, 18 to 25 percent slopes, moderately eroded
Eden flaggy silty clay loam, 40 to 60 percent slopes
Edenton loam, 25 to 50 percent slopes, moderately eroded
Eden silty clay loam, 3 to 8 percent slopes, eroded
Eden silty clay loam, 8 to 15 percent slopes, eroded
Eden silty clay loam, 15 to 25 percent slopes
Eden silty clay loam, 25 to 40 percent slopes
Eden silty clay loam, 15 to 25 percent slopes, moderately eroded
Eden silty clay loam, 25 to 50 percent slopes, moderately eroded
Eden silty clay loam, 12 to 20 percent slopes, eroded
Eden silty clay loam, 20 to 35 percent slopes, eroded
Eden flaggy silty clay loam, 15 to 25 percent slopes, severely eroded
Eden flaggy silty clay loam, 40 to 60 percent slopes
Eel silt loam
Egam silty clay loam, (woolper 0 to 4 percent slopes)
Elkinsville silt loam, 0 to 2 percent slopes
Elkinsville silt loam, 6 to 12 percent slopes, eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 6 to 12 percent slopes, moderately eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes, eroded
Eldean loam, 6 to 12 percent slopes, eroded
Eldean-Urban land complex, nearly level
Elkinsville silt loam, 2 to 6 percent slopes
Elkinsville silt loam, 6 to 12 percent slopes
Fairmount very flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Faywood silty clay loam, 6 to 12 percent slopes
Faywood silty clay loam, 12 to 20 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fox loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes

Houcktown loam, 2 to 6 percent slopes
Houcktown-Glynwood-Jenera complex, 1 to 4 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Jenera fine sandy loam, 0 to 2 percent slopes
Jenera fine sandy loam, 2 to 6 percent slopes
Jenera-Shinrock, till substratum complex, 1 to 4 percent slopes
Joliet loam, 0 to 1 percent slopes
Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded
Lamberjack loam, 0 to 2 percent slopes
Lucas silty clay loam, 2 to 6 percent slopes, eroded
Lybrand silt loam, 18 to 50 percent slopes
Medway silt loam, 0 to 2 percent slopes, occasionally flooded
Medway silt loam, limestone substratum, 0 to 2 percent slopes, occasionally flooded
Mermill clay loam, 0 to 1 percent slopes
Mermill loam, 0 to 1 percent slopes
Millsdale silty clay loam, 0 to 1 percent slopes
Milton silt loam, 0 to 2 percent slopes
Morley clay loam, 12 to 18 percent slopes, severely eroded
Morley loam, limestone substratum, 0 to 2 percent slopes
Morley, limestone substratum-Milton complex, 2 to 6 percent slopes
Mortimer silt loam, 2 to 6 percent slopes
Mortimer silty clay loam, 2 to 6 percent slopes, eroded
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes, eroded
Nappanee-Urban land complex, 0 to 2 percent slopes
Oshtemo fine sandy loam, 0 to 2 percent slopes
Oshtemo fine sandy loam, 2 to 6 percent slopes
Oshtemo fine sandy loam, 6 to 12 percent slopes
Oshtemo sandy loam, till substratum, 2 to 6 percent slopes
Ottokee loamy fine sand, 0 to 6 percent slopes
Patton silty clay loam, 0 to 1 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo-Urban land complex, 0 to 2 percent slopes
Randolph silt loam, 0 to 2 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rensselaer loam, till substratum, 0 to 1 percent slopes
Rimer loamy fine sand, deep phase, 0 to 2 percent slopes
Rimer loamy sand, 0 to 2 percent slopes
Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded
Shawtown loam, 0 to 2 percent slopes
Shawtown loam, 2 to 6 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silty clay loam, 6 to 12 percent slopes, eroded
Shinrock, till substratum-Glynwood complex, 1 to 4 percent slopes

Newark silt loam, occasionally flooded
Nolin silt loam, occasionally flooded
Ockley loam, 0 to 2 percent slopes
Ockley loam, 2 to 6 percent slopes
Olentangy silt loam
Patton silty clay loam
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo variant muck
Roundhead muck
Saranac silty clay loam, occasionally flooded
Shinrock silt loam, 2 to 6 percent slopes
Shoals silt loam, 0 to 2 percent slopes, occasionally flooded
Shoals silt loam, till substratum, 0 to 1 percent slopes, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Sleeth silt loam, 0 to 3 percent slopes
Sloan silt loam, frequently flooded
Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Wallkill silt loam
Wallkill silt loam, frequently flooded
Westland clay loam
Westland silty clay loam, clay substratum

Guernsey silt loam, 6 to 15 percent slopes
Guernsey silty clay loam, 15 to 25 percent slopes, eroded
Guernsey silty clay loam, 25 to 40 percent slopes, eroded
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery sandy loam, 15 to 25 percent slopes
Hazleton channery sandy loam, 25 to 40 percent slopes
Hazleton channery sandy loam, 40 to 70 percent slopes
Keene silt loam, 2 to 6 percent slopes
Lowell silt loam, 6 to 15 percent slopes
Lowell silty clay loam, 15 to 25 percent slopes, eroded
Lowell silty clay loam, 25 to 40 percent slopes, eroded
Lowell-Westmoreland silt loams, 25 to 40 percent slopes
Lowell-Westmoreland silt loams, 40 to 70 percent slopes
Melvin silt loam, ponded
Morristown channery silt loam, 25 to 70 percent slopes, bouldery
Morristown channery silty clay loam, 0 to 8 percent slopes, stony
Morristown channery silty clay loam, 25 to 40 percent slopes, stony
Morristown channery silty clay loam, 8 to 25 percent slopes, stony
Morristown silty clay loam, 0 to 8 percent slopes
Morristown silty clay loam, 3 to 15 percent slopes
Morristown silty clay loam, 8 to 25 percent slopes
Newark silt loam, frequently flooded
Nolin silt loam, frequently flooded
Nolin silt loam, occasionally flooded
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 6 to 15 percent slopes
Orrville silt loam, occasionally flooded
Oshtemo loam, 2 to 6 percent slopes
Peoga silt loam, rarely flooded
Richland silt loam, 2 to 6 percent slopes
Richland silt loam, 6 to 15 percent slopes
Rigley loam, 15 to 25 percent slopes
Rigley loam, 25 to 40 percent slopes
Tioga silt loam, occasionally flooded
Upshur silty clay loam, 15 to 25 percent slopes, eroded
Upshur silty clay loam, 6 to 15 percent slopes, eroded
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 6 to 15 percent slopes
Westmoreland-Coshocton complex, 25 to 40 percent slopes
Westmoreland-Coshocton silt loams, 15 to 25 percent slopes
Westmoreland-Dekalb complex, 25 to 40 percent slopes
Westmoreland-Dekalb complex, 25 to 70 percent slopes, extremely bouldery
Westmoreland-Dekalb complex, 40 to 70 percent slopes

Latty silty clay
Lenawee loam
Lenawee silty clay loam
Lucas silty clay loam, 2 to 6 percent slopes, moderately eroded
Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded
Lucas silty clay, 12 to 45 percent slopes, severely eroded
Lucas silty clay, 6 to 12 percent slopes, severely eroded
Medway silt loam
Mermill clay loam
Mermill loam
Mermill loam, stratified substratum
Mermill silty clay loam
Mermill-Aurand complex, 0 to 1 percent slopes
Millgrove clay loam
Millgrove loam
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes, moderately eroded
Oakville fine sand, 2 to 12 percent slopes
Oakville fine sand, 2 to 6 percent slopes
Oakville fine sand, 6 to 12 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Ottokee fine sand, 0 to 6 percent slopes
Ottokee fine sand, 1 to 5 percent slopes
Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes
Paulding clay
Rawson fine sandy loam, stratified substratum, 2 to 6 percent slopes
Rawson loam, 2 to 6 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes
Rimer loamy fine sand, 0 to 2 percent slopes
Rimer loamy fine sand, stratified substratum, 0 to 2 percent slopes
Roselms silty clay loam, 0 to 2 percent slopes
Ross loam
Seward loamy fine sand, 12 to 18 percent slopes
Seward loamy fine sand, 2 to 6 percent slopes
Seward loamy fine sand, 6 to 12 percent slopes
Seward loamy fine sand, stratified substratum, 2 to 6 percent slopes
Seward loamy fine sand, stratified substratum, 6 to 12 percent slopes
Shinrock silt loam, sandy subsoil variant, 0 to 2 percent slopes
Shoals silt loam
Sloan loam, occasionally flooded
Sloan silty clay loam
Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded
Spinks fine sand, 12 to 18 percent slopes

Brushcreek silt loam, 6 to 12 percent slopes, eroded
Brookston silty clay loam
Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded
Bratton silt loam, 2 to 8 percent slopes
Bratton-Opequon complex, 8 to 15 percent slopes, eroded
Brushcreek silt loam, 6 to 12 percent slopes, eroded
Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded
Bratton silt loam, 3 to 8 percent slopes, eroded
Cana silt loam, 2 to 6 percent slopes
Cana silt loam, 6 to 12 percent slopes, moderately eroded
Cana silt loam, 12 to 18 percent slopes, moderately eroded
Cana silt loam, 20 to 35 percent slopes, eroded
Cana silt loam, 18 to 35 percent slopes
Casco loam, 12 to 18 percent slopes, severely eroded
Casco loam, 18 to 35 percent slopes, moderately eroded
Celina silt loam, 2 to 6 percent slopes
Clifty silt loam, occasionally flooded
Celina-Urban land complex, gently sloping
Celina-Xenia silt loams, 0 to 2 percent slopes
Celina-Xenia silt loams, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Clermont silt loam, 0 to 1 percent slopes
Clifty silt loam, occasionally flooded
Colyer-Trappist complex, 12 to 18 percent slopes, moderately eroded
Colyer-Trappist complex, 18 to 35 percent slopes
Colyer-Trappist complex, 35 to 50 percent slopes
Coolville-Blairton association, rolling
Crosby silt loam, 0 to 2 percent slopes
Crider silt loam, 1 to 6 percent slopes
Crosby-Fincastle silt loams, 0 to 2 percent slopes
Crosby-Fincastle silt loams, 2 to 6 percent slopes
Crosby-Urban land complex, nearly level
Dana silt loam, 0 to 2 percent slopes
Dana silt loam, 2 to 6 percent slopes
Dubois silt loam, 0 to 2 percent slopes
Dubois silt loam, 2 to 6 percent slopes
Eden flaggy silt loam, 40 to 70 percent slopes
Edenton silt loam, 6 to 12 percent slopes, moderately eroded
Edenton silt loam, 12 to 18 percent slopes, moderately eroded
Edenton silt loam, 18 to 35 percent slopes, moderately eroded
Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded
Eel silt loam
Eldean loam, 0 to 2 percent slopes

Germano-Rock outcrop complex, 40 to 70 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin-Guernsey complex, 15 to 25 percent slopes
Gilpin-Guernsey complex, 25 to 40 percent slopes
Gilpin-Guernsey complex, 40 to 70 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey-Westmoreland silt loams, 15 to 25 percent slopes
Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes
Hickory silt loam, 20 to 35 percent slopes, eroded
Hickory silt loam, 25 to 40 percent slopes
Licking silt loam, 12 to 18 percent slopes, eroded
Licking silt loam, 2 to 6 percent slopes
Licking silt loam, 6 to 12 percent slopes, eroded
Lily silt loam, 15 to 25 percent slopes
Lily silt loam, 8 to 15 percent slopes
Lindside silt loam, occasionally flooded
McGary silt loam, 0 to 3 percent slopes
Melvin silt loam, frequently flooded
Negley loam, 6 to 12 percent slopes, eroded
Negley silt loam, 15 to 25 percent slopes
Negley silt loam, 25 to 40 percent slopes
Negley silt loam, 40 to 70 percent slopes
Negley silt loam, 8 to 15 percent slopes
Newark silt loam, occasionally flooded
Orrville silt loam, frequently flooded
Otwell silt loam, 12 to 18 percent slopes, eroded
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 6 to 12 percent slopes
Pope loam, occasionally flooded
Richland loam, 15 to 25 percent slopes
Shelocta silt loam, 15 to 25 percent slopes
Shelocta silt loam, 8 to 15 percent slopes
Shelocta-Berks complex, 25 to 40 percent slopes
Shelocta-Brownsville association, very steep
Shelocta-Cruze silt loams, 15 to 25 percent slopes
Shelocta-Cruze silt loams, 25 to 40 percent slopes
Shelocta-Cruze silt loams, 40 to 70 percent slopes
Stonelick loam, occasionally flooded
Tarhollow silt loam, 2 to 6 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 6 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes

Coshocton silt loam, 12 to 25 percent slopes, very stony
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 15 to 25 percent slopes, eroded
Coshocton silt loam, 15 to 25 percent slopes, very stony
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 25 to 40 percent slopes
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey silt loams, 25 to 40 percent slopes
Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
Coshocton-Westmoreland complex, 15 to 25 percent slopes
Euclid silt loam, occasionally flooded
Fairpoint silt loam, 0 to 8 percent slopes
Fairpoint silt loam, 8 to 20 percent slopes
Farmerstown silt loam, 0 to 8 percent slopes
Farmerstown silt loam, 8 to 20 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 3 to 8 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes, eroded
Glenford silt loam, 6 to 15 percent slopes
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 8 to 15 percent slopes
Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery
Hazleton loam, 15 to 25 percent slopes
Hazleton loam, 25 to 40 percent slopes
Hazleton loam, 25 to 70 percent slopes, very bouldery
Hazleton loam, 8 to 15 percent slopes
Keene silt loam, 2 to 6 percent slopes
Killbuck silt loam, frequently flooded
Lobdell silt loam, occasionally flooded
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 18 to 25 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Luray silty clay loam
Mechanicsburg silt loam, 12 to 18 percent slopes
Mechanicsburg silt loam, 6 to 12 percent slopes
Mechanicsburg silt loam, 6 to 12 percent slopes, eroded
Melvin silt loam, frequently flooded
Melvin silt loam, ponded

Kibbie fine sandy loam, 0 to 2 percent slopes
Kibbie loam, 0 to 2 percent slopes
Lenawee silty clay loam
Lenawee variant silty clay loam
Linwood muck
Lobdell silt loam
Lobdell silt loam, frequently flooded
Lobdell silt loam, rarely flooded
Lorain silty clay loam
Lordstown loam, 2 to 6 percent slopes
Luray silty clay loam
Lykens silt loam, 2 to 6 percent slopes
Millsdale silty clay loam
Millsdale silty clay loam, 0 to 1 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Miner silty clay loam
Miner silty clay loam, 0 to 1 percent slopes
Mitiwanga silt loam, 1 to 4 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Orrville silt loam
Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, frequently flooded
Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, occasionally flooded
Orrville silt loam, frequently flooded
Oshtemo fine sandy loam, 2 to 6 percent slopes
Oshtemo loamy sand, 0 to 6 percent slopes
Otisville gravelly sandy loam, 2 to 6 percent slopes
Pandora silty clay loam
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Pinnebog muck
Prout silt loam, 0 to 2 percent slopes
Saylesville silt loam, 25 to 40 percent slopes
Sebring silt loam
Seward loamy fine sand, 0 to 2 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shoals silt loam
Shoals silt loam, frequently flooded
Spinks loamy fine sand, 0 to 6 percent slopes
Spinks loamy fine sand, 2 to 6 percent slopes
Tioga loam, occasionally flooded
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 2 to 6 percent slopes
Tuscola fine sandy loam, 0 to 2 percent slopes
Tuscola fine sandy loam, 2 to 6 percent slopes
Wallkill silt loam, lacustrine substratum, occasionally flooded

Monongahela silt loam, 8 to 15 percent slopes, eroded
Omulga silt loam, 0 to 2 percent slopes
Omulga silt loam, 0 to 3 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 3 to 8 percent slopes
Omulga silt loam, 6 to 12 percent slopes, eroded
Omulga silt loam, 6 to 15 percent slopes
Omulga silt loam, 8 to 15 percent slopes
Orrville silt loam, frequently flooded
Piopolis silt loam, frequently flooded
Piopolis silt loam, ponded
Piopolis silty clay loam, frequently flooded
Pope fine sandy loam, frequently flooded
Pope fine sandy loam, rarely flooded
Pope loam, frequently flooded
Pope sandy loam, frequently flooded
Pope silt loam, frequently flooded
Rarden silt loam, 15 to 25 percent slopes
Rarden silt loam, 3 to 8 percent slopes
Rarden silt loam, 8 to 15 percent slopes
Rarden silt loam, 8 to 15 percent slopes, eroded
Rarden-Gilpin silt loams, 15 to 25 percent slopes
Rarden-Gilpin silt loams, 15 to 25 percent slopes, eroded
Rarden-Gilpin silt loams, 8 to 15 percent slopes
Rarden-Gilpin silt loams, 8 to 15 percent slopes, eroded
Rarden-Steinsburg association, steep
Rarden-Wharton silt loams, 15 to 25 percent slopes, eroded
Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded
Richland silt loam, clayey substratum, 8 to 15 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 8 to 15 percent slopes
Rigley-Clymer association, steep
Rigley-Rarden association, steep
Rigley-Rarden complex, 15 to 25 percent slopes
Rigley-Rock outcrop association, very steep
Shelocta-Brownsville association, steep
Shelocta-Brownsville association, very steep
Shelocta-Rarden association, steep
Shelocta-Steinsburg association, very steep
Shelocta-Wharton-Latham association, steep
Skidmore gravelly loam, frequently flooded
Skidmore silt loam, occasionally flooded
Steinsburg-Clymer association, steep
Stendal silt loam, occasionally flooded
Tilsit silt loam, 3 to 8 percent slopes
Tioga loam, occasionally flooded
Tygart silt loam, 0 to 3 percent slopes

Hazleton channery loam, 25 to 40 percent slopes
Hazleton-Summitville complex, 15 to 40 percent slopes
Hazleton-Westmoreland complex, 25 to 40 percent slopes
Hazleton-Westmoreland complex, 40 to 70 percent slopes
Keene silt loam, 1 to 7 percent slopes
Keene silt loam, 2 to 6 percent slopes
Lowell silt loam, 1 to 7 percent slopes
Lowell silt loam, 6 to 15 percent slopes
Lowell silt loam, 7 to 15 percent slopes
Lowell silty clay loam, 15 to 25 percent slopes, eroded
Lowell silty clay loam, 25 to 40 percent slopes
Lowell silty clay loam, 25 to 40 percent slopes, eroded
Lowell silty clay loam, 40 to 70 percent slopes
Melvin silt loam, ponded
Morristown channery silt loam, 25 to 70 percent slopes, bouldery
Morristown channery silty clay loam, 0 to 8 percent slopes, stony
Morristown channery silty clay loam, 8 to 25 percent slopes, stony
Morristown shaly silty clay loam, 0 to 3 percent slopes, stony
Morristown shaly silty clay loam, 25 to 70 percent slopes, bouldery
Morristown shaly silty clay loam, 3 to 15 percent slopes, stony
Morristown silty clay loam, 0 to 3 percent slopes
Morristown silty clay loam, 15 to 40 percent slopes
Morristown silty clay loam, 3 to 15 percent slopes
Morristown silty clay loam, 8 to 25 percent slopes
Nolin silt loam, occasionally flooded
Omulga silt loam, 1 to 7 percent slopes
Omulga silt loam, 6 to 15 percent slopes
Omulga silt loam, 7 to 15 percent slopes
Orrville silt loam, occasionally flooded
Pekin silt loam, 1 to 7 percent slopes
Richland silt loam, 1 to 7 percent slopes
Richland silt loam, 2 to 6 percent slopes
Richland silt loam, 7 to 15 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 8 to 15 percent slopes
Steinsburg-Rigley variant fine sandy loams, 15 to 25 percent slopes
Steinsburg-Rigley variant fine sandy loams, 3 to 8 percent slopes
Steinsburg-Rigley variant fine sandy loams, 8 to 15 percent slopes
Tioga loam, 0 to 2 percent slopes, occasionally flooded
Tioga loam, rarely flooded
Tioga silt loam, occasionally flooded
Udorthents, loamy, 2 to 25 percent slopes
Upshur silty clay loam, 8 to 15 percent slopes, eroded
Upshur-Berks complex, 6 to 15 percent slopes, eroded
Urban land-Gilpin-Lowell complex, 15 to 25 percent slopes
Urban land-Gilpin-Lowell complex, 8 to 15 percent slopes
Wellston silt loam, 1 to 7 percent slopes

Fitchville silt loam, 2 to 6 percent slopes
Fox gravelly loam, 0 to 2 percent slopes
Fox gravelly loam, 12 to 25 percent slopes
Fox gravelly loam, 2 to 6 percent slopes
Fox gravelly loam, 6 to 12 percent slopes
Germano sandy loam, 2 to 6 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 6 to 12 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Gresham silt loam, 2 to 6 percent slopes
Hanover silt loam, 12 to 18 percent slopes
Hanover silt loam, 18 to 25 percent slopes
Hanover silt loam, 2 to 6 percent slopes
Hanover silt loam, 6 to 12 percent slopes
Hanover silt loam, 6 to 12 percent slopes, moderately eroded
Holly silt loam, frequently flooded
Homewood silt loam, 12 to 18 percent slopes, eroded
Homewood silt loam, 18 to 25 percent slopes, eroded
Homewood silt loam, 2 to 6 percent slopes
Homewood silt loam, 6 to 12 percent slopes
Homewood silt loam, 6 to 15 percent slopes
Jimtown silt loam, 0 to 2 percent slopes
Jimtown silt loam, 2 to 6 percent slopes
Landes fine sandy loam, occasionally flooded
Landes loam, occasionally flooded
Latham silt loam, 2 to 6 percent slopes
Latham silt loam, 6 to 12 percent slopes
Linwood muck
Lobdell silt loam, occasionally flooded
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 15 to 20 percent slopes
Loudonville silt loam, 18 to 25 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 15 percent slopes
Luray silty clay loam
Medway silt loam, occasionally flooded
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Orrville silt loam, occasionally flooded
Pewamo silt loam, overwash
Pewamo silty clay loam
Richland silt loam, 6 to 15 percent slopes

Oshtemo sandy loam, 2 to 6 percent slopes
Otego silt loam, frequently flooded
Otisville gravelly loamy sand, 1 to 6 percent slopes
Painesville fine sandy loam
Pierpont silt loam, 12 to 18 percent slopes, moderately eroded
Pierpont silt loam, 2 to 6 percent slopes
Pierpont silt loam, 2 to 6 percent slopes, moderately eroded
Pierpont silt loam, 6 to 12 percent slopes, moderately eroded
Platea silt loam, 0 to 2 percent slopes
Platea silt loam, 2 to 6 percent slopes
Platea-Darien silt loams, 2 to 6 percent slopes
Red Hook sandy loam, 0 to 2 percent slopes
Red Hook silt loam, 2 to 6 percent slopes
Stafford loamy fine sand
Swanton fine sandy loam
Tioga loam
Tioga Variant silt loam
Towerville silt loam, 12 to 18 percent slopes
Tyner loamy sand, 1 to 6 percent slopes
Tyner loamy sand, 6 to 12 percent slopes
Tyner Variant sandy loam
Udorthents, gently sloping
Udorthents, moderately steep

Shelocta silt loam, 3 to 8 percent slopes
Shelocta silt loam, 6 to 15 percent slopes
Shelocta silt loam, 8 to 15 percent slopes
Shelocta-Latham association, steep
Shelocta-Wharton-Latham association, steep
Steinsburg-Clymer association, steep
Steinsburg-Shelocta association, very steep
Stendal silt loam, occasionally flooded
Tioga loam, frequently flooded
Tioga loam, occasionally flooded
Upshur-Gilpin complex, 15 to 25 percent slopes
Upshur-Gilpin complex, 25 to 40 percent slopes
Upshur-Gilpin complex, 40 to 70 percent slopes
Upshur-Gilpin complex, 8 to 15 percent slopes
Upshur-Gilpin-Steinsburg association, steep
Upshur-Rock outcrop association, very steep
Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded
Watertown sandy loam, 1 to 8 percent slopes
Weinbach silt loam, 0 to 2 percent slopes
Wheeling silt loam, 1 to 6 percent slopes
Wheeling silt loam, 6 to 15 percent slopes, eroded
Woodsfield silt loam, 3 to 8 percent slopes

Coshocton silt loam, 12 to 18 percent slopes, eroded
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 18 to 25 percent slopes, eroded
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 6 to 12 percent slopes, eroded
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton silt loam, 8 to 15 percent slopes, eroded
Crane silt loam, 0 to 2 percent slopes
Fairpoint silty clay loam, 1 to 15 percent slopes
Fairpoint silty clay loam, 15 to 25 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fox gravelly loam, 12 to 18 percent slopes, eroded
Fox gravelly loam, 18 to 25 percent slopes, eroded
Frankstown variant-Mertz complex, 2 to 6 percent slopes, very stony
Gilpin silt loam, 2 to 6 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Guernsey silt loam, 12 to 18 percent slopes
Guernsey silt loam, 2 to 6 percent slopes
Guernsey silt loam, 6 to 12 percent slopes, eroded
Hazleton-Rock outcrop complex, 25 to 70 percent slopes
Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 6 to 12 percent slopes, eroded
Homewood silt loam, 12 to 18 percent slopes, eroded
Homewood silt loam, 15 to 20 percent slopes, eroded
Homewood silt loam, 18 to 25 percent slopes, eroded
Homewood silt loam, 2 to 6 percent slopes
Homewood silt loam, 6 to 12 percent slopes, eroded
Keene silt loam, 12 to 18 percent slopes, eroded
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 6 to 12 percent slopes, eroded
Keene silt loam, 6 to 15 percent slopes, eroded
Killbuck silt loam, frequently flooded
Luray silty clay loam
Mechanicsburg silt loam, 12 to 18 percent slopes, eroded
Mechanicsburg silt loam, 18 to 25 percent slopes
Mechanicsburg silt loam, 2 to 6 percent slopes
Mechanicsburg silt loam, 6 to 12 percent slopes, eroded
Medway silt loam, occasionally flooded
Melvin silt loam, frequently flooded
Mentor silt loam, 0 to 2 percent slopes
Mentor silt loam, 12 to 18 percent slopes, eroded
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 6 to 12 percent slopes, eroded
Mertz very cherty silt loam, 15 to 35 percent slopes

Genesee silt loam, occasionally flooded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, eroded
Glynwood silt loam, 12 to 18 percent slopes, eroded
Genesee silt loam
Glynwood silt loam, 2 to 6 percent slopes
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood silt loam, ground moraine, 6 to 12 percent slopes
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Henshaw silt loam, 0 to 2 percent slopes
Henshaw silt loam, 2 to 6 percent slopes
Homer silt loam
Homer silt loam, 0 to 2 percent slopes
Homer silt loam, 2 to 6 percent slopes
Ionia silt loam, 0 to 2 percent slopes
Kane silt loam, 0 to 2 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 6 to 12 percent slopes, moderately eroded
Kendallville silt loam, 12 to 18 percent slopes, moderately eroded
Latty silty clay
Latty silty clay, occasionally flooded
Lippincott silty clay loam
Linwood muck
Lippincott silty clay loam
Lippincott-Urban land complex
Martisco mucky silt loam
Miami bouldery silt loam, 2 to 12 percent slopes
Martisco Variant silt loam
Medway silt loam, occasionally flooded
Miami-Casco-Rodman complex, 18 to 25 percent slopes, moderately eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian silt loam, 18 to 25 percent slopes, moderately eroded
Miamian silt loam, 25 to 50 percent slopes
Miamian-Urban land complex, undulating
Miamian-Urban land complex, rolling
Miami silt loam, 6 to 12 percent slopes, moderately eroded
Miami silt loam, 12 to 18 percent slopes
Miami silt loam, 12 to 18 percent slopes, moderately eroded
Miami silt loam, 18 to 25 percent slopes
Miami silt loam, 18 to 25 percent slopes, moderately eroded
Miamian Variant silt loam, 6 to 15 percent slopes, moderately eroded

Jimtown-Urban land complex, nearly level
Lobdell silt loam
Lockport silty clay loam, 1 to 4 percent slopes
Lorain silty clay loam
Lorain silty clay loam, sandy substratum
Luray silt loam
Luray silty clay loam
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, 2 to 6 percent slopes, moderately eroded
Mahoning silt loam, sandstone substratum, 0 to 2 percent slopes
Mahoning-Tiro silt loams, 2 to 6 percent slopes
Mahoning-Urban land complex, nearly level
Mentor silt loam, 12 to 25 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 6 to 12 percent slopes
Mermill loam
Miner silty clay loam
Miner silty clay loam, shale substratum
Mitiwanga channery loam, 1 to 4 percent slopes
Mitiwanga silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Mitiwanga-Urban land complex, gently sloping
Olmsted fine sandy loam
Olmsted loam, sandstone substratum
Orrville silt loam
Oshtemo sandy loam, 0 to 2 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Rawson loam, 0 to 2 percent slopes
Rawson loam, 2 to 6 percent slopes
Rawson loam, 6 to 12 percent slopes, moderately eroded
Sebring silt loam
Sebring silt loam, sandstone substratum
Senecaville silt loam
Shinrock silt loam, 0 to 2 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Stafford fine sandy loam
Tioga fine sandy loam
Trumbull silty clay loam, 0 to 2 percent slopes
Tyner loamy sand, 1 to 6 percent slopes
Tyner loamy sand, 6 to 12 percent slopes
Upshur silt loam, 2 to 8 percent slopes
Upshur silt loam, 25 to 70 percent slopes
Weikert channery fine sandy loam, 1 to 6 percent slopes

Sloan loam
Sloan loam, occasionally flooded
St. Clair loam, 7 to 15 percent slopes, moderately eroded
St. Clair silty clay loam, 12 to 25 percent slopes, severely eroded
St. Clair silty clay loam, 4 to 12 percent slopes, eroded
Tedrow fine sand, 0 to 3 percent slopes
Toledo silty clay
Toledo silty clay, ponded
Tuscola fine sandy loam, 3 to 8 percent slopes
Wauseon fine sandy loam
Ziegenfuss clay loam, 0 to 1 percent slopes

Warsaw silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 3 percent slopes
Westland silty clay loam
Westland silty clay loam, silty substratum

Fairpoint very channery silt loam, 25 to 70 percent slopes
Fairpoint very channery silt loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, till substratum, 2 to 6 percent slopes
Fitchville-Urban land complex
Frenchtown silt loam
Gilpin silt loam, 6 to 15 percent slopes
Gilpin-Weikert complex, 25 to 70 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Holly silt loam
Homeworth loam, 0 to 2 percent slopes
Homeworth loam, 2 to 6 percent slopes
Homeworth silt loam, 0 to 2 percent slopes
Homeworth silt loam, 2 to 6 percent slopes
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown loam, till substratum, 2 to 6 percent slopes
Jimtown silt loam, 2 to 6 percent slopes
Jimtown-Urban land complex
Kensington silt loam, 15 to 25 percent slopes
Kerston muck
Lobdell loam
Lobdell silt loam, 0 to 2 percent slopes, occasionally flooded
Lorain silt loam, 0 to 2 percent slopes
Lorain silty clay loam
Loudonville gravelly silt loam, 25 to 50 percent slopes
Loudonville loam, 12 to 18 percent slopes, moderately eroded
Loudonville loam, 18 to 25 percent slopes, moderately eroded
Loudonville loam, 2 to 6 percent slopes
Loudonville loam, 6 to 12 percent slopes, moderately eroded
Loudonville-Urban land complex, rolling
Loudonville-Urban land complex, undulating
Luray silt loam
Luray silty clay loam
Marengo silty clay loam
Mechanicsburg silt loam, 2 to 6 percent slopes
Mechanicsburg silt loam, 6 to 15 percent slopes
Muskingum channery silt loam, 12 to 18 percent slopes, moderately eroded
Muskingum channery silt loam, 18 to 25 percent slopes, moderately eroded
Muskingum channery silt loam, 2 to 6 percent slopes
Muskingum channery silt loam, 25 to 50 percent slopes, moderately eroded

Morley silt loam, 18 to 50 percent slopes, eroded
Muskego muck
Newark silt loam, occasionally flooded
Nolin silt loam, occasionally flooded
Ockley loam, 0 to 2 percent slopes
Ockley loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Orthents, clayey-Urban land complex, 1 to 8 percent slopes
Paulding clay
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded
Saranac silty clay loam, frequently flooded
Saranac silty clay loam, occasionally flooded
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 6 to 12 percent slopes, eroded
Shoals silt loam, occasionally flooded
Sleeth loam, 0 to 3 percent slopes
Sleeth silt loam, loamy substratum, 0 to 3 percent slopes
Sloan silty clay loam, occasionally flooded
Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded
Stone clay loam, 0 to 2 percent slopes, rarely flooded
Tiro silt loam, 2 to 6 percent slopes
Typic Endoaquents-Urban land complex, till substratum, 0 to 3 percent slopes
Urban land-Alfic Udarents-Glynwood complex, 1 to 8 percent slopes
Urban land-Typic Endoaquents-Pewamo complex, 0 to 3 percent slopes
Westland clay loam
Whitaker loam, 0 to 3 percent slopes

Ellsworth-Urban land complex, rolling
Euclid silt loam, occasionally flooded
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, low terrace, 0 to 2 percent slopes
Geeburg silt loam, 12 to 18 percent slopes, moderately eroded
Geeburg silt loam, 2 to 6 percent slopes
Geeburg silt loam, 6 to 18 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Holly silt loam
Hornell silt loam, 2 to 6 percent slopes
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown silt loam, 0 to 2 percent slopes
Linwood muck
Lobdell silt loam
Lorain silty clay loam
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 12 to 25 percent slopes, moderately eroded
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes, moderately eroded
Luray silt loam
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, 2 to 6 percent slopes, moderately eroded
Mahoning silt loam, sandstone substratum, 0 to 2 percent slopes
Mahoning silt loam, sandstone substratum, 2 to 6 percent slopes
Mahoning-Tiro silt loams, 0 to 2 percent slopes
Mahoning-Urban land complex, undulating
Mentor silt loam, 2 to 6 percent slopes
Miner silty clay loam
Olmsted loam
Orrville silt loam
Orrville silt loam, bedrock substratum
Orrville silt loam, frequently flooded
Oshtemo sandy loam, 2 to 6 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Rawson loam, 2 to 6 percent slopes
Rawson loam, 6 to 12 percent slopes, moderately eroded
Rittman silt loam, 12 to 18 percent slopes, moderately eroded
Rittman silt loam, 12 to 25 percent slopes, moderately eroded

Pinegrove silty clay loam, 25 to 70 percent slopes
Pinegrove silty clay loam, 8 to 25 percent slopes
Rarden silt loam, 8 to 15 percent slopes, eroded
Richland silt loam, 2 to 6 percent slopes
Steinsburg fine sandy loam, 40 to 70 percent slopes
Taggart silt loam, 0 to 2 percent slopes
Upshur silt loam, 8 to 15 percent slopes
Upshur silty clay loam, 8 to 15 percent slopes
Upshur-Gilpin complex, 15 to 25 percent slopes
Upshur-Gilpin complex, 25 to 50 percent slopes
Upshur-Gilpin complex, 8 to 15 percent slopes, eroded
Upshur-Steinsburg complex, 15 to 25 percent slopes
Upshur-Steinsburg complex, 25 to 50 percent slopes
Vandalia silt loam, 15 to 25 percent slopes, eroded
Vandalia silt loam, 8 to 15 percent slopes, eroded
Vandalia-Richland complex, 15 to 25 percent slopes
Vincent silty clay loam, 2 to 6 percent slopes, eroded
Vincent silty clay loam, 6 to 12 percent slopes, eroded
Westmoreland-Gilpin complex, 25 to 40 percent slopes
Westmoreland-Gilpin complex, 40 to 70 percent slopes
Woodsfield silt loam, 2 to 6 percent slopes
Zanesville silt loam, 3 to 8 percent slopes

Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam
Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded
Wabasha silty clay
Wabasha silty clay loam

Genesee silt loam
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Glynwood silt loam, 12 to 18 percent slopes, moderately eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, severely eroded
Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded
Glynwood clay loam, 12 to 18 percent slopes, severely eroded
Hennepin and Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin and Miamian silt loams, 25 to 50 percent slopes, moderately eroded
Kendallville silt loam, 2 to 6 percent slopes
Kokomo silty clay loam
Linwood muck, undrained
Linwood muck
Lippincott silty clay loam
Lorenzo-Rodman gravelly loams, 18 to 50 percent slopes, moderately eroded
Martinsville and Ockley loams, till substratum, 2 to 6 percent slopes
Medway silt loam
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, limestone substratum, 0 to 2 percent slopes
Miamian silt loam, limestone substratum, 2 to 6 percent slopes
Miamian silt loam, limestone substratum, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, limestone substratum, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 0 to 2 percent slopes
Miami silt loam, 2 to 6 percent slopes
Miami silt loam, 2 to 6 percent slopes, moderately eroded
Miami silt loam, 6 to 12 percent slopes, moderately eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian and Hennepin silt loams, 18 to 25 percent slopes
Miamian and Hennepin silt loams, 25 to 50 percent slopes
Millsdale silt loam, 0 to 2 percent slopes
Millsdale silt loam, 2 to 6 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Milford silty clay loam, sandy substratum
Millsdale silty clay loam, 0 to 2 percent slopes

Gilpin-Westmoreland silt loams, 12 to 18 percent slopes, severely eroded
Gilpin-Westmoreland silt loams, 18 to 35 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, 18 to 35 percent slopes, severely eroded
Gilpin-Westmoreland silt loams, 2 to 6 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, 35 to 70 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, 6 to 12 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, very steep, benched
Guernsey silt loam, 15 to 25 percent slopes
Guernsey silt loam, 6 to 15 percent slopes
Guernsey-Upshur complex, 12 to 18 percent slopes, moderately eroded
Guernsey-Upshur complex, 18 to 35 percent slopes, moderately eroded
Guernsey-Upshur complex, 18 to 70 percent slopes, landslip
Guernsey-Upshur complex, 35 to 70 percent slopes, moderately eroded
Guernsey-Upshur complex, 6 to 12 percent slopes, moderately eroded
Guernsey-Upshur complex, steep, benched
Guernsey-Upshur complex, very steep, benched
Guernsey-Westmore silt loams, 12 to 18 percent slopes, moderately eroded
Guernsey-Westmore silt loams, 18 to 35 percent slopes, moderately eroded
Guernsey-Westmore silt loams, 18 to 35 percent slopes, severely eroded
Guernsey-Westmore silt loams, 35 to 70 percent slopes, moderately eroded
Guernsey-Westmore silt loams, 6 to 12 percent slopes, moderately eroded
Hackers silt loam, 3 to 8 percent slopes
Hartshorn silt loam
Hartshorn silt loam, occasionally flooded
Hartshorn silt loam, wet variant
Huntington silt loam
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 6 to 12 percent slopes, moderately eroded
Keene-Latham silt loam, 12 to 18 percent slopes, moderately eroded
Latham-Keene silt loams, 18 to 35 percent slopes, moderately eroded
Lindside silt loam
Lowell silty clay loam, 25 to 40 percent slopes, eroded
Lowell-Gilpin silt loams, 35 to 70 percent slopes
Lowell-Upshur silty clay loams, 25 to 40 percent slopes, eroded
Lowell-Upshur silty clay loams, 40 to 70 percent slopes, eroded
Lowell-Westmoreland silt loams, 15 to 25 percent slopes
Lowell-Westmoreland silt loams, 25 to 40 percent slopes
Lowell-Westmoreland silt loams, 40 to 70 percent slopes
Morristown channery silty clay loam, 25 to 70 percent slopes
Newark silt loam
Newark silt loam, frequently flooded
Newark Variant silt loam, frequently flooded
Rarden-Coolville silt loams, 12 to 18 percent slopes, moderately eroded
Sciotoville silt loam, 0 to 4 percent slopes
Sees-Woolper silt loams, 12 to 18 percent slopes
Sees-Woolper silt loams, 18 to 35 percent slopes
Upshur clay, 12 to 18 percent slopes, severely eroded

Fox silt loam, 12 to 18 percent slopes, moderately eroded
Fincastle silt loam, 0 to 2 percent slopes
Fox soils, 6 to 12 percent slopes, severely eroded
Fox-Urban land complex, gently sloping
Genesee fine sandy loam
Genesee loam
Hennepin and Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Hennepin and Miamian silt loams, 25 to 50 percent slopes, moderately eroded
Hennepin and Miamian soils, 18 to 50 percent slopes, severely eroded
Kendallville silt loam, 0 to 2 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 6 to 12 percent slopes, moderately eroded
Kokomo silty clay loam, 0 to 1 percent slopes
Landes sandy loam
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Lanier sandy loam
Lewisburg silt loam, 2 to 6 percent slopes
Lorenzo-Rodman complex, 4 to 12 percent slopes, moderately eroded
Lorenzo-Rodman complex, 12 to 18 percent slopes, moderately eroded
Medway silt loam
Miamian-Celina silt loams, 2 to 6 percent slopes
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miamian-Kendallville silt loams, 25 to 50 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Miamian silt loam, limestone substratum, 0 to 2 percent slopes
Miamian silt loam, limestone substratum, 2 to 6 percent slopes
Miamian silt loam, limestone substratum, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, limestone substratum, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian bouldery silt loam, 2 to 6 percent slopes
Miamian-Casco complex, 12 to 18 percent slopes, moderately eroded
Miamian and Hennepin silt loams, 18 to 25 percent slopes
Miamian-Casco complex, 18 to 35 percent slopes, moderately eroded
Miamian and Hennepin silt loams, 25 to 50 percent slopes
Miamian clay loam, 2 to 6 percent slopes, severely eroded

Morristown silty clay loam, 20 to 35 percent slopes
Morristown silty clay loam, 6 to 20 percent slopes
Newark silt loam, frequently flooded
Nolin silt loam, frequently flooded
Nolin silt loam, occasionally flooded
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 6 to 12 percent slopes, eroded
Richland-Vandalia complex, 20 to 35 percent slopes
Steinsburg loam, 25 to 70 percent slopes
Upshur silty clay loam, 12 to 20 percent slopes, eroded
Upshur silty clay loam, 6 to 12 percent slopes, eroded
Vandalia silt loam, 20 to 35 percent slopes, eroded
Vandalia-Brookside complex, 12 to 20 percent slopes, eroded
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 6 to 12 percent slopes, eroded
Westgate silt loam, 2 to 6 percent slopes
Westgate silt loam, 6 to 12 percent slopes, eroded
Westgate silt loam, 6 to 15 percent slopes, eroded
Westmoreland-Guernsey complex, 12 to 20 percent slopes, eroded
Westmoreland-Guernsey complex, 20 to 35 percent slopes, eroded
Westmoreland-Guernsey complex, 35 to 70 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded
Woodsfield silt loam, 2 to 6 percent slopes
Woodsfield silt loam, 6 to 12 percent slopes, eroded
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 6 to 12 percent slopes, eroded

Ockley loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 6 to 12 percent slopes
Olmsted silty clay loam
Pewamo silt loam, overwash
Pewamo silty clay loam
Ravenna silt loam, 2 to 6 percent slopes
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, eroded
Shoals silt loam
Shoals silt loam, occasionally flooded
Sleeth silt loam, loamy substratum, 0 to 3 percent slopes
Sloan silty clay loam, occasionally flooded
Sloan silty clay loam, sandy substratum, occasionally flooded
Tioga loam, occasionally flooded
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wooster silt loam, 12 to 18 percent slopes, eroded
Wooster silt loam, 18 to 25 percent slopes, eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 2 to 6 percent slopes, moderately eroded
Wooster silt loam, 25 to 40 percent slopes
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, eroded

Fairpoint silty clay loam, 25 to 50 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Frankstown variant-Mertz complex, 3 to 8 percent slopes
Gilpin silt loam, 2 to 8 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes, eroded
Gilpin-Upshur complex, 15 to 25 percent slopes, eroded
Gilpin-Upshur complex, 25 to 40 percent slopes, eroded
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 15 percent slopes, eroded
Guernsey silt loam, 12 to 18 percent slopes
Guernsey silt loam, 15 to 25 percent slopes, eroded
Guernsey-Upshur complex, 8 to 15 percent slopes
Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Guernsey-Upshur silty clay loams, 6 to 15 percent slopes, eroded
Homewood silt loam, 12 to 18 percent slopes, eroded
Homewood silt loam, 15 to 20 percent slopes, eroded
Homewood silt loam, 6 to 12 percent slopes, eroded
Homewood silt loam, 8 to 15 percent slopes, eroded
Jimtown loam, 0 to 3 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 6 to 15 percent slopes, eroded
Keene silt loam, 8 to 15 percent slopes
Killbuck silt loam, frequently flooded
Killbuck silt loam, occasionally flooded
Lakin loamy fine sand, 8 to 15 percent slopes
Lakin loamy sand, 1 to 8 percent slopes
Lakin-Alford complex, 15 to 25 percent slopes
Lindside silt loam, occasionally flooded
Lobdell loam, channery substratum, occasionally flooded
Lorain silty clay
Lowell silt loam, 15 to 25 percent slopes
Lowell silt loam, 15 to 25 percent slopes, eroded
Lowell silt loam, 8 to 15 percent slopes
Lowell silt loam, 8 to 15 percent slopes, eroded
Lowell-Gilpin complex, 25 to 40 percent slopes, eroded
Lowell-Gilpin complex, 40 to 70 percent slopes
Lowell-Westmoreland complex, 40 to 70 percent slopes
Luray silty clay loam
Markland silt loam, 2 to 6 percent slopes
Markland silty clay loam, 6 to 15 percent slopes, eroded
Markland-Glenford complex, 15 to 35 percent slopes, eroded
McGary silt loam, 0 to 3 percent slopes
Melvin silt loam, frequently flooded

Gilpin-Upshur complex, 15 to 25 percent slopes, eroded
Gilpin-Upshur complex, 25 to 35 percent slopes, eroded
Gilpin-Upshur complex, 35 to 70 percent slopes
Gilpin-Upshur complex, 35 to 70 percent slopes, eroded
Gilpin-Upshur complex, 6 to 12 percent slopes, moderately eroded
Guernsey silt loam, 1 to 6 percent slopes
Guernsey silt loam, 15 to 25 percent slopes
Guernsey silt loam, 15 to 25 percent slopes, eroded
Guernsey silt loam, 6 to 15 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey-Upshur complex, 15 to 25 percent slopes
Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Hartshorn silt loam
Hartshorn silt loam, occasionally flooded
Lindside silt loam
Lowell silt loam, 15 to 25 percent slopes
Lowell silt loam, 25 to 40 percent slopes
Lowell silt loam, 8 to 15 percent slopes
Lowell silty clay loam, 25 to 40 percent slopes, eroded
Lowell-Elba silty clay loams, 25 to 40 percent slopes, eroded
Lowell-Elba silty clay loams, 40 to 70 percent slopes, eroded
Lowell-Gilpin complex, 25 to 40 percent slopes, eroded
Lowell-Gilpin complex, 40 to 70 percent slopes
Lowell-Gilpin silt loams, 25 to 35 percent slopes
Lowell-Gilpin silt loams, 35 to 70 percent slopes
Lowell-Upshur complex, 25 to 40 percent slopes
Lowell-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Lowell-Upshur silty clay loams, 25 to 40 percent slopes, eroded
Lowell-Upshur silty clay loams, 40 to 70 percent slopes, eroded
Lowell-Westmoreland complex, 25 to 40 percent slopes
Lowell-Westmoreland complex, 40 to 70 percent slopes
Lowell-Westmoreland silt loams, 15 to 25 percent slopes
Lowell-Westmoreland silt loams, 25 to 40 percent slopes
Lowell-Westmoreland silt loams, 40 to 70 percent slopes
Lowell-Westmoreland silt loams, 8 to 15 percent slopes
Morristown channery clay loam, 40 to 70 percent slopes
Morristown channery silty clay loam, 0 to 8 percent slopes
Morristown channery silty clay loam, 25 to 70 percent slopes
Morristown channery silty clay loam, 8 to 25 percent slopes
Morristown silty clay loam, 0 to 8 percent slopes
Morristown silty clay loam, 15 to 25 percent slopes
Morristown silty clay loam, 8 to 15 percent slopes
Newark silt loam, frequently flooded
Newark silt loam, occasionally flooded
Nolin silt loam, frequently flooded
Omulga silt loam, 1 to 6 percent slopes
Omulga silt loam, 6 to 15 percent slopes

Roselms silty clay, 0 to 2 percent slopes
Roselms silty clay, 2 to 6 percent slopes, eroded
Rossburg silt loam, occasionally flooded
Saranac silty clay loam, occasionally flooded
Shoals silt loam, frequently flooded
Shoals silt loam, occasionally flooded
St. Clair silty clay loam, 12 to 18 percent slopes, eroded
St. Clair silty clay loam, 18 to 35 percent slopes, eroded
St. Clair silty clay loam, 2 to 6 percent slopes, eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded
St. Clair silty clay, 12 to 25 percent slopes, severely eroded
St. Clair silty clay, 6 to 12 percent slopes, severely eroded
Tedrow loamy sand, 0 to 3 percent slopes
Toledo silty clay
Toledo silty clay loam
Wabasha silty clay loam, frequently flooded

Luray silt loam
Marengo clay loam
Melvin silt loam, ponded
Mentor silt loam, gravelly substratum, 1 to 8 percent slopes
Mentor silt loam, gravelly substratum, 8 to 15 percent slopes
Newark silt loam, frequently flooded
Nolin silt loam, occasionally flooded
Ockley loam, 0 to 2 percent slopes
Ockley loam, 2 to 6 percent slopes
Ockley loam, 6 to 12 percent slopes, eroded
Patton silty clay loam
Peoga silt loam, rarely flooded
Pewamo silty clay loam
Sebring silt loam, rarely flooded
Shelocta-Cruze complex, 25 to 40 percent slopes
Udorthents-Pits complex
Upshur silty clay loam, 15 to 25 percent slopes
Upshur silty clay loam, 8 to 15 percent slopes
Wellston silt loam, 1 to 8 percent slopes
Wellston silt loam, 2 to 8 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Westmore silt loam, 1 to 8 percent slopes
Westmore silt loam, 8 to 15 percent slopes
Westmoreland loam, 20 to 40 percent slopes, very bouldery
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded
Westmoreland-Guernsey silt loams, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded
Woodsfield silt loam, 8 to 15 percent slopes
Zanesville silt loam, 1 to 8 percent slopes
Zanesville silt loam, 8 to 15 percent slopes

Eldean-Kendallville loams, 0 to 2 percent slopes
Eldean-Kendallville loams, 2 to 6 percent slopes
Eldean-Kendallville loams, 6 to 12 percent slopes, eroded
Eldean-Urban land complex, gently sloping
Eldean-Urban land complex, nearly level
Fox loam, 12 to 20 percent slopes, eroded
Gallman silt loam, loamy substratum, 2 to 6 percent slopes
Genesee silt loam, occasionally flooded
Gessie silt loam, occasionally flooded
Hennepin-Miamian silt loams, 18 to 25 percent slopes
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Henshaw silt loam, 0 to 4 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 6 to 12 percent slopes, eroded
Kendallville-Eldean complex, 12 to 20 percent slopes, eroded
Kendallville-Eldean complex, 20 to 35 percent slopes, eroded
Kendallville-Eldean complex, 6 to 12 percent slopes, eroded
Kinn silt loam, occasionally flooded
Kokomo silt loam, overwash
Kokomo silty clay loam
Linwood muck
Loudonville silt loam, 18 to 50 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 18 percent slopes
Medway silt loam, occasionally flooded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 12 to 20 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian-Kendallville silt loams, 0 to 2 percent slopes
Miamian-Kendallville silt loams, 12 to 18 percent slopes, eroded
Miamian-Kendallville silt loams, 2 to 6 percent slopes
Miamian-Kendallville silt loams, 6 to 12 percent slopes, eroded
Miamian-Lewisburg silt loams, 0 to 2 percent slopes
Miamian-Lewisburg silt loams, 2 to 6 percent slopes
Miamian-Thriftton complex, 12 to 20 percent slopes, severely eroded
Miamian-Urban land complex, gently undulating
Montgomery silty clay loam
Negley silt loam, 25 to 40 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Patton silty clay loam
Patton silty clay loam, sandy substratum
Princeton sandy loam, 2 to 6 percent slopes

Montgomery Variant silt loam, frequently flooded
Negley loam, 15 to 25 percent slopes
Negley loam, 20 to 35 percent slopes, eroded
Negley loam, 25 to 35 percent slopes
Negley loam, 6 to 12 percent slopes
Negley loam, 6 to 12 percent slopes, eroded
Negley loam, 8 to 15 percent slopes
Negley silt loam, 2 to 6 percent slopes
Omulga silt loam, 0 to 3 percent slopes
Omulga silt loam, 1 to 8 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 3 to 8 percent slopes
Omulga silt loam, 8 to 15 percent slopes
Opequon silt loam, 15 to 30 percent slopes, eroded
Opequon silty clay loam, 15 to 25 percent slopes, eroded
Opequon-Bratton silt loams, 8 to 15 percent slopes, eroded
Orrville silt loam, frequently flooded
Otwell silt loam, 0 to 3 percent slopes
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 3 to 8 percent slopes
Parke silt loam, 0 to 3 percent slopes
Parke silt loam, 3 to 8 percent slopes
Peoga silt loam
Piopolis silt loam, frequently flooded
Pope sandy loam, frequently flooded
Princeton fine sandy loam, 15 to 30 percent slopes
Princeton fine sandy loam, 3 to 8 percent slopes
Princeton fine sandy loam, 8 to 15 percent slopes
Purdy Variant silt loam
Rarden silt loam, 15 to 25 percent slopes
Rarden silt loam, 8 to 15 percent slopes
Rarden silt loam, 8 to 15 percent slopes, eroded
Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded
Richland silt loam, clayey substratum, 8 to 15 percent slopes
Rigley-Clymer association, steep
Rigley-Rock outcrop association, very steep
Shelocta silt loam, 15 to 25 percent slopes
Shelocta-Brownsville association, steep
Shelocta-Brownsville association, very steep
Shelocta-Cruze-Weikert association, steep
Shelocta-Latham association, steep
Shelocta-Rigley association, steep
Shelocta-Wharton-Latham association, steep
Shoals silt loam
Skidmore silt loam, occasionally flooded
Skidmore Variant gravelly loam, 0 to 3 percent slopes
Skidmore Variant gravelly loam, 3 to 8 percent slopes

Frenchtown silt loam
Geeburg and Glenford silt loams, steep
Geeburg silt loam, 12 to 18 percent slopes, moderately eroded
Geeburg silt loam, 2 to 6 percent slopes
Geeburg silt loam, 2 to 6 percent slopes, moderately eroded
Geeburg silt loam, 6 to 12 percent slopes, moderately eroded
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 12 to 18 percent slopes, moderately eroded
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Haskins loam, 2 to 6 percent slopes
Holly silt loam
Holly silt loam, frequently flooded
Hornell silt loam, 3 to 8 percent slopes
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Lakin loamy sand, 2 to 6 percent slopes
Lakin loamy sand, 6 to 12 percent slopes
Linwood muck
Lorain silty clay loam
Lordstown-Rock outcrop complex, 18 to 70 percent slopes
Loudonville silt loam, 12 to 18 percent slopes, moderately eroded
Loudonville silt loam, 18 to 25 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes, moderately eroded
Luray silt loam
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mitiwanga silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Mitiwanga silt loam, moderately well drained variant, 2 to 6 percent slopes
Mitiwanga silt loam, moderately well drained variant, 6 to 12 percent slopes
Olmsted loam
Orrville silt loam
Orrville silt loam, frequently flooded
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Remsen silt loam, 0 to 2 percent slopes
Remsen silt loam, 2 to 6 percent slopes
Rittman silt loam, 12 to 18 percent slopes, moderately eroded
Rittman silt loam, 18 to 25 percent slopes, moderately eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, moderately eroded

Fox silt loam, till substratum, 2 to 6 percent slopes
Fox silt loam, till substratum, 2 to 6 percent slopes, eroded
Fox silt loam, till substratum, 0 to 2 percent slopes
Genesee loam
Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Hennepin-Miamian silt loams, 25 to 50 percent slopes, eroded
Hennepin and Miamian soils, 18 to 50 percent slopes, severely eroded
Hennepin-Wynn silt loams, 18 to 25 percent slopes, eroded
Hennepin-Wynn silt loams, 25 to 50 percent slopes, eroded
Kendallville-Eldean silt loams, 6 to 12 percent slopes, eroded
Kendallville-Eldean silt loams, 12 to 18 percent slopes, eroded
Kendallville-Eldean silt loams, 12 to 18 percent slopes, eroded
Kokomo silt loam, 0 to 1 percent slopes
Kokomo silty clay loam, 0 to 1 percent slopes
Lewisburg silt loam, 2 to 6 percent slopes
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Lewisburg-Celina clay loams, 2 to 6 percent slopes, eroded
Lanier fine sandy loam
Lewisburg clay loam, 6 to 12 percent slopes, severely eroded
Lippincott silty clay loam, 0 to 2 percent slopes
Lippincott silty clay loam, 0 to 2 percent slopes
Lewisburg silt loam, 2 to 6 percent slopes
Medway silt loam, 0 to 1 percent slopes, occasionally flooded
Miami silt loam, 2 to 6 percent slopes, eroded
Miami-Kendallville silt loams, 18 to 25 percent slopes, eroded
Miami-Kendallville silt loams, 25 to 50 percent slopes, eroded
Medway silt loam, occasionally flooded
Miami loam, 6 to 12 percent slopes, eroded
Miami loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian-Celina silt loams, 2 to 6 percent slopes
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miami-Kendallville silt loams, 18 to 25 percent slopes, eroded
Miamian-Kendallville silt loams, 18 to 25 percent slopes, eroded
Miamian-Kendallville silt loams, 25 to 50 percent slopes, eroded
Miami loam, 6 to 12 percent slopes, eroded
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Miamian-Celina silt loams, 2 to 6 percent slopes
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded

Glynwood-Blount-Houcktown complex, 1 to 4 percent slopes
Haney loam, 0 to 2 percent slopes
Haney loam, 2 to 6 percent slopes
Haney sandy loam, 2 to 6 percent slopes
Haskins fine sandy loam, 0 to 2 percent slopes
Haskins fine sandy loam, 2 to 6 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Houcktown loam, 0 to 2 percent slopes
Houcktown loam, 2 to 6 percent slopes
Houcktown sandy loam, 2 to 4 percent slopes
Houcktown-Glynwood-Jenera complex, 1 to 4 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Hoytville silty clay, 0 to 1 percent slopes
Jenera fine sandy loam, 0 to 2 percent slopes
Kibbie loam, 0 to 2 percent slopes
Kibbie silt loam, 0 to 2 percent slopes
Kibbie-Del Rey silt loams, 1 to 6 percent slopes
Knoxdale silt loam, occasionally flooded
Latty clay
Latty silty clay
Latty silty clay loam
Lenawee silt loam
Lenawee silty clay loam
Lucas silty clay loam, 12 to 18 percent slopes, moderately eroded
Lucas silty clay loam, 2 to 6 percent slopes
Lucas silty clay loam, 2 to 6 percent slopes, eroded
Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded
Medway silt loam, occasionally flooded
Mermill loam
Mermill silty clay loam
Millgrove loam
Millgrove loam, till substratum
Millgrove silty clay loam
Morley silt loam, 2 to 6 percent slopes
Mortimer silt loam, 2 to 6 percent slopes
Nappanee clay loam, 0 to 2 percent slopes
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee silt loam, 0 to 2 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Oshtemo fine sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, till substratum, 2 to 6 percent slopes
Ottokee loamy fine sand, 1 to 6 percent slopes
Ottokee-Tuscola complex, 2 to 6 percent slopes

Condit-Bennington silt loams
Conotton gravelly loam, 2 to 12 percent slopes
Coshocton loam, 6 to 15 percent slopes
Digby loam, 1 to 4 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 1 to 4 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, gravelly subsoil variant, 0 to 2 percent slopes
Fitchville silt loam, gravelly subsoil variant, 2 to 6 percent slopes
Fitchville-Bennington silt loams, 0 to 2 percent slopes
Frenchtown silt loam
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 6 to 12 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Gresham silt loam, 2 to 6 percent slopes
Haney loam, 2 to 6 percent slopes
Hanover silt loam, 12 to 18 percent slopes
Hanover silt loam, 12 to 18 percent slopes, moderately eroded
Hanover silt loam, 18 to 25 percent slopes
Hanover silt loam, 2 to 6 percent slopes
Hanover silt loam, 6 to 12 percent slopes
Hanover silt loam, 6 to 12 percent slopes, moderately eroded
Hanover silt loam, 6 to 12 percent slopes, severely eroded
Holly silt loam
Homewood silt loam, 12 to 18 percent slopes, eroded
Homewood silt loam, 18 to 25 percent slopes, eroded
Homewood silt loam, 2 to 6 percent slopes
Homewood silt loam, 6 to 12 percent slopes
Jimtown loam, 0 to 2 percent slopes
Landes fine sandy loam
Latham silt loam, 2 to 6 percent slopes
Latham silt loam, 6 to 12 percent slopes
Lenawee silty clay loam
Linwood muck
Lobdell silt loam
Lordstown and Loudonville silt loams, 18 to 25 percent slopes
Lordstown and Loudonville silt loams, 25 to 40 percent slopes
Lordstown silt loam, 12 to 18 percent slopes
Lordstown silt loam, 18 to 25 percent slopes
Lordstown silt loam, 2 to 6 percent slopes
Lordstown silt loam, 25 to 40 percent slopes
Lordstown silt loam, 6 to 12 percent slopes
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes

Haubstadt silt loam, 2 to 6 percent slopes
Haubstadt silt loam, 6 to 12 percent slopes, eroded
Haymond silt loam, occasionally flooded
Hickory silt loam, 12 to 20 percent slopes, eroded
Hickory silt loam, 20 to 35 percent slopes, eroded
Huntington silt loam, occasionally flooded
Kendallville silt loam, 0 to 2 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville-Eldean complex, 12 to 20 percent slopes, eroded
Kendallville-Eldean complex, 20 to 35 percent slopes, eroded
Kendallville-Eldean complex, 6 to 12 percent slopes, eroded
Kinn silt loam, occasionally flooded
Kokomo silt loam, overwash
Kokomo silty clay loam
Latham silt loam, 12 to 20 percent slopes, eroded
Latham silt loam, 20 to 35 percent slopes
Latham silt loam, 6 to 12 percent slopes, eroded
Latham-Wharton complex, 15 to 25 percent slopes
Libre silt loam, 2 to 6 percent slopes
Libre silt loam, 6 to 12 percent slopes, eroded
Markland silt loam, 2 to 6 percent slopes
Markland silty clay loam, 12 to 20 percent slopes, eroded
Markland silty clay loam, 20 to 35 percent slopes, eroded
Markland silty clay loam, 6 to 12 percent slopes, eroded
Martinsville loam, rarely flooded
McGary silt loam, 0 to 2 percent slopes
McGary silt loam, 2 to 6 percent slopes
Mentor silt loam, 12 to 20 percent slopes, eroded
Mentor silt loam, 6 to 12 percent slopes, eroded
Mentor silt loam, gravelly substratum, 0 to 2 percent slopes
Mentor silt loam, gravelly substratum, 2 to 6 percent slopes
Mentor silt loam, rarely flooded
Miamian silt loam, 12 to 20 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 20 to 35 percent slopes
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, bedrock substratum, 12 to 20 percent slopes, eroded
Miamian silt loam, bedrock substratum, 6 to 12 percent slopes, eroded
Miamian-Lewisburg complex, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 20 to 35 percent slopes, eroded
Milton silt loam, 6 to 12 percent slopes, eroded
Negley loam, 12 to 20 percent slopes, eroded
Negley loam, 20 to 35 percent slopes, eroded
Negley loam, 6 to 12 percent slopes, eroded
Nineveh silt loam, 0 to 2 percent slopes

Shelocta silt loam, 15 to 25 percent slopes
Shelocta silt loam, 3 to 8 percent slopes
Shelocta silt loam, 8 to 15 percent slopes
Shelocta-Brownsville association, steep
Shelocta-Brownsville association, very steep
Shelocta-Muse-Colyer association, steep
Shelocta-Steinsburg association, very steep
Shelocta-Wharton-Latham association, steep
Skidmore silt loam, occasionally flooded
Steinsburg-Shelocta association, very steep
Stendal silt loam, occasionally flooded
Tilsit-Coolville association, undulating
Tioga loam, occasionally flooded
Weinbach silt loam, 0 to 2 percent slopes
Weinbach silt loam, 0 to 3 percent slopes
Wharton silt loam, 15 to 25 percent slopes
Wharton-Urban land complex, 8 to 20 percent slopes
Wheeling silt loam, 1 to 6 percent slopes
Wheeling silt loam, 1 to 8 percent slopes
Wheeling-Urban land complex, 1 to 8 percent slopes
Wyatt silt loam, 1 to 8 percent slopes
Wyatt silt loam, 8 to 15 percent slopes, eroded

Haney loam, 6 to 12 percent slopes, eroded
Haskins loam, 0 to 2 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins sandy loam, 1 to 4 percent slopes
Haskins-Seward complex, 2 to 6 percent slopes
Houcktown loam, 2 to 6 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Hoytville-Urban land complex, 0 to 1 percent slopes
Jimtown loam, 0 to 3 percent slopes
Kibbie fine sandy loam, 0 to 2 percent slopes
Kibbie-Blount complex, 0 to 2 percent slopes
Lenawee silty clay loam
Linwood muck
Lykens-Milton silt loams, 2 to 6 percent slopes
Mermill loam
Mermill loam, 0 to 1 percent slopes
Mermill-Urban land complex, 0 to 1 percent slopes
Milford silty clay loam
Millgrove loam
Millgrove silt loam
Millsdale silty clay loam
Millsdale silty clay loam, 0 to 1 percent slopes
Milton loam, 0 to 2 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton variant loam, 0 to 2 percent slopes
Milton variant loam, 2 to 6 percent slopes
Morley loam, limestone substratum, 0 to 2 percent slopes
Morley silt loam, 12 to 18 percent slopes, eroded
Morley silt loam, 18 to 50 percent slopes, eroded
Morley, limestone substratum-Milton complex, 2 to 6 percent slopes
Nappanee loam, 0 to 2 percent slopes
Nappanee silt loam, 0 to 2 percent slopes
Nappanee silt loam, 0 to 3 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee-Urban land complex, 0 to 2 percent slopes
Oshtemo fine sandy loam, 18 to 35 percent slopes
Oshtemo fine sandy loam, 6 to 18 percent slopes, eroded
Oshtemo sandy loam, 2 to 6 percent slopes
Pandora silt loam
Pandora silty clay loam
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo-Urban land complex, 0 to 2 percent slopes
Randolph loam, 0 to 2 percent slopes

Kendallville silt loam, 2 to 6 percent slopes
Lippincott silty clay loam
Martinsville and Ockley loams, till substratum, 2 to 6 percent slopes
Medway silt loam, occasionally flooded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian silt loam, 18 to 25 percent slopes, moderately eroded
Miamian silt loam, 25 to 50 percent slopes
Miami silt loam, 2 to 6 percent slopes
Miami silt loam, 6 to 12 percent slopes, moderately eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miami silt loam, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miami silt loam, 18 to 25 percent slopes
Miami silt loam, 18 to 25 percent slopes, moderately eroded
Millgrove clay loam
Miami soils, 12 to 18 percent slopes, severely eroded
Miamian and Hennepin silt loams, 25 to 50 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian and Hennepin silt loams, 25 to 50 percent slopes
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Minster silty clay loam, 0 to 1 percent slopes
Minster silty clay loam, gravelly substratum, 0 to 1 percent slopes
Milton silt loam, 2 to 6 percent slopes
Morley silt loam, 18 to 25 percent slopes
Morley silt loam, 25 to 50 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 0 to 3 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Odell silt loam, 0 to 2 percent slopes
Odell silt loam, 2 to 6 percent slopes
Patton silty clay loam
Pewamo silt loam
Pewamo silty clay loam
Pewamo silty clay loam
Rodman-Casco complex, 25 to 50 percent slopes
Ross silt loam
Shoals silt loam
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam

Chili silt loam, 0 to 3 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 6 to 12 percent slopes
Chili silt loam, 6 to 12 percent slopes, moderately eroded
Chili-Urban land complex, rolling
Chili-Urban land complex, steep
Chili-Urban land complex, undulating
Conotton gravelly loam, 12 to 18 percent slopes, moderately eroded
Conotton gravelly loam, 15 to 25 percent slopes
Conotton gravelly loam, 18 to 25 percent slopes, moderately eroded
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Conotton loam, 0 to 2 percent slopes
Conotton-Oshtemo complex, 12 to 18 percent slopes
Coshocton silt loam, 15 to 25 percent slopes, eroded
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey silt loams, 25 to 40 percent slopes
Coshocton-Guernsey silt loams, 8 to 15 percent slopes
Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
Coshocton-Guernsey very stony silt loams, 8 to 15 percent slopes
Culleoka silt loam, 3 to 8 percent slopes
Damascus loam
Damascus loam, till substratum
Dekalb channery loam, 18 to 25 percent slopes
Dekalb sandy loam, 12 to 25 percent slopes, moderately eroded
Dekalb sandy loam, 2 to 6 percent slopes
Dekalb sandy loam, 25 to 50 percent slopes, moderately eroded
Dekalb sandy loam, 6 to 12 percent slopes
Edwards muck
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth-Urban land complex
Fairpoint channery clay loam, 25 to 70 percent slopes
Fairpoint channery clay loam, 8 to 25 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, 6 to 12 percent slopes
Fitchville-Urban land complex
Fredericktown gravelly loam, 6 to 15 percent slopes, eroded
Frenchtown silt loam
Geeburg silt loam, 12 to 25 percent, moderately eroded
Geeburg silt loam, 2 to 6 percent slopes
Geeburg silt loam, 2 to 6 percent slopes, moderately eroded
Geeburg silt loam, 6 to 12 percent slopes, moderately eroded
Geeburg silty clay loam, 6 to 12 percent slopes, moderately eroded
Gilpin silt loam, 12 to 18 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 6 to 12 percent slopes

Dekalb sandy loam, 18 to 25 percent slopes
Dekalb sandy loam, 25 to 70 percent slopes
Dekalb sandy loam, 6 to 12 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes, moderately eroded
Ellsworth silt loam, 12 to 25 percent slopes, moderately eroded
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes, moderately eroded
Ellsworth silt loam, 25 to 50 percent slopes, moderately eroded
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, moderately eroded
Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes
Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes
Ellsworth-Urban land complex, rolling
Ellsworth-Urban land complex, undulating
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville-Urban land complex
Frenchtown silt loam
Geeburg silt loam, 12 to 18 percent slopes, moderately eroded
Geeburg silt loam, 2 to 6 percent slopes
Geeburg silt loam, 6 to 12 percent slopes, moderately eroded
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 12 to 18 percent slopes, moderately eroded
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Glenford-Urban land complex, rolling
Glenford-Urban land complex, undulating
Haskins-Caneadea complex, 2 to 6 percent slopes
Holly silt loam
Holly silt loam, alkaline
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown-Urban land complex
Killbuck silt loam
Linwood muck
Lobdell silt loam
Lorain silty clay loam
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 12 to 18 percent slopes, moderately eroded
Loudonville silt loam, 18 to 25 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes, moderately eroded
Loudonville-Urban land complex, rolling
Luray silt loam
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes

Haskins loam, 2 to 6 percent slopes
Haskins-Urban land complex, 2 to 6 percent slopes
Holly silt loam, frequently flooded
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown-Urban land complex, 0 to 3 percent slopes
Lakin loamy fine sand, 2 to 8 percent slopes
Lorain silty clay loam
Lorain silty clay loam, loamy substratum
Lordstown loam, 2 to 6 percent slopes
Lordstown loam, 6 to 12 percent slopes
Lordstown-Rock outcrop complex, 18 to 50 percent slopes
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes, eroded
Loudonville-Urban land complex, 2 to 6 percent slopes
Loudonville-Urban land complex, 6 to 18 percent slopes
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, shale substratum, 0 to 2 percent slopes
Mahoning silt loam, shale substratum, 2 to 6 percent slopes
Mahoning silt loam, shale substratum, 6 to 12 percent slopes
Mahoning-Urban land complex, 2 to 6 percent slopes
Mill silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Orrville silt loam, frequently flooded
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Otego silt loam, 0 to 2 percent slopes, frequently flooded
Pierpont silt loam, 6 to 12 percent slopes, eroded
Platea silt loam, 0 to 2 percent slopes
Platea silt loam, 2 to 6 percent slopes
Platea silt loam, 6 to 12 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Rawson silt loam, 2 to 6 percent slopes
Red Hook silt loam, 0 to 2 percent slopes
Remsen silt loam, 0 to 2 percent slopes
Remsen silt loam, 2 to 6 percent slopes
Remsen-Urban land complex, 2 to 6 percent slopes
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman-Urban land complex, 4 to 10 percent slopes
Sebring silt loam
Sebring silt loam, dark surface variant

Coshocton-Guernsey silt loams, 25 to 40 percent slopes
Coshocton-Guernsey silt loams, 8 to 15 percent slopes
Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
Coshocton-Guernsey very stony silt loams, 8 to 15 percent slopes
Coshocton-Keene silt loams, 3 to 8 percent slopes
Elkinsville silt loam, 0 to 3 percent slopes
Fairpoint silty clay loam, 25 to 40 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, 3 to 8 percent slopes
Fitchville silt loam, clayey substratum, 0 to 3 percent slopes
Fitchville silt loam, clayey substratum, 3 to 8 percent slopes
Fitchville-Urban land complex, undulating
Gilpin silt loam, 2 to 8 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 3 to 8 percent slopes
Glenford silt loam, 6 to 15 percent slopes
Glenford silt loam, 8 to 15 percent slopes
Guernsey silt loam, 15 to 25 percent slopes
Guernsey silt loam, 15 to 25 percent slopes, eroded
Guernsey silt loam, 3 to 8 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey silty clay loam, 15 to 25 percent slopes, eroded
Guernsey silty clay loam, 8 to 15 percent slopes, eroded
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 25 to 70 percent slopes, stony
Hazleton channery loam, 40 to 60 percent slopes
Hazleton channery loam, 8 to 15 percent slopes
Hazleton channery sandy loam, 25 to 40 percent slopes
Hazleton extremely bouldery loam, 25 to 60 percent slopes
Holton silt loam, occasionally flooded
Jimtown loam, 0 to 2 percent slopes
Keene silt loam, 1 to 8 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 3 to 8 percent slopes
Keene silt loam, 8 to 15 percent slopes
Linwood mucky silt loam, ponded
Lowell-Westmoreland complex, 15 to 25 percent slopes
Melvin silt loam, frequently flooded
Morristown loam, 0 to 8 percent slopes
Morristown loam, 15 to 25 percent slopes
Morristown loam, 25 to 70 percent slopes
Morristown loam, 8 to 15 percent slopes
Nolin silt loam, occasionally flooded
Orrville silt loam, occasionally flooded

Morley silt loam, 2 to 6 percent slopes
Morley silt loam, 2 to 6 percent slopes, moderately eroded
Morley silt loam, 25 to 50 percent slopes, moderately eroded
Muskego muck
Nappanee silt loam, 0 to 2 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Nolin silt loam, 0 to 2 percent slopes, occasionally flooded
Odell silt loam, 0 to 2 percent slopes
Odell-Lewisburg complex, 0 to 2 percent slopes
Paulding silty clay
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Ross silt loam
Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded
Rossburg-Sloan complex, 0 to 2 percent slopes, occasionally flooded
Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded
Scioto silt loam, 0 to 2 percent slopes
Scioto silt loam, 2 to 6 percent slopes
Shoals silt loam
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam
Sloan silty clay loam
Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded
St. Clair silt loam, 2 to 6 percent slopes
St. Clair silt loam, 2 to 6 percent slopes, moderately eroded
St. Clair silt loam, 6 to 12 percent slopes
St. Clair silt loam, 6 to 12 percent slopes, moderately eroded
Warsaw silt loam, 1 to 4 percent slopes
Westland silty clay loam
Wetzel silty clay loam

Minster silty clay loam, till substratum, 0 to 1 percent slopes
Morley loam, 2 to 6 percent slopes
Morley silt loam, 12 to 18 percent slopes, moderately eroded
Morley silt loam, 2 to 6 percent slopes
Morley silt loam, 2 to 6 percent slopes, moderately eroded
Nappanee clay loam, 0 to 2 percent slopes
Nappanee loam, 0 to 2 percent slopes
Nappanee silt loam, 0 to 2 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes, moderately eroded
Pewamo silty clay
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Rawson loam, 2 to 6 percent slopes
Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded
Saranac silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded
St. Clair silt loam, 2 to 6 percent slopes
St. Clair silt loam, 6 to 12 percent slopes, moderately eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded
Toledo silty clay
Wabasha silty clay
Wabasha silty clay loam
Wabasha silty clay loam, moderately shallow variant

Newark silt loam, frequently flooded
Omulga silt loam, 0 to 2 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 6 to 12 percent slopes
Omulga silt loam, 6 to 12 percent slopes, eroded
Omulga silt loam, 6 to 15 percent slopes
Orrville silt loam, frequently flooded
Philo silt loam, frequently flooded
Piopolis silt loam, frequently flooded
Pope fine sandy loam, frequently flooded
Pope loam, frequently flooded
Pope loam, occasionally flooded
Rarden silt loam, 8 to 15 percent slopes, eroded
Rarden-Wharton complex, 15 to 25 percent slopes, eroded
Rarden-Wharton complex, 6 to 15 percent slopes, eroded
Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded
Richland loam, 15 to 25 percent slopes
Richland loam, 25 to 40 percent slopes
Sewell channery fine sandy loam, 20 to 40 percent slopes
Shelocta silt loam, 15 to 25 percent slopes
Shelocta silt loam, 8 to 15 percent slopes
Shelocta-Berks complex, 25 to 40 percent slopes
Shelocta-Brownsville association, very steep
Shelocta-Cruze silt loams, 15 to 25 percent slopes
Shelocta-Cruze silt loams, 25 to 40 percent slopes
Shelocta-Rarden association, steep
Skidmore gravelly loam, frequently flooded
Steinsburg sandy loam, 25 to 40 percent slopes
Steinsburg-Clymer association, steep
Steinsburg-Gilpin association, steep
Steinsburg-Gilpin association, very steep
Tilsit silt loam, 3 to 8 percent slopes
Tioga fine sandy loam, frequently flooded
Wellston silt loam, 6 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Westmore silt loam, 3 to 8 percent slopes
Wharton-Latham complex, 15 to 25 percent slopes
Wharton-Latham complex, 25 to 40 percent slopes
Wyatt silt loam, 2 to 6 percent slopes
Wyatt silty clay loam, 6 to 12 percent slopes, eroded
Wyatt silty clay loam, 6 to 15 percent slopes, eroded
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 3 to 8 percent slopes

Eden complex, 12 to 18 percent slopes, moderately eroded
Eden complex, 18 to 25 percent slopes, moderately eroded
Eden flaggy silty clay loam, 40 to 60 percent slopes
Eden complex, 25 to 35 percent slopes, moderately eroded
Eel loam
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 6 to 12 percent slopes, moderately eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes, eroded
Fairmount-Eden flaggy silty clay loams, 12 to 25 percent slopes, moderately eroded
Fairmount silty clay loam, moderately deep variant, 25 to 50 percent slopes
Fairmount-Eden flaggy silty clay loams, 25 to 50 percent slopes, moderately eroded
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 4 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Fincastle silt loam, 2 to 4 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 2 to 6 percent slopes
Fox loam, 2 to 6 percent slopes, moderately eroded
Fox loam, 6 to 12 percent slopes, moderately eroded
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 6 to 12 percent slopes, eroded
Fox-Casco complex, 12 to 18 percent slopes, moderately eroded
Fox-Urban land complex, gently sloping
Genesee fine sandy loam
Genesee loam
Hennepin and Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin silt loam, 25 to 35 percent slopes
Hennepin and Miamian silt loams, 25 to 50 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes, eroded
Hickory silt loam, 25 to 35 percent slopes, eroded
Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes, eroded
Hickory loam, 18 to 35 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 18 to 25 percent slopes
Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin and Miamian soils, 18 to 50 percent slopes, severely eroded
Hennepin-Miamian complex, 12 to 18 percent slopes, severely eroded
Hickory-Morrisville silt loams, 18 to 25 percent slopes, eroded

Gilpin-Summitville-Upshur complex, 18 to 25 percent slopes
Gilpin-Summitville-Upshur complex, 18 to 25 percent slopes, severely eroded
Gilpin-Summitville-Upshur complex, 25 to 35 percent slopes
Gilpin-Summitville-Upshur complex, 25 to 35 percent slopes, benched
Gilpin-Summitville-Upshur complex, 35 to 70 percent slopes, benched
Gilpin-Summitville-Upshur complex, 6 to 12 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Hackers silt loam, 0 to 2 percent slopes
Hackers silt loam, 2 to 6 percent slopes
Hackers silt loam, 6 to 12 percent slopes
Hartshorn silt loam
Hayter loam, 12 to 18 percent slopes
Hayter loam, 18 to 25 percent slopes
Hayter loam, 2 to 6 percent slopes
Hayter loam, 25 to 35 percent slopes
Hayter loam, 6 to 12 percent slopes
Hayter very stony soils, 18 to 30 percent slopes
Hayter-Vandalia channery loams, 12 to 25 percent slopes
Hayter-Vandalia stony complex, 25 to 50 percent slopes
Huntington silt loam
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 6 to 12 percent slopes
Lakin loamy fine sand, 12 to 18 percent slopes
Lakin loamy fine sand, 3 to 12 percent slopes
Licking silt loam, 12 to 18 percent slopes
Licking silt loam, 2 to 6 percent slopes
Licking silt loam, 6 to 12 percent slopes
Lowell-Upshur complex, 12 to 18 percent slopes
Lowell-Upshur complex, 18 to 25 percent slopes
Lowell-Upshur complex, 25 to 35 percent slopes
Lowell-Upshur complex, 6 to 12 percent slopes
Markland silt loam, 12 to 18 percent slopes, moderately eroded
Markland silt loam, 18 to 50 percent slopes
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 6 to 12 percent slopes
McGary silt loam, 0 to 2 percent slopes
Melvin silt loam
Mentor silt loam, 0 to 2 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 6 to 12 percent slopes
Moshannon silt loam
Newark silt loam
Nolin silt loam
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 6 to 12 percent slopes
Otwell-Vincent silt loams, 2 to 6 percent slopes

Dekalb sandy loam, 6 to 12 percent slopes
Euclid silt loam, occasionally flooded
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville-Urban land complex, 0 to 2 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 12 to 18 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 12 percent slopes, eroded
Haskins silt loam, 0 to 3 percent slopes
Holly silt loam
Holly silt loam, alkaline
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Killbuck silt loam, frequently flooded
Linwood muck
Lobdell silt loam, occasionally flooded
Lorain silty clay loam
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes, eroded
Luray silt loam
Luray silty clay loam
Mechanicsburg silt loam, 12 to 18 percent slopes
Mechanicsburg silt loam, 2 to 6 percent slopes
Mechanicsburg silt loam, 6 to 12 percent slopes, eroded
Melvin silt loam, frequently flooded
Melvin silt loam, ponded
Mitiwanga silt loam, 1 to 4 percent slopes
Olmsted loam
Orrville silt loam, occasionally flooded
Oshtemo sandy loam, 0 to 2 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Rawson silt loam, 2 to 6 percent slopes
Riddles silt loam, 12 to 18 percent, eroded
Riddles silt loam, 18 to 25 percent slopes
Riddles silt loam, 2 to 6 percent slopes
Riddles silt loam, 6 to 12 percent slopes
Rittman silt loam, 12 to 18 percent slopes, eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 2 to 6 percent slopes, eroded
Rittman silt loam, 25 to 70 percent slopes
Rittman silt loam, 6 to 12 percent slopes

Hoytville clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Kibbie loam, 0 to 3 percent slopes
Kibbie very fine sandy loam, 0 to 2 percent slopes
Kibbie very fine sandy loam, 2 to 6 percent slopes
Lamson very fine sandy loam
Landes sandy loam
Latty silty clay
Lenawee silty clay loam
Lucas silty clay loam, 12 to 25 percent slopes, moderately eroded
Lucas silty clay loam, 2 to 6 percent slopes, moderately eroded
Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded
Lucas silty clay, 12 to 45 percent slopes, severely eroded
Lucas silty clay, 6 to 12 percent slopes, severely eroded
Martisco muck
Mermill loam
Millgrove clay loam
Millgrove loam
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Oshtemo loamy sand, 0 to 6 percent slopes
Oshtemo loamy sand, 2 to 6 percent slopes
Oshtemo loamy sand, 6 to 12 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Ottokee fine sand, 0 to 6 percent slopes
Paulding clay
Pewamo clay loam
Pewamo silty clay loam
Rawson loam, 2 to 6 percent slopes
Rawson loam, 6 to 12 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rawson sandy loam, 6 to 12 percent slopes
Rimer loamy fine sand, 0 to 3 percent slopes
Roselms silty clay, 0 to 2 percent slopes
Roselms silty clay, 2 to 6 percent slopes
Seward loamy fine sand, 2 to 6 percent slopes
Seward loamy fine sand, 6 to 12 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 6 to 12 percent slopes
Shinrock-Tuscola complex, 3 to 8 percent slopes, eroded
Shoals loam
Shoals silt loam, frequently flooded
Sloan loam
Sloan silty clay loam
Spinks fine sand, 2 to 6 percent slopes
Spinks fine sand, 6 to 18 percent slopes

Kibbie-Urban land complex, 0 to 2 percent slopes
Landes loamy fine sand, 0 to 6 percent slopes, frequently flooded
Latty silty clay, till substratum, 0 to 1 percent slopes
Latty, till substratum-Urban land complex, 0 to 1 percent slopes
Mermill fine sandy loam, 0 to 1 percent slopes
Mermill loam, 0 to 1 percent slopes
Mermill sandy clay loam, 0 to 1 percent slopes
Mermill-Aurand complex, 0 to 1 percent slopes
Mermill-Urban land complex, 0 to 1 percent slopes
Millgrove loam, 0 to 1 percent slopes
Millsdale silty clay loam, 0 to 1 percent slopes
Millsdale silty clay loam, stony, 0 to 1 percent slopes
Millsdale-Urban land complex, 0 to 1 percent slopes
Milton loam, 0 to 2 percent slopes
Milton loam, 2 to 6 percent slopes
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee loam, 2 to 6 percent slopes, eroded
Nappanee sandy loam, 0 to 2 percent slopes
Nappanee sandy loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes, eroded
Nappanee-Urban land complex, 0 to 2 percent slopes
Oshtemo sandy loam, till substratum, 2 to 6 percent slopes
Ottokee-Spinks loamy fine sands, 0 to 2 percent slopes
Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes
Ottokee-Spinks-Urban land complex, 0 to 6 percent slopes
Randolph loam, 0 to 2 percent slopes
Randolph loam, 2 to 6 percent slopes
Randolph loam, stony, 0 to 2 percent slopes
Randolph-Urban land complex, 0 to 2 percent slopes
Rimer and Tedrow, till substratum, loamy fine sands, 0 to 2 percent slopes
Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes
Rimer and Tedrow-Urban land complex, 0 to 2 percent slopes
Risingsun-Rollersville complex, 0 to 1 percent slopes
Ritchey loam, 0 to 2 percent slopes
Ritchey loam, 2 to 6 percent slopes
Ritchey loam, stony, 0 to 2 percent slopes
Rollersville-Risingsun complex, 0 to 1 percent slopes
Rossburg silt loam, 0 to 2 percent slopes, frequently flooded
Seward and Ottokee, till substratum, loamy fine sands, 0 to 2 percent slopes
Seward and Ottokee, till substratum, loamy fine sands, 2 to 6 percent slopes
Shawtown loam, 0 to 2 percent slopes
Shawtown loam, 2 to 6 percent slopes
Shoals and Sloan complex, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded
Shoals loam, 0 to 2 percent slopes, frequently flooded

Kibbie fine sandy loam, till substratum, 0 to 2 percent slopes
Kibbie fine sandy loam, till substratum, 2 to 6 percent slopes
Kibbie-Bennington complex, 2 to 6 percent slopes
Kibbie-Blount complex, 0 to 2 percent slopes
Kibbie-Blount complex, 2 to 6 percent slopes
Latty silty clay
Latty silty clay loam
Lenawee silty clay loam
Lindside silt loam, occasionally flooded
Linwood muck
Luray silty clay loam
Lykens silt loam, 0 to 2 percent slopes
Lykens silt loam, 2 to 6 percent slopes
Lykens-Milton silt loams, 2 to 6 percent slopes
Martinsville fine sandy loam, 2 to 6 percent slopes
Medway silt loam, rarely flooded
Mermill loam
Mermill silty clay loam
Milford silty clay loam
Millgrove silt loam
Millsdale silty clay loam
Millsdale silty clay loam, 0 to 1 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Morley loam, limestone substratum, 0 to 2 percent slopes
Morley silt loam, 12 to 18 percent slopes, eroded
Morley silt loam, 18 to 50 percent slopes, eroded
Morley-Milton silt loams, 2 to 6 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes, eroded
Nappanee silty clay loam, 6 to 12 percent slopes, eroded
Newark silt loam, occasionally flooded
Ockley loam, 2 to 6 percent slopes
Olentangy mucky silt loam
Oshtemo fine sandy loam, 1 to 6 percent slopes
Oshtemo fine sandy loam, 18 to 35 percent slopes
Oshtemo fine sandy loam, 6 to 18 percent slopes, eroded
Oshtemo sandy loam, 2 to 6 percent slopes
Pandora silty clay loam
Paulding clay
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Randolph silt loam, 0 to 3 percent slopes
Ritchey silt loam, 1 to 6 percent slopes
Ritchey silt loam, 6 to 12 percent slopes
Shinrock silt loam, 2 to 6 percent slopes

Luray silty clay loam
Lykens silt loam, 2 to 6 percent slopes
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, 2 to 6 percent slopes, eroded
Mechanicsburg silt loam, 6 to 12 percent slopes, eroded
Orrville silt loam, frequently flooded
Orrville silt loam, occasionally flooded
Orrville Variant silt loam
Oshtemo fine sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Pewamo silty clay loam
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Rigley sandy loam, 6 to 12 percent slopes
Rittman silt loam, 12 to 18 percent slopes, eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 2 to 6 percent slopes, eroded
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, eroded
Schaffenaker loamy sand, 10 to 40 percent slopes
Schaffenaker loamy sand, 12 to 25 percent slopes
Sebring silt loam
Shoals loam, coarse subsoil variant
Shoals silt loam
Shoals silt loam, occasionally flooded
Sloan silty clay loam
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 1 to 4 percent slopes
Titusville silt loam, 6 to 12 percent slopes
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wallkill silt loam
Westmoreland silt loam, 12 to 18 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 6 to 12 percent slopes
Wooster silt loam, 12 to 18 percent slopes, eroded
Wooster silt loam, 18 to 25 percent slopes
Wooster silt loam, 18 to 35 percent slopes
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, moderately eroded
Wooster-Chili complex, 12 to 18 percent slopes, eroded
Wooster-Chili complex, 6 to 12 percent slopes, eroded
Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded

Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 3 to 8 percent slopes
Omulga silt loam, 6 to 12 percent slopes
Omulga silt loam, 8 to 15 percent slopes
Orrville silt loam, frequently flooded
Parke silt loam, 2 to 6 percent slopes
Richland loam, 15 to 25 percent slopes
Richland loam, 25 to 40 percent slopes
Richland loam, 8 to 15 percent slopes
Steinsburg sandy loam, 15 to 25 percent slopes
Steinsburg sandy loam, 25 to 40 percent slopes
Steinsburg sandy loam, 40 to 70 percent slopes
Steinsburg-Gilpin association, very steep
Udorthents, loamy
Upshur silty clay loam, 15 to 25 percent slopes
Upshur silty clay loam, 8 to 15 percent slopes
Upshur-Elba silty clay loams, 15 to 25 percent slopes
Upshur-Elba silty clay loams, 8 to 15 percent slopes
Upshur-Gilpin complex, 15 to 25 percent slopes
Upshur-Gilpin complex, 25 to 35 percent slopes
Upshur-Gilpin complex, 25 to 50 percent slopes
Upshur-Gilpin complex, 8 to 15 percent slopes, eroded
Upshur-Steinsburg complex, 15 to 25 percent slopes
Vandalia silt loam, 15 to 25 percent slopes, eroded
Vandalia silty clay loam, 8 to 15 percent slopes
Vandalia-Brookside complex, 15 to 25 percent slopes
Vandalia-Brookside complex, 25 to 40 percent slopes
Vandalia-Richland complex, 15 to 25 percent slopes
Vandalia-Richland complex, 25 to 40 percent slopes
Vincent silt loam, 6 to 12 percent slopes
Wellston silt loam, 3 to 8 percent slopes
Wellston silt loam, 6 to 12 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Westmore silt loam, 3 to 8 percent slopes
Westmore silt loam, 8 to 15 percent slopes
Westmoreland-Gilpin complex, 15 to 25 percent slopes
Westmoreland-Gilpin complex, 25 to 40 percent slopes
Westmoreland-Gilpin complex, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
Westmoreland-Guernsey silt loams, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
Westmoreland-Guernsey silt loams, benched, 40 to 70 percent slopes
Westmoreland-Upshur complex, 15 to 25 percent slopes
Westmoreland-Upshur complex, 25 to 40 percent slopes
Westmoreland-Upshur complex, 40 to 70 percent slopes
Westmoreland-Upshur complex, 8 to 15 percent slopes

Pate silty clay, 25 to 35 percent slopes, eroded
Pate silty clay, 15 to 25 percent slopes, eroded
Ross silt loam
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne-Bonnell complex, 6 to 12 percent slopes, severely eroded
Sardinia silt loam, 1 to 6 percent slopes
Sardinia silt loam, 2 to 6 percent slopes
Sciotoville silt loam, 0 to 2 percent slopes
Shoals silt loam, frequently flooded
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam, frequently flooded
Sloan silt loam
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Wheeling silt loam, 0 to 4 percent slopes
Wheeling loam, 2 to 6 percent slopes
Wheeling loam, 6 to 12 percent slopes
Wheeling loam, 12 to 55 percent slopes
Wheeling-Nolin silt loams
Wheeling loam, 2 to 6 percent slopes, rarely flooded
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 2 to 4 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes

Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Miamian silt loam, 8 to 15 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miami silt loam, 2 to 6 percent slopes, eroded
Miami silt loam, 6 to 12 percent slopes, eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miami silt loam, 12 to 18 percent slopes, slightly eroded
Miami silt loam, 12 to 18 percent slopes, eroded
Miami silt loam, 18 to 25 percent slopes, slightly eroded
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Miamian silt loam, 8 to 15 percent slopes, eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian-Hennepin silt loams, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miami clay loam, 6 to 12 percent slopes, severely eroded
Miamian-Hennepin silt loams, 15 to 25 percent slopes, eroded
Miami clay loam, 12 to 18 percent slopes, severely eroded
Milford silty clay loam, 0 to 2 percent slopes
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Miamian-Russell silt loams, 12 to 18 percent slopes, moderately eroded
Miami soils, 12 to 18 percent slopes, severely eroded
Miamian-Russell silt loams, bedrock substratum, 6 to 12 percent slopes, moderately eroded
Miamian-Urban land complex, sloping
Milford silty clay loam, 0 to 2 percent slopes
Miamian-Urban land complex, 8 to 15 percent slopes
Moundhaven sandy loam, occasionally flooded
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes, slightly eroded
Oldenburg silt loam, occasionally flooded
Patton silty clay loam
Patton silt loam, silted
Patton silty clay loam
Patton silty clay loam
Princeton sandy loam, 2 to 8 percent slopes
Princeton fine sandy loam, 6 to 12 percent slopes, moderately eroded
Princeton sandy loam, 2 to 6 percent slopes

Tioga loam, occasionally flooded
Tioga silt loam, occasionally flooded
Udorthents-Pits complex, 0 to 70 percent slopes
Upshur silty clay loam, 8 to 15 percent slopes, eroded
Wellston silt loam, 3 to 8 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 6 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland-Coshocton silt loams, 15 to 25 percent slopes
Westmoreland-Coshocton silt loams, 8 to 15 percent slopes

Miami silt loam, 12 to 18 percent slopes
Miami silt loam, 12 to 18 percent slopes, moderately eroded
Miami silt loam, 18 to 25 percent slopes
Miami silt loam, 18 to 25 percent slopes, moderately eroded
Miami soils, 6 to 12 percent slopes, severely eroded
Miami soils, 12 to 18 percent slopes, severely eroded
Miami soils, 18 to 25 percent slopes, severely eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian silt loam, 18 to 25 percent slopes, moderately eroded
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Minster silty clay loam, gravelly substratum, 0 to 1 percent slopes
Miami and Lewisburg silt loams, 25 to 50 percent slopes, moderately eroded
Miamian silt loam, 18 to 30 percent slopes, eroded
Morley silt loam, 2 to 6 percent slopes
Miami-Rodman complex, 25 to 50 percent slopes, moderately eroded
Miami-Casco-Rodman complex, 18 to 25 percent slopes, moderately eroded
Muskego muck
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Nineveh silt loam, 0 to 2 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Odell silt loam, 0 to 2 percent slopes
Odell silt loam, 2 to 6 percent slopes
Patton silty clay loam
Parr silt loam, 1 to 4 percent slopes
Patton silt loam
Parr silt loam, 1 to 4 percent slopes
Pewamo silty clay loam
Patton silty clay loam
Pewamo silty clay loam
Rodman gravelly loam, 12 to 18 percent slopes, moderately eroded
Rodman gravelly loam, 18 to 35 percent slopes
Rodman gravelly loam, 18 to 50 percent slopes, moderately eroded
Ross silt loam
Ross silty clay loam, rarely flooded
Rush silt loam, 0 to 2 percent slopes
Savona silt loam, 0 to 2 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 6 to 12 percent slopes
Shoals silt loam
Shoals silt loam, till subsoil variant

Ragsdale silty clay loam
Randolph silt loam, 0 to 2 percent slopes
Randolph silt loam, 0 to 2 percent slopes
Rodman gravelly loam, 18 to 35 percent slopes
Ritchey silt loam, 2 to 6 percent slopes
Rodman gravelly loam, 18 to 35 percent slopes
Ross silt loam, occasionally flooded
Ross silty clay loam, rarely flooded
Rush silt loam, 0 to 2 percent slopes
Savona silt loam, 0 to 2 percent slopes
Shoals silt loam
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Strawn silty clay loam, 2 to 6 percent slopes, eroded
Strawn silty clay loam, 6 to 12 percent slopes, eroded
Strawn silty clay loam, 12 to 18 percent slopes, eroded
Strawn silty clay loam, 18 to 35 percent slopes, eroded
Strawn-Crosby complex, 0 to 2 percent slopes
Strawn-Crosby complex, 2 to 6 percent slopes
Thackery silt loam, 0 to 2 percent slopes
Tremont silty clay loam, rarely flooded
Tremont silt loam, occasionally flooded
Udorthents, loamy
Warsaw loam, 0 to 2 percent slopes
Wallkill silt loam, occasionally flooded
Warsaw loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 3 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Waupecan silt loam, 0 to 2 percent slopes
Waynetown silt loam, 0 to 2 percent slopes
Westland silty clay loam
Westland silty clay loam

Sees silty clay loam, 4 to 12 percent slopes, moderately eroded
Sees silty clay loam, 12 to 18 percent slopes, moderately eroded
Shoals silt loam, frequently flooded
Shoals silt loam, frequently flooded
Stonelick sandy loam
Switzerland silt loam, 8 to 15 percent slopes, eroded
Switzerland silt loam, 15 to 25 percent slopes, eroded
Wheeling silt loam, 2 to 6 percent slopes
Woolper silty clay loam, 12 to 20 percent slopes
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 2 to 4 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Williamsburg and Martinsville silt loams, 6 to 12 percent slopes, moderately eroded
Williamsburg and Martinsville silt loams, 12 to 18 percent slopes, moderately eroded

Kokomo silty clay loam
Libre silt loam, 0 to 2 percent slopes
Libre silt loam, 2 to 6 percent slopes
Libre silt loam, 6 to 12 percent slopes, eroded
Libre silt loam, 2 to 6 percent slopes
Loudon silt loam, 6 to 12 percent slopes, eroded
Loudon silt loam, 2 to 6 percent slopes
Loudon silt loam, 2 to 6 percent slopes, moderately eroded
Loudon silt loam, 6 to 12 percent slopes, eroded
Loudon silt loam, 12 to 18 percent slopes, moderately eroded
Lumberton silt loam, 0 to 2 percent slopes
Lumberton silt loam, 2 to 6 percent slopes
Lumberton silt loam, 6 to 12 percent slopes, eroded
Lumberton silt loam, 12 to 18 percent slopes, eroded
Lumberton silt loam, 25 to 50 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian-Hennepin silt loams, 12 to 18 percent slopes, moderately eroded
Miamian-Thrifton complex, 18 to 25 percent slopes, eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Miamian-Crouse silt loams, 18 to 25 percent slopes, eroded
Miamian-Crouse silt loams, 25 to 50 percent slopes, eroded
Miamian and Hennepin soils, 18 to 25 percent slopes
Miamian and Hennepin soils, 25 to 50 percent slopes
Miamian-Thrifton complex, 18 to 25 percent slopes, eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Miamian-Russell silt loams, 2 to 6 percent slopes
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Morrisville silty clay loam, 12 to 18 percent slopes, eroded
Morrisville silty clay loam, 18 to 25 percent slopes, eroded
Nicely silt loam, 6 to 12 percent slopes, eroded
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, till substratum, 0 to 2 percent slopes

Ravenna silt loam, 2 to 6 percent slopes
Richland silt loam, 15 to 25 percent slopes, stony
Richland silt loam, 15 to 25 percent slopes, stony
Richland silt loam, 15 to 25 percent slopes, stony
Richland silt loam, 25 to 40 percent slopes, stony
Richland silt loam, 25 to 40 percent slopes, stony
Rittman silt loam, 12 to 20 percent slopes, eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Teegarden silt loam, 2 to 6 percent slopes
Teegarden silt loam, 6 to 15 percent slopes
Teegarden silt loam, 6 to 15 percent slopes, eroded
Tioga loam, 0 to 2 percent slopes, occasionally flooded
Udorthents, loamy, 2 to 25 percent slopes
Udorthents, refuse substratum, 2 to 25 percent slopes
Udorthents-Pits complex, 0 to 70 percent slopes
Upshur-Berks complex, 15 to 25 percent slopes, eroded
Upshur-Berks complex, 25 to 40 percent slopes, eroded
Upshur-Berks complex, 6 to 15 percent slopes, eroded
Valley silt loam, 0 to 2 percent slopes
Valley silty clay loam, 0 to 2 percent slopes
Valley-Lorain silt loams, 0 to 2 percent slopes
Vandergrift silt loam, 2 to 6 percent slopes
Vandergrift silt loam, 6 to 15 percent slopes
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Westmoreland-Berks complex, 25 to 40 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Coshocton silt loams, 15 to 25 percent slopes
Westmoreland-Coshocton silt loams, 8 to 15 percent slopes
Wick silt loam, 0 to 2 percent slopes, frequently flooded
Zepernick silt loam, 0 to 2 percent slopes, occasionally flooded

Loudon silt loam, 6 to 15 percent slopes
Loudonville silt loam, 15 to 20 percent slopes
Loudonville silt loam, 6 to 15 percent slopes
Markland silt loam, 15 to 35 percent slopes, eroded
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 6 to 15 percent slopes
Markland-Glenford complex, 15 to 35 percent slopes, eroded
Melvin silt loam, frequently flooded
Melvin silt loam, ponded
Mentor silt loam, 0 to 2 percent slopes
Mentor silt loam, 15 to 25 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 6 to 15 percent slopes
Mentor silt loam, 8 to 15 percent slopes
Newark silt loam, frequently flooded
Newark silt loam, occasionally flooded
Nolin silt loam, frequently flooded
Nolin silt loam, occasionally flooded
Nolin silt loam, rarely flooded
Orrville silt loam, occasionally flooded
Richland silt loam, 15 to 25 percent slopes
Richland silt loam, 6 to 15 percent slopes
Rigley channery loam, 15 to 25 percent slopes
Rigley fine sandy loam, 25 to 35 percent slopes
Rigley loam, 8 to 15 percent slopes
Rigley sandy loam, 12 to 25 percent slopes, very stony
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 25 to 35 percent slopes
Rigley sandy loam, 25 to 40 percent slopes
Rigley sandy loam, 6 to 15 percent slopes
Rigley-Coshocton complex, 25 to 40 percent slopes
Schaffenaker loamy sand, 12 to 25 percent slopes
Schaffenaker very bouldery loamy sand, 25 to 60 percent slopes
Sebring silt loam
Tioga fine sandy loam, frequently flooded
Tioga fine sandy loam, occasionally flooded
Tioga fine sandy loam, rarely flooded
Tioga-Urban land complex, rarely flooded
Titusville silt loam, 2 to 6 percent slopes
Titusville silt loam, 6 to 15 percent slopes
Wappinger sandy loam, rarely flooded
Watertown sandy loam, 0 to 2 percent slopes
Watertown sandy loam, 15 to 25 percent slopes
Watertown sandy loam, 2 to 6 percent slopes
Watertown sandy loam, 25 to 70 percent slopes
Watertown sandy loam, 6 to 15 percent slopes
Wellston silt loam, 6 to 15 percent slopes

Pewamo silt loam
Pewamo silty clay loam
Pewamo silty clay loam
Pyrmont silt loam, 0 to 3 percent slopes
Rainsville silt loam, 0 to 2 percent slopes
Rainsville silt loam, 2 to 6 percent slopes
Rawson loam, 2 to 6 percent slopes
Ross silt loam
Saranac silty clay, frequently flooded
Savona silt loam, 0 to 2 percent slopes
Shoals silt loam, occasionally flooded
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, frequently flooded
Treaty silty clay loam
Udorthents, loamy
Wallkill silt loam
Warsaw silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Westland silt loam, 0 to 2 percent slopes
Westland silty clay loam
Westland silty clay loam

St. Clair silty clay, 12 to 25 percent slopes, severely eroded
St. Clair silty clay, 25 to 45 percent slopes, severely eroded
Tedrow loamy fine sand, 0 to 3 percent slopes
Toledo silty clay
Toledo silty clay loam
Tuscola loam, 6 to 12 percent slopes, moderately eroded
Tuscola very fine sandy loam, 2 to 6 percent slopes
Wabasha silty clay loam, frequently flooded
Wallkill Variant silty clay
Wallkill Variant silty clay loam
Wauseon fine sandy loam

Tuscola fine sandy loam, 0 to 2 percent slopes
Tuscola fine sandy loam, 2 to 6 percent slopes
Wakeman sandy loam, 2 to 6 percent slopes
Wakeman sandy loam, 6 to 12 percent slopes
Weyers silt loam, 0 to 1 percent slopes
Zurich silt loam, 12 to 18 percent slopes, eroded
Zurich silt loam, 18 to 25 percent slopes, eroded
Zurich silt loam, 25 to 40 percent slopes
Zurich silt loam, 6 to 12 percent slopes, eroded

Rockmill silty clay loam
Rockmill silty clay loam, occasionally flooded
Rossburg silt loam, occasionally flooded
Sebring silt loam, rarely flooded
Shelocta silt loam, 15 to 25 percent slopes
Shelocta-Berks complex, 25 to 40 percent slopes
Shelocta-Cruze complex, 15 to 25 percent slopes
Shelocta-Cruze complex, 25 to 40 percent slopes
Shoals silt loam, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Stonelick sandy loam, occasionally flooded
Tarlton silt loam, 6 to 12 percent slopes, eroded
Thackery silt loam, 0 to 2 percent slopes
Thackery silt loam, 2 to 6 percent slopes
Urban land-Cardington complex, 2 to 12 percent slopes
Urban land-Celina complex, 0 to 6 percent slopes
Urban land-Ockley complex, 0 to 6 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wellston silt loam, 6 to 15 percent slopes
Wellston-Cruze complex, 8 to 15 percent slopes
Westland silt loam, overwash
Westland silty clay loam
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 6 to 15 percent slopes, eroded

Zanesville silt loam, 1 to 6 percent slopes

Raub silt loam, 2 to 6 percent slopes
Reesville silt loam, 0 to 2 percent slopes
Ritchey silt loam, 25 to 50 percent slopes, moderately eroded
Ritchey silt loam, 2 to 6 percent slopes
Ritchey silt loam, 6 to 12 percent slopes
Ritchey silt loam, 12 to 18 percent slopes
Ritchey silt loam, 18 to 25 percent slopes, moderately eroded
Rodman gravelly loam, 18 to 35 percent slopes
Ross loam, 0 to 1 percent slopes, occasionally flooded
Ross silt loam, 0 to 1 percent slopes, frequently flooded
Ross loam
Rush silt loam, 0 to 2 percent slopes
Rush silt loam, 2 to 6 percent slopes
Russell silt loam, 0 to 2 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Sloan-Fill land complex
Strawn-Crosby complex, 0 to 2 percent slopes
Thackery silt loam, 0 to 2 percent slopes
Thackery silt loam, 2 to 6 percent slopes
Tremont silt loam, occasionally flooded
Treaty silty clay loam, 0 to 1 percent slopes
Udorthents, loamy
Warsaw loam, 0 to 2 percent slopes
Warsaw loam, 0 to 2 percent slopes
Wea silt loam, 1 to 3 percent slopes
Waupecan silt loam, 0 to 2 percent slopes
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wapahani-Miamian clay loams, 12 to 18 percent slopes, severely eroded
Westland silty clay loam
Westland silty clay loam
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes

Morristown silty clay loam, 8 to 25 percent slopes
Newark silt loam, frequently flooded
Newark silt loam, occasionally flooded
Nolin silt loam, frequently flooded
Omulga silt loam, 1 to 6 percent slopes
Omulga silt loam, 6 to 15 percent slopes
Orrville silt loam, occasionally flooded
Richland channery loam, 15 to 25 percent slopes
Richland channery loam, 8 to 15 percent slopes
Sarahsville silty clay loam, frequently flooded
Sarahsville silty clay, frequently flooded
Sees silty clay loam, 2 to 6 percent slopes
Upshur silt loam, 2 to 6 percent slopes
Upshur silt loam, 8 to 15 percent slopes
Upshur silty clay loam, 15 to 25 percent slopes
Upshur silty clay loam, 15 to 25 percent slopes, severely eroded
Upshur silty clay loam, 6 to 15 percent slopes
Upshur silty clay loam, 6 to 15 percent slopes, eroded
Vandalia silty clay loam, 15 to 25 percent slopes, eroded
Vandalia silty clay loam, 25 to 40 percent slopes, eroded
Vincent silt loam, 6 to 15 percent slopes
Vincent silty clay loam, 2 to 6 percent slopes
Wellston silt loam, 2 to 8 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Westmore silt loam, 2 to 8 percent slopes
Westmore silt loam, 8 to 15 percent slopes, eroded
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Dekalb complex, 40 to 70 percent slopes
Woodsfield silt loam, 1 to 8 percent slopes
Woodsfield silt loam, 8 to 15 percent slopes
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 6 to 15 percent slopes
Zipp silty clay loam, frequently flooded
Zipp silty clay loam, ponded

Fox silt loam, 6 to 12 percent slopes, moderately eroded
Fox loam, 0 to 2 percent slopes
Fox loam, 2 to 6 percent slopes, eroded
Fox-Urban land complex, gently sloping
Genesee fine sandy loam
Genesee silt loam
Genesee-Urban land complex
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Glenford silt loam, 18 to 25 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin silt loam, 35 to 60 percent slopes
Hickory loam, 12 to 18 percent slopes, moderately eroded
Hickory loam, 18 to 35 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Huntington fine sandy loam (grigsby 0 to 4 percent slopes, occasionally flooded)
Henshaw silt loam, 0 to 2 percent slopes
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, moderately eroded
Huntington silt loam (0 to 4 percent slopes, occasionally flooded)
Jessup silt loam, 6 to 12 percent slopes
Jessup silt loam, 12 to 20 percent slopes
Jules silt loam, occasionally flooded
Landes sandy loam
Lakin loamy fine sand, 0 to 2 percent slopes (bruno occasionally flooded)
Lakin loamy fine sand, 2 to 12 percent slopes
Lanier sandy loam
Lindside silt loam
Markland silty clay loam, 2 to 6 percent slopes
Markland silty clay loam, 6 to 12 percent slopes, eroded
Markland silty clay loam, 12 to 18 percent slopes, eroded
Markland silty clay loam, 18 to 25 percent slopes, eroded
Martinsville silt loam, 0 to 2 percent slopes
Martinsville silt loam, 2 to 6 percent slopes
Miamian silt loam, 8 to 15 percent slopes, eroded
Miamian silt loam, 8 to 15 percent slopes, eroded
Miamian-Hennepin silt loams, 15 to 25 percent slopes, eroded
Miamian-Hennepin silt loams, 25 to 35 percent slopes, eroded
Mollic Udarents-Urban land complex, loamy substratum, 0 to 12 percent slopes, occasionally flooded
Miamian-Russell silt loams, bedrock substratum, 6 to 12 percent slopes, moderately eroded
Miamian-Russell silt loams, bedrock substratum, 6 to 12 percent slopes, moderately eroded
Newark silt loam, frequently flooded
Negley silt loam, 2 to 6 percent slopes
Negley silt loam, 12 to 20 percent slopes
Newark silt loam (0 to 2 percent slopes, occasionally flooded)
Nicholson silt loam, 0 to 6 percent slopes

Shoals silt loam, 0 to 2 percent slopes, occasionally flooded
Sloan loam, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam, limestone substratum, 0 to 1 percent slopes, occasionally flooded
St. Clair silty clay loam, 2 to 6 percent slopes, eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded
Thackery loam, till substratum, 0 to 2 percent slopes
Tiderishi loam, 0 to 2 percent slopes
Toledo silty clay loam, 0 to 1 percent slopes
Tuscola fine sandy loam, 0 to 2 percent slopes
Tuscola fine sandy loam, 2 to 6 percent slopes
Tuscola loamy fine sand, 2 to 6 percent slopes
Tuscola silt loam, 2 to 6 percent slopes
Vanlue loam, 0 to 2 percent slopes
Vaughnsville loam, 0 to 3 percent slopes
Westland-Rensselaer complex, 0 to 1 percent slopes

Spinks fine sand, 2 to 6 percent slopes
Spinks fine sand, 6 to 12 percent slopes
St. Clair silty clay loam, 12 to 18 percent slopes, eroded
St. Clair silty clay loam, 18 to 25 percent slopes, eroded
St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded
St. Clair silty clay loam, 6 to 12 percent slopes, moderately eroded
St. Clair silty clay, 12 to 18 percent slopes, severely eroded
St. Clair silty clay, 18 to 25 percent slopes, severely eroded
St. Clair silty clay, 25 to 45 percent slopes, severely eroded
St. Clair silty clay, 6 to 12 percent slopes, severely eroded
Tedrow loamy fine sand, 0 to 2 percent slopes
Tedrow loamy fine sand, silty subsoil variant, 0 to 2 percent slopes
Toledo silty clay
Toledo silty clay loam
Toussaint silty clay loam, 0 to 1 percent slopes
Tuscola loam, 2 to 6 percent slopes, moderately eroded
Tuscola loam, 6 to 12 percent slopes, moderately eroded
Vaughnsville loam, 0 to 2 percent slopes
Wabasha silty clay
Warners muck
Wauseon fine sandy loam
Wauseon loamy fine sand, stratified substratum

Eldean loam, 2 to 6 percent slopes
Eldean loam, 6 to 12 percent slopes, eroded
Eldean loam, 6 to 12 percent slopes, eroded
Eldean gravelly loam, 2 to 6 percent slopes
Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded
Elkinsville silt loam, 1 to 6 percent slopes
Faywood silt loam, 8 to 15 percent slopes, eroded
Faywood silty clay loam, 15 to 25 percent slopes, eroded
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Faywood silty clay loam, 15 to 25 percent slopes, eroded
Fitchville silt loam, 2 to 6 percent slopes
Fox loam, 6 to 12 percent slopes, moderately eroded
Fox loam, 12 to 18 percent slopes, moderately eroded
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox loam, 6 to 12 percent slopes, eroded
Fox clay loam, 6 to 12 percent slopes, severely eroded
Gasconade silty clay loam, 6 to 12 percent slopes
Gasconade silty clay loam, 12 to 18 percent slopes, moderately eroded
Gasconade flaggy silty clay loam, 18 to 35 percent slopes, moderately eroded
Gasconade flaggy silty clay loam, 35 to 50 percent slopes
Gessie loam, frequently flooded
Gessie silt loam, occasionally flooded
Gessie silt loam, frequently flooded
Genesee silt loam
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Guernsey silt loam, 2 to 6 percent slopes
Guernsey silt loam, 6 to 12 percent slopes
Guernsey silty clay loam, 6 to 12 percent slopes, severely eroded
Guernsey soils, 12 to 18 percent slopes, severely eroded
Haubstadt silt loam, 2 to 6 percent slopes
Haubstadt silt loam, 6 to 12 percent slopes, eroded
Haubstadt silt loam, 0 to 2 percent slopes
Haubstadt silt loam, 2 to 6 percent slopes
Haubstadt silt loam, 6 to 12 percent slopes, moderately eroded
Haubstadt silt loam, 6 to 12 percent slopes, severely eroded
Haubstadt silt loam, 12 to 18 percent slopes, moderately eroded
Haubstadt silt loam, 12 to 18 percent slopes, severely eroded
Haubstadt-Urban land complex, gently sloping
Haubstadt-Urban land complex, sloping
Haymond silt loam, occasionally flooded
Hennepin-Miamian silt loams, 18 to 35 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 35 to 50 percent slopes, moderately eroded

Wellston-Cruze silt loams, 8 to 15 percent slopes
Wellston-Guernsey silt loams, 8 to 15 percent slopes
Westmore silt loam, 2 to 6 percent slopes
Westmore silt loam, 3 to 8 percent slopes
Westmore silt loam, 6 to 15 percent slopes
Westmore silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland-Berks complex, 25 to 40 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
Westmoreland-Guernsey silt loams, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
Wheeling silt loam, 0 to 3 percent slopes
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 6 to 15 percent slopes
Zanesville silt loam, 6 to 15 percent slopes, eroded

Orrville silt loam, occasionally flooded
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 2 to 6 percent slopes
Rigley sandy loam, 6 to 15 percent slopes
Rigley sandy loam, 8 to 15 percent slopes
Schaffemaker loamy sand, 12 to 25 percent slopes
Sebring silt loam
Tioga fine sandy loam, occasionally flooded
Tioga loam, occasionally flooded
Udorthents, loamy
Udorthents-Pits complex
Wallkill silt loam
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes, eroded
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 6 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes, eroded
Westmoreland-Coshocton complex, 15 to 25 percent slopes, eroded
Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
Wooster silt loam, 12 to 18 percent slopes, eroded
Wooster silt loam, 18 to 35 percent slopes
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, eroded
Wooster-Chili complex, 12 to 18 percent slopes, eroded
Wooster-Chili complex, 2 to 6 percent slopes
Wooster-Chili complex, 6 to 12 percent slopes, eroded

Wellston silt loam, 3 to 8 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Wharton silt loam, 15 to 25 percent slopes
Wharton silt loam, 8 to 15 percent slopes
Wharton-Latham complex, 15 to 25 percent slopes
Wharton-Latham complex, 25 to 40 percent slopes
Wyatt silt loam, 2 to 6 percent slopes
Wyatt silt loam, 3 to 8 percent slopes
Wyatt silty clay loam, 12 to 18 percent slopes, eroded
Wyatt silty clay loam, 15 to 25 percent slopes, eroded
Wyatt silty clay loam, 6 to 12 percent slopes, eroded
Wyatt silty clay loam, 6 to 15 percent slopes, eroded
Wyatt silty clay loam, 8 to 15 percent slopes, eroded

Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland-Berks complex, 25 to 40 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Dekalb complex, 25 to 40 percent slopes
Westmoreland-Lowell complex, 40 to 70 percent slopes
Wheeling silt loam, 0 to 3 percent slopes

Rigley sandy loam, 12 to 18 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 2 to 6 percent slopes
Rigley sandy loam, 6 to 12 percent slopes
Rigley sandy loam, 6 to 15 percent slopes
Rigley sandy loam, 8 to 15 percent slopes
Rigley-Coshocton complex, 18 to 25 percent slopes
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes, eroded
Schaffnaker loamy sand, 12 to 25 percent slopes
Schanffenaker very bouldery loamy sand, 25 to 60 percent slopes
Sebring silt loam
Shoals loam, coarse subsoil variant
Shoals silt loam, occasionally flooded
Sloan silt loam, occasionally flooded
Tioga fine sandy loam, occasionally flooded
Tioga loam, occasionally flooded
Titusville silt loam, 2 to 6 percent slopes
Titusville silt loam, 6 to 12 percent slopes
Titusville silt loam, 6 to 15 percent slopes
Udorthents, loamy
Wadsworth silt loam, 1 to 4 percent slopes
Watertown sandy loam, 15 to 25 percent slopes
Westmoreland silt loam, 12 to 18 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes, eroded
Wooster silt loam, 12 to 18 percent slopes, eroded
Wooster silt loam, 18 to 40 percent slopes, eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 2 to 6 percent slopes, moderately eroded
Wooster silt loam, 25 to 40 percent slopes
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, moderately eroded

Mertz very cherty silt loam, 18 to 35 percent slopes, very stony
Negley loam, 12 to 18 percent slopes, eroded
Negley loam, 18 to 25 percent slopes
Negley loam, 25 to 70 percent slopes
Negley loam, 6 to 12 percent slopes, eroded
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 6 to 12 percent slopes, eroded
Ockley-Urban land complex, 0 to 3 percent slopes
Ockley-Urban land complex, 6 to 12 percent slopes
Orrville silt loam, occasionally flooded
Parke silt loam, 6 to 12 percent slopes, eroded
Pewamo silty clay loam
Pewamo-Urban land complex
Rigley channery loam, 15 to 25 percent slopes
Rigley fine sandy loam, 12 to 18 percent slopes
Rigley fine sandy loam, 18 to 25 percent slopes
Rigley fine sandy loam, 25 to 35 percent slopes
Rigley fine sandy loam, 6 to 12 percent slopes
Rigley loam, 8 to 15 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley-Coshocton complex, 18 to 25 percent slopes
Rigley-Coshocton complex, 25 to 40 percent slopes
Rush silt loam, 0 to 2 percent slopes
Sebring silt loam
Shoals silt loam, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam, frequently flooded
Stonelick loam, occasionally flooded
Stonelick-Urban land complex, occasionally flooded
Tioga fine sandy loam, occasionally flooded
Titusville silt loam, 2 to 6 percent slopes
Titusville silt loam, 6 to 12 percent slopes, eroded
Wallkill silt loam, clayey substratum, frequently flooded
Westland silty clay loam
Westland-Urban land complex

Miami soils, 6 to 12 percent slopes, severely eroded
Miami soils, 12 to 18 percent slopes, severely eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 18 to 25 percent slopes, moderately eroded
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Minster silty clay loam, 0 to 1 percent slopes
Minster silty clay loam, gravelly substratum, 0 to 1 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 12 to 18 percent slopes, moderately eroded
Miami and Lewisburg silt loams, 25 to 50 percent slopes, moderately eroded
Morley silt loam, 2 to 6 percent slopes
Morley silt loam, 2 to 6 percent slopes, moderately eroded
Morley silt loam, 12 to 18 percent slopes, moderately eroded
Miami-Casco-Rodman complex, 18 to 25 percent slopes, moderately eroded
Morley silt loam, 18 to 25 percent slopes
Morley silt loam, 12 to 18 percent slopes, moderately eroded
Morley silt loam, 18 to 25 percent slopes
Muskego muck
Nappanee silt loam, 0 to 2 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Nineveh silt loam, 0 to 2 percent slopes
Nappanee silt loam, 0 to 2 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Odell silt loam, 0 to 2 percent slopes
Odell silt loam, 2 to 6 percent slopes
Patton silty clay loam
Parr silt loam, 1 to 4 percent slopes
Patton silt loam
Parr silt loam, 1 to 4 percent slopes
Patton Variant silt loam
Paulding clay
Pewamo silty clay loam
Paulding silty clay
Patton silty clay loam
Pewamo silty clay loam
Pewamo silty clay loam
Rodman-Casco complex, 25 to 50 percent slopes
Ross silt loam
Rodman-Casco complex, 18 to 25 percent slopes
Rodman-Casco complex, 25 to 50 percent slopes
Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded

Muskingum channery silt loam, 6 to 12 percent slopes, moderately eroded
Olmsted and Valley soils, 0 to 2 percent slopes
Olmsted loam
Orrville silt loam
Orrville silt loam, 0 to 2 percent slopes, occasionally flooded
Papakating silt loam
Papakating silty clay loam
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Remsen-Urban land complex
Rittman silt loam, 12 to 18 percent slopes, moderately eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, moderately eroded
Rittman-Urban land complex
Sebring silt loam
Sebring silt loam, till substratum
Sebring-Urban land complex
Sloan silt loam
Trumbull-Urban land complex
Udorthents, loamy, 2 to 25 percent slopes
Udorthents, refuse substratum, 2 to 25 percent slopes
Udorthents-Pits complex, 0 to 70 percent slopes
Udorthents-Pits complex, 0 to 70 percent slopes
Valley silt loam, 0 to 2 percent slopes
Valley silty clay loam, 0 to 2 percent slopes
Valley-Lorain silt loams, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wadsworth-Urban land complex
Wayland silt loam
Wick silt loam, 0 to 2 percent slopes, frequently flooded
Wooster loam, 25 to 50 percent slopes, moderately eroded
Wooster silt loam, 12 to 18 percent slopes, moderately eroded
Wooster silt loam, 18 to 25 percent slopes, moderately eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 6 to 12 percent slopes, moderately eroded
Zepernick silt loam, 0 to 2 percent slopes, occasionally flooded

Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 2 to 6 percent slopes, moderately eroded
Rittman silt loam, 25 to 70 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, moderately eroded
Schaffenaker loamy sand, 25 to 70 percent slopes
Sebring silt loam
Sebring silt loam, till substratum
Shoals silt loam
Tioga loam
Trumbull silt loam
Trumbull silty clay loam, 0 to 2 percent slopes
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wallkill silt loam
Wheeling silt loam, 2 to 6 percent slopes
Willette muck
Wooster silt loam, 12 to 25 percent slopes, moderately eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 2 to 6 percent slopes, moderately eroded
Wooster silt loam, 25 to 70 percent slopes
Wooster silt loam, 6 to 12 percent slopes, moderately eroded
Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded
Wooster-Riddles silt loams, 2 to 6 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded

Millsdale silty clay loam, 2 to 6 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 12 to 18 percent slopes, moderately eroded
Millsdale silty clay loam, 0 to 3 percent slopes
Millsdale silty clay loam
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 2 to 6 percent slopes
Milton silty clay loam, 6 to 12 percent slopes, eroded
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Odell silt loam, 0 to 2 percent slopes
Odell silt loam, 2 to 6 percent slopes
Pewamo silty clay loam
Randolph silt loam, 0 to 2 percent slopes
Randolph silt loam, 0 to 2 percent slopes
Randolph silt loam, 2 to 6 percent slopes
Ritchey silt loam, 2 to 6 percent slopes
Ritchey silt loam, 6 to 12 percent slopes, moderately eroded
Ritchey silt loam, 12 to 25 percent slopes, moderately eroded
Ritchey silt loam, 25 to 50 percent slopes, moderately eroded
Ritchey silty clay loam, 6 to 18 percent slopes, severely eroded
Rodman gravelly loam, 18 to 35 percent slopes
Ritchey silt loam, 2 to 6 percent slopes
Ritchey silt loam, 6 to 18 percent slopes
Ritchey silt loam, 18 to 50 percent slopes
Rodman and Fox soils, 18 to 25 percent slopes, moderately eroded
Rodman and Fox soils, 25 to 50 percent slopes, moderately eroded
Ross silt loam
Ross silt loam, shallow variant
Shoals silt loam
Shoals silt loam, moderately shallow variant
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam
Stonelick loam
Thackery silt loam, 0 to 2 percent slopes
Tremont silt loam, occasionally flooded
Wallkill silt loam
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Warners silt loam

Upshur clay, 6 to 12 percent slopes, severely eroded
Upshur silt loam, 12 to 18 percent slopes, moderately eroded
Upshur silt loam, 6 to 12 percent slopes, moderately eroded
Upshur silty clay loam, 12 to 18 percent slopes
Upshur silty clay loam, 6 to 12 percent slopes
Upshur silty clay, 15 to 25 percent slopes, severely eroded
Vandalia silt loam, 12 to 18 percent slopes
Vandalia-Sees silt loams, 18 to 35 percent slopes
Vandalia-Sees very stony silt loams, 18 to 35 percent slopes, moderately eroded
Wellston silt loam, 12 to 18 percent slopes
Wellston silt loam, 12 to 18 percent slopes, moderately eroded
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 2 to 6 percent slopes, moderately eroded
Wellston silt loam, 6 to 12 percent slopes
Wellston silt loam, 6 to 12 percent slopes, moderately eroded
Wellston silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 40 to 70 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland-Upshur complex, 15 to 25 percent slopes
Westmore-Lowell-Elba complex, 35 to 70 percent slopes, benched
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 6 to 18 percent slopes, moderately eroded
Woodsfield silt loam, 12 to 18 percent slopes, moderately eroded
Woodsfield silt loam, 2 to 6 percent slopes
Woodsfield silt loam, 6 to 12 percent slopes, moderately eroded
Woodsfield silt loam, 6 to 15 percent slopes
Woodsfield-Zanesville silt loams, 12 to 18 percent slopes
Woodsfield-Zanesville silt loams, 2 to 6 percent slopes
Woodsfield-Zanesville silt loams, 6 to 12 percent slopes
Woolper and Sees silt loams, 6 to 12 percent slopes
Woolper silt loam, 2 to 6 percent slopes
Zanesville silt loam, 1 to 6 percent slopes
Zanesville silt loam, 12 to 18 percent slopes, moderately eroded
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 2 to 6 percent slopes, moderately eroded
Zanesville silt loam, 6 to 12 percent slopes
Zanesville silt loam, 6 to 12 percent slopes, moderately eroded
Zanesville silt loam, 6 to 15 percent slopes
Zanesville-Woodsfield silt loams, 12 to 18 percent slopes, moderately eroded
Zanesville-Woodsfield silt loams, 2 to 6 percent slopes
Zanesville-Woodsfield silt loams, 2 to 6 percent slopes, moderately eroded
Zanesville-Woodsfield silt loams, 6 to 12 percent slopes
Zanesville-Woodsfield silt loams, 6 to 12 percent slopes, moderately eroded

Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian-Hennepin silt loams, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Millsdale silty clay loam, 0 to 2 percent slopes
Miamian-Urban land complex, undulating
Miamian-Eldean silt loams, 2 to 6 percent slopes, moderately eroded
Miamian-Urban land complex, rolling
Miamian-Eldean silt loams, 6 to 12 percent slopes, moderately eroded
Miamian-Urban land complex, steep
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Miamian and Hennepin soils, 18 to 25 percent slopes
Miamian and Hennepin soils, 25 to 50 percent slopes
Millsdale silty clay loam, 0 to 3 percent slopes
Miamian-Urban land complex, rolling
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 12 to 18 percent slopes, moderately eroded
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silty clay loam, 6 to 18 percent slopes, severely eroded
Milton-Urban land complex, undulating
Milton-Urban land complex, rolling
Milton-Urban land complex, hilly
Milton soils, channery variant, 25 to 50 percent slopes
Montgomery silty clay loam
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Patton silty clay loam
Plattville silt loam, 2 to 6 percent slopes
Plattville silt loam, 6 to 12 percent slopes
Pyrmont silt loam, 0 to 2 percent slopes
Ragsdale silty clay loam
Randolph silt loam, 0 to 2 percent slopes
Raub silt loam, 0 to 2 percent slopes
Raub silt loam, 2 to 6 percent slopes
Reesville silt loam, 0 to 2 percent slopes
Ritchey silt loam, 2 to 6 percent slopes
Ritchey silt loam, 2 to 6 percent slopes, moderately eroded
Ritchey silt loam, 6 to 12 percent slopes, moderately eroded
Ritchey silt loam, 12 to 25 percent slopes, moderately eroded
Ritchey silt loam, 25 to 50 percent slopes, moderately eroded
Ritchey silty clay loam, 6 to 18 percent slopes, severely eroded

Mertz very cherty silt loam, 15 to 35 percent slopes
Morristown channery silty clay loam, 25 to 70 percent slopes
Morristown shaly silty clay loam, 1 to 15 percent slopes
Morristown shaly silty clay loam, 15 to 25 percent slopes
Morristown shaly silty clay loam, 25 to 70 percent slopes
Morristown silty clay loam, 0 to 8 percent slopes
Morristown silty clay loam, 1 to 8 percent slopes
Morristown silty clay loam, 15 to 25 percent slopes
Morristown silty clay loam, 25 to 50 percent slopes
Morristown silty clay loam, 8 to 15 percent slopes
Newark silt loam, frequently flooded
Nolin silt loam, occasionally flooded
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 6 to 15 percent slopes
Rawson silt loam, 2 to 6 percent slopes
Rigley channery loam, 15 to 25 percent slopes
Rigley loam, 8 to 15 percent slopes
Rigley-Coshocton complex, 25 to 40 percent slopes
Rodman gravelly sandy loam, 25 to 70 percent slopes
Sebring silt loam
Stonelick loam, occasionally flooded
Tioga fine sandy loam, occasionally flooded
Tioga fine sandy loam, rarely flooded
Watertown sandy loam, 1 to 8 percent slopes
Watertown sandy loam, 8 to 15 percent slopes
Wellston silt loam, 2 to 8 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes, eroded
Westgate silt loam, 2 to 6 percent slopes
Westgate silt loam, 6 to 15 percent slopes, eroded
Westmore silt loam, 1 to 8 percent slopes
Westmore silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes, eroded
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes, eroded
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded
Westmoreland-Urban land complex, 15 to 35 percent slopes
Woodsfield silt loam, 1 to 6 percent slopes
Woodsfield silt loam, 6 to 15 percent slopes
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 6 to 15 percent slopes, eroded
Zanesville silt loam, 8 to 15 percent slopes

Otwell silt loam, 6 to 12 percent slopes
Richland channery loam, 15 to 25 percent slopes
Sarahsville silty clay loam, frequently flooded
Sarahsville silty clay, frequently flooded
Upshur silt loam, 2 to 6 percent slopes
Upshur silt loam, 3 to 8 percent slopes
Upshur silt loam, 8 to 15 percent slopes
Upshur silty clay loam, 15 to 25 percent slopes
Upshur silty clay loam, 15 to 25 percent slopes, severely eroded
Upshur silty clay loam, 8 to 15 percent slopes
Upshur silty clay, 15 to 25 percent slopes, severely eroded
Upshur silty clay, 25 to 40 percent slopes, severely eroded
Upshur silty clay, 8 to 15 percent slopes, severely eroded
Vandalia silty clay loam, 15 to 25 percent slopes, eroded
Vandalia silty clay loam, 25 to 40 percent slopes, eroded
Vandalia silty clay loam, 6 to 12 percent slopes
Vandalia-Guernsey silty clay loams, 15 to 25 percent slopes, eroded
Vandalia-Guernsey silty clay loams, 25 to 35 percent slopes, eroded
Vandalia-Guernsey silty clay loams, 8 to 15 percent slopes, eroded
Wellston silt loam, 12 to 18 percent slopes, moderately eroded
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 3 to 8 percent slopes
Woodsfield silt loam, 1 to 6 percent slopes
Woodsfield silt loam, 15 to 25 percent slopes
Woodsfield silt loam, 2 to 6 percent slopes
Woodsfield silt loam, 6 to 12 percent slopes, eroded
Woodsfield silt loam, 6 to 15 percent slopes
Woodsfield silt loam, 8 to 15 percent slopes
Zanesville silt loam, 1 to 6 percent slopes
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 6 to 15 percent slopes
Zanesville silt loam, 6 to 15 percent slopes, eroded

Princeton sandy loam, 6 to 12 percent slopes
Rodman gravelly sandy loam, 4 to 12 percent slopes
Ross loam, occasionally flooded
Ross silt loam, occasionally flooded
Ross silt loam, overwash, frequently flooded
Shoals silt loam, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam, occasionally flooded
Sloan silty clay loam, occasionally flooded
Stonelick loam, occasionally flooded
Stonelick sandy loam
Thackery silt loam, 0 to 2 percent slopes
Thackery silt loam, 2 to 6 percent slopes
Thrifton clay loam, 12 to 20 percent slopes, severely eroded
Thrifton clay loam, 20 to 35 percent slopes, severely eroded
Thrifton clay loam, 6 to 12 percent slopes, severely eroded
Tippecanoe silt loam, 0 to 2 percent slopes
Udorthents
Warsaw loam, 0 to 2 percent slopes
Warsaw loam, 2 to 6 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 2 to 6 percent slopes
Westland clay loam
Westland silty clay loam

Stendal silt loam, occasionally flooded
Stonelick loam, occasionally flooded
Taggart silt loam, 0 to 2 percent slopes
Taggart silt loam, 0 to 4 percent slopes
Taggart silt loam, rarely flooded
Tilsit silt loam, 0 to 3 percent slopes
Tilsit silt loam, 0 to 4 percent slopes
Trappist silt loam, 15 to 25 percent slopes
Trappist-Muse silt loams, 6 to 12 percent slopes, moderately eroded
Trappist-Shelocta association, steep
Wellston silt loam, 3 to 8 percent slopes
Wernock Variant silt loam, 3 to 8 percent slopes
Wharton silt loam, 15 to 25 percent slopes
Wharton silt loam, 8 to 15 percent slopes
Wilbur silt loam, occasionally flooded
Wyatt silty clay loam, 3 to 8 percent slopes, eroded
Wyatt silty clay loam, 8 to 15 percent slopes, eroded

Sebring silt loam
Sebring silt loam, dark surface variant
Sebring silt loam, till substratum
Tioga loam
Tioga loam, frequently flooded
Tioga loam, occasionally flooded
Trumbull silt loam, 0 to 2 percent slopes
Trumbull silty clay loam
Typic Udorthents, strip mined, hilly
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wallkill silt loam
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wooster silt loam, 12 to 18 percent slopes, moderately eroded
Wooster silt loam, 18 to 50 percent slopes, moderately eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, moderately eroded

Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian-Hennepin clay loams, 18 to 25 percent slopes, severely eroded
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Milford silty clay loam, 0 to 2 percent slopes
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Milford silty clay loam, gravelly substratum, 0 to 2 percent slopes
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Milford silty clay loam, gravelly substratum, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Millsdale silty clay loam, 0 to 2 percent slopes
Miamian-Russell silt loams, bedrock substratum, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes, eroded
Milton silt loam, 6 to 12 percent slopes, eroded
Milton silt loam, 12 to 18 percent slopes, eroded
Milton silt loam, 18 to 25 percent slopes, eroded
Milford silty clay loam, 0 to 2 percent slopes
Morningsun silt loam, 0 to 2 percent slopes
Morningsun-Xenia silt loams, 0 to 2 percent slopes
Morningsun-Xenia silt loams, 2 to 6 percent slopes
Morningsun-Xenia silt loams, 2 to 6 percent slopes, eroded
Mahalasville silt loam, 0 to 2 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Patton silty clay loam
Plattville silt loam, moderately wet, 2 to 6 percent slopes
Plattville silt loam, moderately wet, 2 to 6 percent slopes
Pyrmont silt loam, 0 to 3 percent slopes
Ragsdale silty clay loam
Rainsville silt loam, 0 to 2 percent slopes
Rainsville silt loam, 2 to 6 percent slopes
Rainsville silt loam, 2 to 6 percent slopes, eroded
Rainsville silt loam, 2 to 6 percent slopes, eroded
Randolph silt loam, 0 to 2 percent slopes

Patton silty clay loam, 0 to 1 percent slopes
Paulding clay
Paulding silty clay loam
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Rawson loam, 0 to 2 percent slopes
Rawson loam, 2 to 6 percent slopes
Rawson loam, 6 to 12 percent slopes, moderately eroded
Rensselaer loam, till substratum, 0 to 1 percent slopes
Rimer loamy fine sand, 0 to 2 percent slopes
Rimer loamy fine sand, 2 to 6 percent slopes
Roselms silt loam, 0 to 2 percent slopes
Roselms silt loam, 2 to 6 percent slopes
Roselms silty clay loam, 0 to 2 percent slopes
Roselms silty clay loam, 2 to 6 percent slopes
Roselms silty clay, 2 to 6 percent slopes, eroded
Rossburg silt loam, occasionally flooded
Seward loamy fine sand, 0 to 2 percent slopes
Seward loamy fine sand, 2 to 6 percent slopes
Shawtown loam, 2 to 6 percent slopes
Shinrock clay loam, 6 to 12 percent slopes, eroded
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 6 to 12 percent slopes, moderately eroded
Shinrock, till substratum-Glynwood complex, 1 to 4 percent slopes
Shoals silt loam
Shoals silt loam, 0 to 2 percent slopes, occasionally flooded
Shoals silt loam, moderately shallow variant
Sloan loam, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam
Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
St. Clair loam, 2 to 6 percent slopes
St. Clair silt loam, 12 to 18 percent slopes, moderately eroded
St. Clair silt loam, 2 to 6 percent slopes
St. Clair silt loam, 6 to 12 percent slopes, moderately eroded
Tedrow loamy fine sand, 0 to 3 percent slopes
Thackery loam, till substratum, 0 to 2 percent slopes
Tiderishi loam, 0 to 2 percent slopes
Toledo silty clay
Toledo silty clay loam
Toledo silty clay loam, 0 to 1 percent slopes
Tuscola fine sandy loam, 0 to 2 percent slopes
Tuscola loam, 2 to 6 percent slopes
Tuscola loamy fine sand, 2 to 6 percent slopes
Tuscola-Shinrock complex, 2 to 6 percent slopes
Vanlue loam, 0 to 2 percent slopes
Vaughnsville loam, 2 to 6 percent slopes

Luray silty clay loam
Lykens silt loam, 2 to 6 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 6 to 12 percent slopes
Olmsted silty clay loam
Orrville loam, moderately shallow variant
Pewamo silt loam
Pewamo silt loam, overwash
Pewamo silty clay loam
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Rittman silt loam, 12 to 18 percent slopes
Rittman silt loam, 12 to 18 percent slopes, moderately eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 2 to 6 percent slopes, moderately eroded
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, moderately eroded
Rittman silty clay loam, 12 to 18 percent slopes, severely eroded
Rittman silty clay loam, 6 to 12 percent slopes, severely eroded
Schaffenaker loamy sand, 10 to 40 percent slopes
Schaffenaker loamy sand, 12 to 18 percent slopes
Schaffenaker loamy sand, 18 to 40 percent slopes
Schaffenaker loamy sand, 2 to 12 percent slopes
Sebring silt loam
Shoals loam, coarse subsoil variant
Shoals silt loam
Sloan silty clay loam
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 2 to 6 percent slopes
Titusville silt loam, 2 to 6 percent slopes
Titusville silt loam, 6 to 12 percent slopes
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wallkill silt loam
Westmoreland silt loam, 12 to 18 percent slopes
Wheeling and Mentor silt loams, 12 to 18 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 6 to 12 percent slopes
Wooster silt loam, 12 to 18 percent slopes
Wooster silt loam, 12 to 18 percent slopes, moderately eroded
Wooster silt loam, 12 to 18 percent slopes, severely eroded
Wooster silt loam, 18 to 25 percent slopes
Wooster silt loam, 18 to 25 percent slopes, eroded
Wooster silt loam, 18 to 40 percent slopes, severely eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 2 to 6 percent slopes, moderately eroded

Nineveh silt loam, 2 to 6 percent slopes
Ockley loam, 0 to 2 percent slopes
Ockley loam, 2 to 6 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 6 to 12 percent slopes, eroded
Orrville silt loam, frequently flooded
Otwell silt loam, 2 to 6 percent slopes
Patton silty clay loam, sandy substratum
Peoga silt loam
Pike silt loam, 0 to 2 percent slopes
Pike silt loam, 2 to 6 percent slopes
Pope silt loam, frequently flooded
Princeton sandy loam, 12 to 20 percent slopes
Princeton sandy loam, 2 to 6 percent slopes
Princeton sandy loam, 6 to 12 percent slopes
Rainsboro silt loam, 0 to 2 percent slopes
Rainsboro silt loam, 2 to 6 percent slopes
Rainsboro silt loam, 6 to 12 percent slopes, eroded
Rigley-rock outcrop association, very steep
Rodman gravelly loam, 12 to 20 percent slopes, eroded
Rodman gravelly loam, 20 to 35 percent slopes, eroded
Ross silt loam, occasionally flooded
Rossburg silt loam, rarely flooded
Rossmoyne silt loam, 0 to 2 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Rossmoyne-Cana complex, 2 to 6 percent slopes
Rossmoyne-Cana complex, 6 to 12 percent slopes, eroded
Shelocta silt loam, 12 to 20 percent slopes
Shelocta-Brownsville association, very steep
Shelocta-Cruze-Weikert association, steep
Shelocta-Rigley association, steep
Skidmore cobbly silt loam, occasionally flooded
Sloan silty clay loam, occasionally flooded
Spargus channery silt loam, 2 to 6 percent slopes
Stonelick fine sandy loam, frequently flooded
Stonelick loam, occasionally flooded
Taggart silt loam, 0 to 2 percent slopes
Thrifton clay loam, 12 to 20 percent slopes, severely eroded
Thrifton clay loam, 20 to 35 percent slopes, severely eroded
Thrifton clay loam, 6 to 12 percent slopes, severely eroded
Tilsit silt loam, 0 to 2 percent slopes
Tioga fine sandy loam, frequently flooded
Tyler silt loam, 0 to 2 percent slopes
Warsaw loam, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 2 to 4 percent slopes

Randolph silt loam, 0 to 2 percent slopes
Rawson loam, 2 to 6 percent slopes
Rimer loamy fine sand, 1 to 4 percent slopes
Rimer loamy sand, 0 to 2 percent slopes
Ritchey loam, 2 to 6 percent slopes
Ritchey silt loam, 1 to 6 percent slopes
Ross silt loam, occasionally flooded
Rossburg silt loam, occasionally flooded
Sebring silt loam
Seward loamy fine sand, 0 to 2 percent slopes
Seward loamy fine sand, 2 to 6 percent slopes
Shawtown loam, 2 to 6 percent slopes
Shoals silt loam, frequently flooded
Shoals silt loam, occasionally flooded
Sloan silt loam, 0 to 1 percent slopes, frequently flooded
Spinks fine sand, 2 to 6 percent slopes
Spinks loamy sand, 2 to 6 percent slopes
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 2 to 6 percent slopes

Stonelick sandy loam, occasionally flooded
Wallkill silty clay loam
Warsaw Variant silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Westland silty clay loam

Ginat silt loam
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 12 to 18 percent slopes, moderately eroded
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 3 to 8 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Guernsey silt loam, 8 to 15 percent slopes
Guernsey silty clay loam, 3 to 8 percent slopes
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 6 to 15 percent slopes
Hazleton loam, 15 to 25 percent slopes
Hazleton loam, 25 to 40 percent slopes
Hazleton loam, 8 to 15 percent slopes
Holly silt loam
Holly silt loam, alkaline
Holly silt loam, ponded
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown loam, till substratum, 2 to 6 percent slopes
Jimtown silt loam, 0 to 3 percent slopes
Keene silt loam, 12 to 18 percent slopes
Keene silt loam, 12 to 18 percent slopes, moderately eroded
Keene silt loam, 18 to 25 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 6 to 12 percent slopes
Keene silt loam, 6 to 12 percent slopes, moderately eroded
Keene silt loam, 8 to 15 percent slopes
Kensington silt loam, 15 to 25 percent slopes
Kensington silt loam, 6 to 15 percent slopes
Killbuck silt loam
Latham silt loam, 12 to 18 percent slopes
Latham silt loam, 12 to 18 percent slopes, moderately eroded
Latham silt loam, 18 to 35 percent slopes
Latham silt loam, 2 to 6 percent slopes
Latham silt loam, 6 to 12 percent slopes
Latham silt loam, 6 to 12 percent slopes, moderately eroded
Licking silt loam, 0 to 2 percent slopes
Licking silt loam, 12 to 25 percent slopes, moderately eroded
Licking silt loam, 2 to 6 percent slopes
Licking silt loam, 6 to 12 percent slopes
Licking silt loam, 6 to 12 percent slopes, moderately eroded
Linwood muck
Lobdell silt loam, alkaline phase
Lorain silt loam, 0 to 2 percent slopes

Mahoning silt loam, sandstone substratum, 2 to 6 percent slopes
Mahoning-Urban land complex
Mitiwanga silt loam, 2 to 6 percent slopes
Olmsted loam
Orrville silt loam
Oshtemo sandy loam, 0 to 2 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Ravenna-Urban land complex
Rittman silt loam, 12 to 18 percent slopes
Rittman silt loam, 12 to 18 percent slopes, moderately eroded
Rittman silt loam, 18 to 25 percent slopes, moderately eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, moderately eroded
Rittman silt loam, sandstone substratum 6 to 12 percent slopes
Rittman silt loam, sandstone substratum, 2 to 6 percent slopes
Rittman-Urban land complex, rolling
Rittman-Urban land complex, undulating
Sebring silt loam
Sloan silt loam
Tioga loam
Trumbull silt loam
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wadsworth-Urban land complex
Wallkill silt loam
Weinbach silt loam, 2 to 6 percent slopes
Wheeling loam, 6 to 12 percent slopes, moderately eroded
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Willette muck
Wooster silt loam, 12 to 18 percent slopes
Wooster silt loam, 12 to 18 percent, moderately eroded
Wooster silt loam, 18 to 25 percent slopes, moderately eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 25 to 50 percent slopes, moderately eroded
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, moderately eroded
Wooster silt loam, sandstone substratum, 12 to 18 percent slopes, moderately eroded
Wooster silt loam, sandstone substratum, 6 to 12 percent slopes, moderately eroded
Wooster-Riddles silt loams, 2 to 6 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded
Wooster-Urban land complex, hilly

Sebring silt loam, till substratum
Seward loamy fine sand, 2 to 6 percent slopes
Tioga loam, frequently flooded
Tioga loam, occasionally flooded
Trumbull silt loam, 0 to 2 percent slopes
Trumbull silty clay loam
Venango silt loam, 0 to 2 percent slopes
Venango silt loam, 2 to 6 percent slopes
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wadsworth-Urban land complex, 0 to 2 percent slopes
Wadsworth-Urban land complex, 2 to 6 percent slopes
Wooster silt loam, 25 to 50 percent slopes

Plainfield loamy sand, 0 to 6 percent slopes
Plainfield loamy sand, 3 to 8 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 25 to 40 percent slopes
Rigley sandy loam, 6 to 15 percent slopes
Rigley sandy loam, 8 to 15 percent slopes
Rush silt loam, 0 to 3 percent slopes
Sebring silt loam
Shinrock silty clay loam, 8 to 20 percent slopes, severely eroded
Sparta loamy fine sand, 0 to 3 percent slopes
Tioga fine sandy loam, occasionally flooded
Tioga loam, occasionally flooded
Udorthents-Pits complex
Upshur silt loam, 8 to 15 percent slopes
Upshur silty clay loam, 6 to 15 percent slopes, eroded
Weinbach silt loam, 0 to 3 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 40 to 60 percent slopes
Westmoreland silt loam, 6 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes, eroded
Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded
Westmoreland-Coshocton silt loams, 15 to 25 percent slopes
Westmoreland-Coshocton silt loams, 8 to 15 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
Wheeling loam, 0 to 3 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling-Urban land complex, nearly level

Henshaw silt loam, 1 to 4 percent slopes
Hickory silt loam, 2 to 6 percent slopes, moderately eroded
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, moderately eroded
Hickory clay loam, 6 to 12 percent slopes, severely eroded
Hickory clay loam, 12 to 18 percent slopes, severely eroded
Hickory-Fairmount complex, 18 to 25 percent slopes, moderately eroded
Hickory-Fairmount complex, 25 to 50 percent slopes, moderately eroded
Hickory-Morrisville silt loams, 18 to 25 percent slopes, eroded
Iva silt loam, till substratum, 0 to 2 percent slopes
Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes
Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes
Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded
Kendallville silt loam, 0 to 2 percent slopes
Kendallville loam, 2 to 6 percent slopes
Kendallville loam, 6 to 12 percent slopes, moderately eroded
Kings silty clay loam, thick surface variant
Libre silt loam, 2 to 6 percent slopes
Libre silt loam, 6 to 12 percent slopes, eroded
Landes sandy loam
Lanier sandy loam
Libre silt loam, 2 to 6 percent slopes
Linwood muck
Loudon silt loam, 6 to 12 percent slopes, eroded
Lumberton silt loam, 25 to 50 percent slopes, eroded
Lorenzo-Rodman complex, 4 to 12 percent slopes, moderately eroded
Medway silt loam
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian-Casco complex, 12 to 18 percent slopes, moderately eroded
Miamian-Casco complex, 18 to 35 percent slopes, moderately eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian-Hennepin silt loams, 12 to 18 percent slopes, moderately eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian-Thrifton complex, 18 to 25 percent slopes, eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Miamian-Eldean silt loams, 6 to 12 percent slopes, moderately eroded

Otwell-Vincent silt loams, 6 to 12 percent slopes
Peoga silt loam
Sparta loamy sand, 0 to 6 percent slopes
Summitville silt loam, 10 to 20 percent slopes
Taggart silt loam, 0 to 2 percent slopes
Tioga fine sandy loam
Upshur association, very stony, 25 to 70 percent slopes
Upshur clay, 12 to 18 percent slopes, severely eroded
Upshur clay, 18 to 25 percent slopes, severely eroded
Upshur silty clay loam, 12 to 18 percent slopes
Upshur silty clay loam, 18 to 25 percent slopes
Upshur silty clay loam, 2 to 6 percent slopes
Upshur silty clay loam, 6 to 12 percent slopes
Upshur-Gilpin complex, 25 to 35 percent slopes
Upshur-Gilpin complex, 25 to 35 percent slopes, severely eroded
Vandalia silty clay loam, 12 to 18 percent slopes
Vandalia silty clay loam, 18 to 25 percent slopes
Vandalia silty clay loam, 25 to 35 percent slopes
Vandalia silty clay loam, 6 to 12 percent slopes
Vincent silt loam, 12 to 18 percent slopes
Vincent silt loam, 2 to 6 percent slopes
Vincent silt loam, 6 to 12 percent slopes
Watertown gravelly loamy sand, 2 to 6 percent slopes
Watertown sandy loam, 0 to 2 percent slopes
Watertown sandy loam, 2 to 6 percent slopes
Watertown sandy loam, 6 to 12 percent slopes
Wellston silt loam, 12 to 18 percent slopes
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 6 to 12 percent slopes
Westmore-Lowell-Elba complex, 25 to 35 percent slopes
Westmore-Lowell-Elba complex, 25 to 35 percent slopes, benched
Westmore-Lowell-Elba complex, 35 to 70 percent slopes
Westmore-Lowell-Elba complex, 35 to 70 percent slopes, benched
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 12 to 18 percent slopes
Wheeling silt loam, 18 to 35 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 6 to 12 percent slopes
Woodsfield silt loam, 12 to 18 percent slopes
Woodsfield silt loam, 2 to 6 percent slopes
Woodsfield silt loam, 6 to 12 percent slopes
Woodsfield-Zanesville silt loams, 12 to 18 percent slopes
Woodsfield-Zanesville silt loams, 2 to 6 percent slopes
Woodsfield-Zanesville silt loams, 6 to 12 percent slopes
Zanesville silt loam, 12 to 18 percent slopes
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 6 to 12 percent slopes

Rittman silt loam, 6 to 12 percent slopes, eroded
Rittman-Urban land complex, 2 to 6 percent slopes
Sebring silt loam
Sebring silt loam, till substratum
Sloan silt loam
Sloan silty clay loam
Tioga silt loam, occasionally flooded
Tiro silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wallkill silt loam
Wayland silt loam
Wooster silt loam, 25 to 70 percent slopes
Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded
Wooster-Riddles silt loams, 2 to 6 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded
Wooster-Urban land complex, 6 to 12 percent slopes

St. Clair clay, 12 to 18 percent slopes, severely eroded
St. Clair silty clay loam, 12 to 25 percent slopes, moderately eroded
St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded
St. Clair silty clay loam, 6 to 12 percent slopes, moderately eroded
Toledo silty clay
Toledo silty clay loam
Tuscola fine sandy loam, 3 to 8 percent slopes
Tuscola Variant fine sandy loam, 1 to 6 percent slopes
Tuscola Variant fine sandy loam, 6 to 12 percent slopes
Tuscola very fine sandy loam, 2 to 6 percent slopes
Wabasha silty clay
Wallkill silt loam
Wallkill Variant silty clay loam

Shoals silt loam, 0 to 2 percent slopes, frequently flooded
Shoals silty clay loam, 0 to 2 percent slopes, frequently flooded
Sloan silt loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded
Spinks fine sand, 12 to 18 percent slopes
Spinks fine sand, 2 to 6 percent slopes
Spinks fine sand, 6 to 12 percent slopes
Spinks loamy fine sand, 2 to 6 percent slopes
Spinks loamy fine sand, 6 to 12 percent slopes
St. Clair loam, 2 to 6 percent slopes
St. Clair loam, 6 to 12 percent slopes, eroded
St. Clair silty clay loam, 12 to 18 percent slopes, eroded
St. Clair silty clay loam, 18 to 25 percent slopes, eroded
St. Clair silty clay loam, 2 to 6 percent slopes, eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded
Tedrow loamy fine sand, 0 to 2 percent slopes
Tedrow loamy fine sand, 2 to 6 percent slopes
Tedrow-Urban land complex, 0 to 2 percent slopes
Toledo silty clay loam, 0 to 1 percent slopes
Toledo-Urban land complex, 0 to 1 percent slopes
Toussaint silty clay loam, 0 to 1 percent slopes
Wabasha silty clay, 0 to 1 percent slopes, frequently flooded
Wauseon fine sandy loam, 0 to 1 percent slopes
Wauseon fine sandy loam, deep to till, 0 to 1 percent slopes
Wauseon loamy fine sand, 0 to 1 percent slopes
Wauseon-Urban land complex, 0 to 1 percent slopes

Shinrock silt loam, 2 to 6 percent slopes, eroded
Shinrock silt loam, 6 to 12 percent slopes, eroded
Shinrock-Martinsville complex, 12 to 18 percent slopes, eroded
Shinrock-Martinsville complex, 6 to 12 percent slopes, eroded
Shoals silt loam, frequently flooded
Shoals silt loam, occasionally flooded
Shoals silt loam, rarely flooded
Sloan silt loam, occasionally flooded
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 2 to 6 percent slopes
Tuscola fine sandy loam, 2 to 6 percent slopes
Westland clay loam
Westland-Rensselaer complex, 0 to 1 percent slopes
Wilmer Variant silt loam, 2 to 6 percent slopes

Wooster-Riddles silt loams, 2 to 6 percent slopes

Wooster-Riddles silt loams, 6 to 12 percent slopes

Wheeling loam, 3 to 10 percent slopes
Woodsfield silt loam, 3 to 8 percent slopes
Woodsfield silt loam, 8 to 15 percent slopes
Zanesville silt loam, 3 to 8 percent slopes

Ragsdale silty clay loam
Rainsville silt loam, 2 to 6 percent slopes, eroded
Raub silt loam, 0 to 2 percent slopes
Raub silt loam, 2 to 6 percent slopes
Ross loam
Ross loam
Rossburg silt loam, moderately wet, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Rossburg silt loam, moderately wet, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Russell silt loam, 2 to 6 percent slopes, slightly eroded
Russell silt loam, 2 to 6 percent slopes, moderately eroded
Russell silt loam, 6 to 12 percent slopes, slightly eroded
Russell silt loam, 12 to 18 percent slopes, slightly eroded
Russell silt loam, 2 to 6 percent slopes
Russell soils, 6 to 12 percent slopes, severely eroded
Russell soils, 12 to 18 percent slopes, severely eroded
Russell and Miami silt loams, 0 to 2 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell and Miami silt loams, 2 to 6 percent slopes, slightly eroded
Russell silt loam, 1 to 6 percent slopes, eroded
Russell and Miami silt loams, 6 to 12 percent slopes, slightly eroded
Russell and Miami silt loams, 6 to 12 percent slopes, moderately eroded
Russell silt loam, bedrock substratum, 0 to 2 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell and Miami soils, 6 to 12 percent slopes, severely eroded
Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes
Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes, moderately eroded
Russell-Urban land complex, gently sloping
Russell-Urban land complex, 3 to 8 percent slopes
Sidell silt loam, 1 to 4 percent slopes
Shoals silt loam
Sleeth silt loam, 0 to 2 percent slopes
Stonelick fine sandy loam
Stonelick loam, gravelly substratum, 0 to 1 percent slopes, frequently flooded
Stonelick loam, gravelly substratum, 0 to 1 percent slopes, frequently flooded
Thackery silt loam, 0 to 2 percent slopes
Tippecanoe silt loam, 0 to 2 percent slopes
Uniontown silt loam, 0 to 2 percent slopes
Uniontown silt loam, 2 to 6 percent slopes
Warsaw loam, 0 to 2 percent slopes
Warsaw loam, 2 to 6 percent slopes
Warsaw loam, 0 to 3 percent slopes
Warsaw loam, 0 to 3 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 2 to 6 percent slopes

Sloan silt loam
Sloan silt loam
Sloan silt loam, sandy substratum, occasionally flooded
Strawn silty clay loam, 2 to 6 percent slopes, eroded
Strawn silty clay loam, 6 to 12 percent slopes, eroded
Strawn silty clay loam, 12 to 18 percent slopes, eroded
Sloan silt loam, gravelly subsoil variant
Strawn silty clay loam, 6 to 12 percent slopes, eroded
Strawn silty clay loam, 12 to 18 percent slopes, eroded
Thackery silt loam, 0 to 2 percent slopes
Tremont silt loam, occasionally flooded
Udorthents, loamy
Uniontown silt loam, 2 to 6 percent slopes
Wallkill silt loam
Warsaw silt loam, 1 to 4 percent slopes
Wallkill silt loam, occasionally flooded
Wallkill silt loam, occasionally flooded
Warsaw silt loam, 0 to 2 percent slopes
Warners silt loam
Waupecan silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 2 to 6 percent slopes
Wea silt loam, 0 to 3 percent slopes
Westland silty clay loam

Ockley silt loam, till substratum, 2 to 6 percent slopes
Ockley silt loam, till substratum, 6 to 12 percent slopes, eroded
Odell silt loam, 0 to 2 percent slopes
Patton silty clay loam
Patton silty clay loam, overwash
Ragsdale silty clay loam
Rainsboro silt loam, 2 to 6 percent slopes
Randolph silt loam, 0 to 2 percent slopes
Raub silt loam, 0 to 2 percent slopes
Reesville silt loam
Reesville silt loam, 0 to 2 percent slopes
Reesville silt loam, 2 to 4 percent slopes
Ross loam, 0 to 1 percent slopes, occasionally flooded
Ross silt loam
Ross loam, 0 to 1 percent slopes, occasionally flooded
Ross silt loam, 0 to 1 percent slopes, frequently flooded
Rossmoyne silt loam, 1 to 6 percent slopes
Ross loam, 0 to 1 percent slopes, occasionally flooded
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Ross silt loam, 0 to 1 percent slopes, frequently flooded
Ross loam
Rossburg silt loam, 0 to 2 percent slopes, rarely flooded
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne-Urban land complex, gently sloping
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Rossmoyne-Bonnell complex, 6 to 12 percent slopes, severely eroded
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Sardinia silt loam, 0 to 2 percent slopes
Sardinia silt loam, 2 to 6 percent slopes
Secondcreek silt loam, 0 to 1 percent slopes, overwash
Secondcreek silty clay loam, 0 to 1 percent slopes
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded

Wellston silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 35 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 40 to 60 percent slopes
Westmoreland silt loam, 6 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes, eroded
Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling-Urban land complex, nearly level
Zipp silty clay loam, frequently flooded

Nicholson silt loam, 6 to 12 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Patton silty clay loam
Pate silty clay loam, 12 to 18 percent slopes, eroded
Pate silty clay loam, 18 to 25 percent slopes, eroded
Parke silt loam, 3 to 8 percent slopes, eroded
Parke silt loam, 8 to 15 percent slopes, eroded
Parke silt loam, 15 to 25 percent slopes
Parke silt loam, 25 to 35 percent slopes
Pate silty clay loam, 8 to 15 percent slopes
Pate silty clay loam, 15 to 25 percent slopes
Pate silty clay loam, 25 to 35 percent slopes
Patton silty clay loam
Princeton sandy loam, 0 to 2 percent slopes
Princeton sandy loam, 2 to 6 percent slopes
Princeton sandy loam, 6 to 12 percent slopes, eroded
Ragsdale silty clay loam
Raub silt loam, 0 to 2 percent slopes
Rodman sandy loam, 40 to 60 percent slopes
Rodman and Casco loams, 12 to 18 percent slopes, moderately eroded
Rodman and Casco loams, 18 to 25 percent slopes, moderately eroded
Ross loam
Ross silt loam
Robertsville silt loam
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 3 to 8 percent slopes, eroded
Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded
Rossmoyne silt loam, 0 to 2 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded
Rossmoyne silt loam, 0 to 6 percent slopes
Russell silt loam, 3 to 8 percent slopes, eroded
Rossmoyne silt loam, 6 to 12 percent slopes
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne-Urban land complex, gently sloping
Rossmoyne-Urban land complex, sloping
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes
Russell silt loam, 3 to 8 percent slopes, eroded
Sees silty clay loam, 4 to 12 percent slopes, moderately eroded
Sees silty clay loam, 12 to 18 percent slopes, moderately eroded
Shoals silt loam

Hennepin-Miamian complex, 12 to 25 percent slopes, severely eroded
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes, eroded
Hickory silt loam, 25 to 35 percent slopes, eroded
Hickory clay loam, 6 to 12 percent slopes, severely eroded
Hickory clay loam, 12 to 18 percent slopes, severely eroded
Hickory clay loam, 18 to 25 percent slopes, severely eroded
Jessup silt loam, 1 to 8 percent slopes
Jessup silt loam, 8 to 15 percent slopes, eroded
Jessup silt loam, 12 to 18 percent slopes
Jessup silt loam, 15 to 25 percent slopes, eroded
Jessup silt loam, 8 to 15 percent slopes, eroded
Jessup silt loam, 15 to 25 percent slopes, eroded
Johnsburg silt loam, 2 to 8 percent slopes
Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes
Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 6 to 12 percent slopes, moderately eroded
Kendallville silt loam, 12 to 18 percent slopes, moderately eroded
Kendallville-Eldean complex, 20 to 35 percent slopes, eroded
Kendallville clay loam, 12 to 18 percent slopes, severely eroded
Latham silt loam, 8 to 15 percent slopes
Lawshe silty clay loam, 2 to 6 percent slopes
Lawshe silty clay loam, 6 to 12 percent slopes, moderately eroded
Lawshe silty clay loam, 12 to 18 percent slopes, moderately eroded
Lawshe silty clay, 12 to 18 percent slopes, severely eroded
Libre silt loam, 6 to 12 percent slopes, eroded
Loudon silt loam, 2 to 6 percent slopes
Loudon silt loam, 2 to 6 percent slopes, moderately eroded
Loudon silt loam, 6 to 12 percent slopes, moderately eroded
Loudon silt loam, 12 to 18 percent slopes, moderately eroded
Loudon-Edenton silt loams, 18 to 25 percent slopes, moderately eroded
Libre silt loam, 6 to 12 percent slopes, eroded
Markland silty clay loam, 3 to 8 percent slopes, eroded
Markland silty clay loam, 8 to 15 percent slopes, eroded
Markland silty clay loam, 15 to 25 percent slopes, eroded
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 6 to 12 percent slopes, moderately eroded
Markland silt loam, 12 to 18 percent slopes, moderately eroded
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 6 to 12 percent slopes, moderately eroded
Markland silt loam, 12 to 18 percent slopes, moderately eroded
McGary silt loam, 0 to 4 percent slopes
Mentor silt loam, gravelly substratum, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded

St. Clair silt loam, 2 to 6 percent slopes
St. Clair silt loam, 6 to 12 percent slopes, moderately eroded
St. Clair silt loam, 12 to 18 percent slopes, moderately eroded
St. Clair silt loam, 18 to 35 percent slopes, moderately eroded
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 6 to 12 percent slopes
Shoals silt loam
Sleeth silt loam, 0 to 2 percent slopes
Sleeth silt loam, 0 to 3 percent slopes
Sloan silt loam
Wallkill silt loam
Wallkill silty clay loam
Wea Variant silt loam, 0 to 2 percent slopes
Weikert shaly silt loam, 35 to 70 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Westland clay loam
Wea silt loam, 0 to 3 percent slopes
Westland silty clay loam
Westland silty clay loam, clay substratum
Wetzel silty clay loam
Willette muck

Westland silty clay loam
Westland silty clay loam

Ritchey silt loam, 6 to 18 percent slopes
Ritchey silt loam, 18 to 50 percent slopes
Ritchey silt loam, 18 to 25 percent slopes, moderately eroded
Rodman and Fox soils, 18 to 25 percent slopes, moderately eroded
Rodman and Fox soils, 25 to 50 percent slopes, moderately eroded
Ross loam
Ross silt loam
Russell silt loam, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Miamian silt loams, 6 to 12 percent slopes, moderately eroded
Russell-Miamian silt loams, 12 to 18 percent slopes, moderately eroded
Shoals silt loam
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam
Sloan-Fill land complex
Stonelick loam
Stonelick loam, gravelly substratum, 0 to 1 percent slopes, frequently flooded
Thackery silt loam, till substratum, 0 to 2 percent slopes
Thackery silt loam, 2 to 6 percent slopes
Tippecanoe silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 2 to 6 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 2 to 6 percent slopes
Westland silty clay loam
Westland silty clay loam
Wynn silt loam, 2 to 6 percent slopes, moderately eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes

Randolph silt loam, 2 to 6 percent slopes
Raub silt loam, 0 to 2 percent slopes
Ross loam
Rodman gravelly loam, 18 to 25 percent slopes, eroded
Rodman gravelly loam, 25 to 50 percent slopes, eroded
Rossburg silt loam, moderately wet, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Rodman-Kendallville complex, 18 to 25 percent slopes, eroded
Rodman-Kendallville complex, 25 to 50 percent slopes, eroded
Rossburg silt loam, moderately wet, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Ross silt loam
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, eroded
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes
Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes, moderately eroded
Savona silt loam, 0 to 2 percent slopes
Sleeth silt loam, 0 to 2 percent slopes
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, frequently flooded
Sloan silt loam
Stonelick loam, gravelly substratum, 0 to 1 percent slopes, frequently flooded
Sugarvalley silt loam, 0 to 2 percent slopes
Sugarvalley-Fincastle silt loams, 0 to 2 percent slopes
Thackery silt loam, 0 to 2 percent slopes
Thackery silt loam, 2 to 6 percent slopes
Warsaw loam, 0 to 2 percent slopes
Westland silt loam, 0 to 2 percent slopes
Westland silty clay loam
Wynn silt loam, 2 to 6 percent slopes
Wynn silt loam, 2 to 6 percent slopes, moderately eroded
Wynn silt loam, 6 to 12 percent slopes, moderately eroded
Wynn silt loam, 12 to 18 percent slopes, eroded
Wynn silty clay loam, 6 to 12 percent slopes, severely eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, moderately eroded
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes

Wabasha silty clay
Wabasha silty clay loam, frequently flooded
Wabasha silty clay loam, moderately shallow variant
Wauseon fine sandy loam
Willette muck

Wooster silt loam, 25 to 40 percent slopes
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, moderately eroded
Wooster-Chili soils, 2 to 6 percent slopes
Wooster-Chili soils, 6 to 12 percent slopes

Westland clay loam

Wyatt silt loam, 2 to 6 percent slopes

Wyatt silty clay loam, 12 to 18 percent slopes, eroded

Wyatt silty clay loam, 6 to 12 percent slopes, eroded

Lorain silty clay loam, silty substratum
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 12 to 18 percent slopes, moderately eroded
Loudonville silt loam, 18 to 25 percent slopes, moderately eroded
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 25 to 35 percent slopes, moderately eroded
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes, moderately eroded
Loudonville-Urban land complex, rolling
Loudonville-Urban land complex, undulating
Luray silt loam
Luray silt loam, gravelly subsoil variant
Luray silty clay loam
Mahoning silt loam, 2 to 6 percent slopes
Mechanicsburg silt loam, 2 to 6 percent slopes
Melvin silt loam, frequently flooded
Mentor silt loam, 0 to 2 percent slopes
Mentor silt loam, 12 to 18 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 6 to 12 percent slopes
Montgomery silty clay loam
Muskingum and Gilpin silt loams, 18 to 25 percent slopes
Muskingum and Gilpin silt loams, 18 to 25 percent slopes, severely eroded
Muskingum and Gilpin silt loams, 25 to 35 percent slopes
Muskingum and Gilpin silt loams, 35 to 50 percent slopes
Muskingum and Gilpin-Urban land complex, steep
Muskingum silt loam, 12 to 18 percent slopes
Muskingum silt loam, 2 to 6 percent slopes
Muskingum silt loam, 6 to 12 percent slopes
Olmsted loam
Orrville silt loam, 0 to 2 percent slopes, occasionally flooded
Orrville silt loam, occasionally flooded
Oshtemo sandy loam, 0 to 2 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 3 to 8 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Plainfield loamy sand, 0 to 6 percent slopes
Plainfield loamy sand, 3 to 8 percent slopes
Plainfield loamy sand, 6 to 12 percent slopes
Rainsboro silt loam, 2 to 6 percent slopes
Rainsboro silt loam, 6 to 12 percent slopes
Ramsey channery sandy loam, 12 to 18 percent slopes
Ramsey channery sandy loam, 18 to 25 percent slopes, moderately eroded
Ramsey channery sandy loam, 25 to 50 percent slopes, moderately eroded
Ramsey channery sandy loam, 6 to 12 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes

Miamian and Hennepin soils, 25 to 50 percent slopes
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Milton silt loam, 2 to 6 percent slopes
Miamian-Russell silt loams, bedrock substratum, 6 to 12 percent slopes, moderately eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Muck
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes, moderately eroded
Ockley silt loam, till substratum, 2 to 6 percent slopes
Patton silty clay loam
Parke silt loam, 2 to 6 percent slopes
Parke silt loam, 6 to 18 percent slopes, moderately eroded
Patton silt loam, silted
Patton silty clay loam
Plattville silt loam, 1 to 6 percent slopes
Princeton fine sandy loam, 2 to 6 percent slopes
Princeton fine sandy loam, 6 to 12 percent slopes, moderately eroded
Ragsdale silty clay loam
Rainsboro silt loam, 0 to 2 percent slopes
Rainsboro silt loam, 2 to 6 percent slopes
Raub silt loam, 2 to 6 percent slopes
Reesville silt loam
Reesville silt loam, 0 to 2 percent slopes
Rodman and Casco gravelly loams, 18 to 25 percent slopes, moderately eroded
Ross loam, 0 to 1 percent slopes, occasionally flooded
Ross loam
Ross loam, 0 to 1 percent slopes, occasionally flooded
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 3 to 8 percent slopes, eroded
Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded
Rossmoyne silt loam, 0 to 2 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded
Ross silt loam
Rossmoyne silty clay loam, 2 to 6 percent slopes, severely eroded
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Russell silt loam, 0 to 2 percent slopes
Russell silt loam, 2 to 6 percent slopes
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Russell-Miamian silt loams, 0 to 2 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Miamian silt loams, 6 to 12 percent slopes, moderately eroded

Weisburg silt loam, 2 to 6 percent slopes, eroded
Williamstown silt loam, 1 to 4 percent slopes
Wirt loam, occasionally flooded
Westland silt loam, 0 to 2 percent slopes
Wynn silt loam, 1 to 6 percent slopes
Wynn silt loam, 6 to 12 percent slopes, eroded
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Wynn-Urban land complex, gently sloping
Wynn-Urban land complex, sloping
Wynn silt loam, 2 to 6 percent slopes
Wynn silt loam, 2 to 6 percent slopes, moderately eroded
Wynn silt loam, 6 to 12 percent slopes, moderately eroded
Wynn silty clay loam, 6 to 12 percent slopes, severely eroded
Wynn silt loam, 12 to 18 percent slopes, eroded
Wynn silty clay loam, 6 to 12 percent slopes, severely eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, moderately eroded
Xenia silt loam, bedrock substratum, 0 to 2 percent slopes
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes, moderately eroded
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes, moderately eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes, eroded

Stringley-Sligo loams, 0 to 2 percent slopes, occasionally flooded
Stringley-Sligo loams, 0 to 2 percent slopes, occasionally flooded
Taggart silt loam, 0 to 2 percent slopes
Treaty silt loam, 0 to 1 percent slopes, overwash
Treaty silty clay loam, 0 to 1 percent slopes
Treaty silty clay loam, 0 to 1 percent slopes
Treaty silt loam, 0 to 1 percent slopes, overwash
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wapahani-Miamian clay loams, 12 to 18 percent slopes, severely eroded
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wea silt loam, 2 to 6 percent slopes
Williamsburg silt loam, 0 to 2 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wapahani-Miamian clay loams, 12 to 18 percent slopes, severely eroded
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 2 to 4 percent slopes
Westland silty clay loam
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, moderately eroded

Stonelick sandy loam
Switzerland silt loam, 3 to 8 percent slopes, eroded
Switzerland silt loam, 8 to 15 percent slopes, eroded
Switzerland silt loam, 6 to 12 percent slopes, severely eroded
Switzerland silt loam, 15 to 25 percent slopes, eroded
Thackery silt loam, 0 to 2 percent slopes
Urban land-Alfic Udarents-Elkinsville complex, 0 to 12 percent slopes
Urban land-Haplic Udarents-Genesee complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Haplic Udarents-Jules complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Haplic Udarents-Stonelick complex, 0 to 2 percent slopes, frequently flooded
Urban land-Haplic Udarents-Wakeland complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Mollic Udarents-Dana complex, 0 to 12 percent slopes
Urban land-Mollic Udarents-Huntington complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Mollic Udarents-Lanier complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Mollic Udarents-Ross complex, 0 to 2 percent slopes, rarely flooded
Uniontown silt loam, 0 to 2 percent slopes
Wakeland silt loam, occasionally flooded
Warsaw loam, 0 to 3 percent slopes
Weisburg silt loam, 2 to 6 percent slopes, eroded
Warsaw loam, 0 to 3 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 6 to 12 percent slopes
Woolper silty clay loam, 6 to 12 percent slopes
Woolper silty clay loam, 12 to 20 percent slopes
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 2 to 4 percent slopes
Wynn silt loam, 2 to 6 percent slopes
Wynn silt loam, 2 to 6 percent slopes, moderately eroded
Wynn silt loam, 6 to 12 percent slopes, moderately eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, moderately eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, eroded
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes, moderately eroded

Miamian silt loam, 6 to 12 percent slopes, eroded
McGary silt loam, 0 to 4 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 6 to 12 percent slopes, eroded
Milton silt loam, 20 to 35 percent slopes, eroded
Montgomery Variant silt loam, frequently flooded
Miamian-Russell silt loams, 2 to 6 percent slopes
Miamian-Russell silt loams, 2 to 6 percent slopes, moderately eroded
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Miamian-Urban land complex, gently sloping
Millsdale silty clay loam
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 12 to 18 percent slopes, moderately eroded
Morrisville silty clay loam, 12 to 18 percent slopes, eroded
Milton clay loam, 6 to 12 percent slopes, severely eroded
Montgomery silty clay loam
Morrisville silty clay loam, 12 to 18 percent slopes, eroded
Negley loam, 15 to 25 percent slopes
Negley loam, 6 to 12 percent slopes
Negley loam, 6 to 12 percent slopes, eroded
Negley loam, 12 to 18 percent slopes
Negley loam, 18 to 25 percent slopes
Negley loam, 25 to 35 percent slopes
Newark silt loam, frequently flooded
Negley silt loam, 2 to 6 percent slopes
Negley loam, 6 to 12 percent slopes
Negley loam, 6 to 12 percent slopes, eroded
Negley loam, 12 to 20 percent slopes, eroded
Negley loam, 20 to 35 percent slopes, eroded
Negley clay loam, 6 to 12 percent slopes, severely eroded
Negley clay loam, 12 to 18 percent slopes, severely eroded
Negley loam, 8 to 15 percent slopes
Negley loam, 15 to 25 percent slopes
Negley loam, 25 to 35 percent slopes
Negley-Fox complex, 18 to 35 percent slopes
Negley silt loam, 2 to 6 percent slopes
Nicely silt loam, 6 to 12 percent slopes, eroded
Newark silt loam, frequently flooded
Nicholson silt loam, 1 to 6 percent slopes

Ravenna-Urban land complex
Remsen silt loam, 0 to 2 percent slopes
Remsen silt loam, 2 to 6 percent slopes
Remsen-Urban land complex
Rittman silt loam, 12 to 18 percent slopes, moderately eroded
Rittman silt loam, 12 to 20 percent slopes, eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, moderately eroded
Rush silt loam, 0 to 3 percent slopes
Sebring silt loam
Sebring silt loam, till substratum
Sebring-Urban land complex
Shoals silt loam
Sloan silt loam
Teegarden silt loam, 6 to 15 percent slopes
Teegarden silt loam, 6 to 15 percent slopes, eroded
Tilsit silt loam, 12 to 18 percent slopes
Tilsit silt loam, 6 to 12 percent slopes
Tioga loam, 0 to 2 percent slopes, occasionally flooded
Tioga silt loam, occasionally flooded
Trumbull silt loam
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wadsworth silt loam, 6 to 12 percent slopes
Wadsworth silt loam, 6 to 12 percent slopes, moderately eroded
Wadsworth silt loam, moderately shallow variant, 2 to 6 percent slopes
Wallkill silt loam
Wallkill silt loam, clayey subsoil variant
Wayland silt loam
Weikert channery silt loam, 12 to 18 percent slopes
Weikert channery silt loam, 18 to 25 percent slopes, moderately eroded
Weikert channery silt loam, 25 to 50 percent slopes, moderately eroded
Weikert channery silt loam, 6 to 12 percent slopes
Weinbach silt loam, 0 to 2 percent slopes
Weinbach silt loam, 2 to 6 percent slopes
Weinbach-Urban land complex
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 6 to 12 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland-Berks complex, 25 to 40 percent slopes
Westmoreland-Coshocton silt loams, 15 to 25 percent slopes
Westmoreland-Coshocton silt loams, 8 to 15 percent slopes
Wheeling loam, 0 to 2 percent slopes
Wheeling loam, 0 to 3 percent slopes

Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes
Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes, moderately eroded
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Sardinia silt loam, 0 to 2 percent slopes
Secondcreek silt loam, 0 to 1 percent slopes, overwash
Secondcreek silty clay loam, 0 to 1 percent slopes
Shoals silt loam
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam
Stringley-Sligo loams, 0 to 2 percent slopes, occasionally flooded
Stonelick sandy loam
Stringley-Sligo loams, 0 to 2 percent slopes, occasionally flooded
Taggart silt loam, 0 to 2 percent slopes
Treaty silt loam, 0 to 1 percent slopes, overwash
Treaty silty clay loam, 0 to 1 percent slopes
Urban land-Haplic Udarents-Genesee complex, 0 to 2 percent slopes, occasionally flooded
Uniontown silt loam, 1 to 6 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw loam, 2 to 6 percent slopes
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wapahani-Miamian clay loams, 12 to 18 percent slopes, severely eroded
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wea silt loam, 0 to 2 percent slopes
Williamsburg silt loam, 0 to 2 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Williamsburg silt loam, 6 to 12 percent slopes, moderately eroded
Westland silty clay loam
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 2 to 4 percent slopes
Williamsburg and Martinsville silt loams, 2 to 6 percent slopes
Williamsburg and Martinsville silt loams, 6 to 12 percent slopes, moderately eroded
Wynn silt loam, 2 to 6 percent slopes
Wynn silt loam, 2 to 6 percent slopes, moderately eroded
Wynn silt loam, 6 to 12 percent slopes, moderately eroded
Wynn silt loam, 6 to 12 percent slopes, severely eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, eroded
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, moderately eroded

Nicholson silt loam, 1 to 6 percent slopes
Nicholson silt loam, 2 to 6 percent slopes
Nicholson silt loam, 2 to 6 percent slopes, moderately eroded
Nicholson silt loam, 6 to 12 percent slopes, moderately eroded
Nolin silt loam, occasionally flooded
Ockley loam, 2 to 6 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 6 to 12 percent slopes, moderately eroded
Ockley silt loam, till substratum, 2 to 6 percent slopes
Ockley-Urban land complex, gently sloping
Opequon silt loam, 15 to 30 percent slopes, eroded
Opequon-Bratton silt loams, 8 to 15 percent slopes, eroded
Opequon silt loam, 6 to 18 percent slopes, moderately eroded
Opequon silt loam, 18 to 25 percent slopes, moderately eroded
Orrville silt loam, frequently flooded
Opequon silty clay loam, 15 to 25 percent slopes, eroded
Opequon silty clay loam, 25 to 40 percent slopes, eroded
Opequon silty clay loam, 40 to 60 percent slopes, very rocky
Opequon silty clay loam, 40 to 60 percent slopes, very rocky
Opequon stony silt loam, 18 to 35 percent slopes, moderately eroded
Opequon stony silt loam, 35 to 50 percent slopes
Otwell silt loam, 2 to 6 percent slopes
Opequon clay, 6 to 18 percent slopes, severely eroded
Orrville silt loam, frequently flooded
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 0 to 3 percent slopes
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 6 to 12 percent slopes, moderately eroded
Otwell silt loam, 12 to 18 percent slopes, moderately eroded
Otwell silt loam, 18 to 25 percent slopes, moderately eroded
Otwell silt loam, 25 to 35 percent slopes
Otwell silt loam, 3 to 8 percent slopes
Opequon clay, 6 to 18 percent slopes, severely eroded
Otwell silt loam, 6 to 15 percent slopes, eroded
Patton silt loam
Patton silt loam, till substratum
Peoga silt loam
Philo silt loam
Rainsboro silt loam, 2 to 6 percent slopes
Rainsboro silt loam, 6 to 12 percent slopes, eroded
Ross silt loam
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Rossmoyne silt loam, 0 to 2 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded

Wheeling loam, 2 to 6 percent slopes
Wheeling loam, 6 to 12 percent slopes, moderately eroded
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 6 to 12 percent slopes
Wheeling silt loam, 6 to 12 percent slopes, moderately eroded
Wheeling soils, 12 to 18 percent slopes, moderately eroded
Willette muck
Wooster silt loam, 12 to 18 percent slopes, moderately eroded
Wooster silt loam, 18 to 25 percent slopes, moderately eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 25 to 50 percent slopes, moderately eroded
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, moderately eroded
Wooster-Riddles silt loams, 2 to 6 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded
Wooster-Urban land complex, steep
Zepernick silt loam, 0 to 2 percent slopes, occasionally flooded

Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded
Rossmoyne silt loam, 12 to 18 percent slopes, moderately eroded
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne-Urban land complex, gently sloping
Russell silt loam, 2 to 6 percent slopes
Sardinia silt loam, 0 to 2 percent slopes
Sardinia silt loam, 2 to 6 percent slopes
Sardinia silt loam, 6 to 12 percent slopes, moderately eroded
Sardinia silt loam, 2 to 6 percent slopes
Secondcreek silty clay loam, 0 to 1 percent slopes
Shelocta-Berks association, steep
Shelocta-Berks association, very steep
Shelocta-Muse-Colyer association, steep
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Shelocta-Cruze-Weikert association, steep
Shoals silt loam
Shelocta silt loam, 15 to 25 percent slopes
Shelocta-Cruze-Weikert association, steep
Shelocta-Berks association, steep
Shelocta-Berks association, very steep
Skidmore gravelly loam, occasionally flooded
Sleeth silt loam, 0 to 2 percent slopes
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Shelocta-Muse association, hilly
Sloan silt loam
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Shelocta-Muse-Colyer association, steep
Skidmore gravelly loam, occasionally flooded
Shoals silt loam
Stonelick loam
Taggart silt loam, 0 to 2 percent slopes
Taggart silt loam, 0 to 2 percent slopes
Taggart silt loam, 0 to 4 percent slopes
Taggart silt loam, 0 to 4 percent slopes
Thackery silt loam, 0 to 2 percent slopes
Thackery silt loam, 2 to 6 percent slopes
Tilsit silt loam, 0 to 3 percent slopes
Trappist silt loam, 8 to 15 percent slopes
Trappist silt loam, 15 to 25 percent slopes
Trappist silt loam, 15 to 25 percent slopes, eroded
Trappist silt loam, 8 to 15 percent slopes
Trappist silt loam, 15 to 25 percent slopes
Trappist silt loam, 15 to 25 percent slopes, eroded
Trappist silt loam, 18 to 25 percent slopes
Trappist-Muse silt loams, 2 to 6 percent slopes

Trappist-Muse silt loams, 6 to 12 percent slopes, moderately eroded
Trappist-Muse silt loams, 12 to 18 percent slopes, moderately eroded
Trappist-Shelocta association, steep
Treaty silty clay loam, 0 to 1 percent slopes
Trappist-Muse silt loams, 6 to 12 percent slopes, moderately eroded
Tuscarawas channery silt loam, 6 to 18 percent slopes
Tuscarawas channery silt loam, 18 to 35 percent slopes
Treaty silt loam, 0 to 1 percent slopes, overwash
Trappist-Shelocta association, steep
Warsaw silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 2 to 6 percent slopes
Wernock silt loam, 8 to 15 percent slopes
Westland clay loam
Wellston silt loam, 6 to 12 percent slopes
Wellston silt loam, 12 to 18 percent slopes
Williamsburg silt loam, 0 to 2 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Wernock silt loam, 8 to 15 percent slopes
Westland silt loam, overwash
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 2 to 4 percent slopes
Westland silty clay loam
Williamsburg silt loam, 0 to 2 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Williamsburg silt loam, 6 to 12 percent slopes
Xenia silt loam, 2 to 6 percent slopes

AoC2
AaC2
AaA
AaD2
AaB
AaB
AbB
AbB
AaB
AaB
AaC2
AbC
AaC
AaC
AaC
AcC
AbC
AaC2
AbC2
AbC2
AnC2
AgC2
AdC2
AgC
AbC
AcB
AbB
AbC2
AuC2
AbA
Ad
Aa
AaA
AdA
Ad
Ae
ApUXA
Ah
Ae
Ag
AdD
AcD
AdD2
AcD2
AdD2
AcD2
AeE

Aaron silty clay loam, 6 to 15 percent slopes, eroded
Aaron silt loam 6 to 15 percent slopes, eroded
Aaron silt loam, 0 to 2 percent slopes
Aaron silt loam, 15 to 25 percent slopes, eroded
Aaron silt loam, 2 to 6 percent slopes
Aaron silt loam, 2 to 6 percent slopes
Aaron silt loam, 2 to 6 percent slopes
Aaron silt loam, 2 to 8 percent slopes
Aaron silt loam, 2 to 8 percent slopes
Aaron silt loam, 2 to 8 percent slopes
Aaron silt loam, 6 to 12 percent slopes, eroded
Aaron silt loam, 6 to 15 percent slopes
Aaron silt loam, 6 to 15 percent slopes
Aaron silt loam, 8 to 15 percent slopes
Aaron silt loam, 8 to 15 percent slopes
Aaron silt loam, 8 to 15 percent slopes
Aaron silt loam, 8 to 15 percent slopes
Aaron silt loam, 8 to 15 percent slopes, eroded
Aaron silt loam, 8 to 15 percent slopes, eroded
Aaron silty clay loam, 6 to 15 percent slopes, eroded
Aaron silty clay loam, 6 to 15 percent slopes, eroded
Aaron-Gilpin complex, 6 to 12 percent slopes, eroded
Aaron-Gilpin complex, 6 to 12 percent slopes, eroded
Aaron-Gilpin complex, 8 to 15 percent slopes
Aaron-Gilpin complex, 8 to 15 percent slopes
Aaron-Upshur complex, 2 to 6 percent slopes
Aaron-Upshur complex, 2 to 8 percent slopes
Aaron-Upshur complex, 8 to 15 percent slopes, eroded
Aaron-Upshur complex, 8 to 15 percent slopes, eroded
Abscota sand, calcareous variant
Adrian muck
Adrian muck
Adrian muck, 0 to 1 percent slopes
Adrian muck, 0 to 1 percent slopes
Adrian muck, drained
Adrian muck, undrained
Aeric Epiaquents-Urban land complex, till substratum, 0 to 3 percent slopes
Aetna silt loam, fan, occasionally flooded
Aetna silt loam, occasionally flooded
Aetna silt loam, occasionally flooded
Alexandria silt loam, 12 to 18 percent slopes
Alexandria silt loam, 12 to 18 percent slopes
Alexandria silt loam, 12 to 18 percent slopes, eroded
Alexandria silt loam, 12 to 18 percent slopes, moderately eroded
Alexandria silt loam, 12 to 18 percent slopes, moderately eroded
Alexandria silt loam, 12 to 20 percent slopes, eroded
Alexandria silt loam, 18 to 25 percent slopes

4
4
3
3
3
4
4
3
3
4
4
4
4
4
3
4
4
4
3
3
4
4
4
4
4
4
4
4
4
3
4
4
4
4
5
2
2
2
2
2
2
2
4
5
5
5
5
5
5
5
5
5
5

AdE
AdE2
AdE2
AbE
AdE
AdF
AcB
AdB
AdB2
AdE2
AcE2
AdF
AeF
AgF
AcF
AdF
AdC
AdC2
AcC2
AcC2
AdC2
AdD2
AeD2
AeD3
AeE2
AcUXC
AcUXD
AcUXF
AfUXC
AoUXC
AwUXC
AyUXC
AyUXD
AyUXF
AtUXB
AfA
AfB
AfD
AfD
AfB
AfB
AcB
AfC
AfC2
AfC2
AfC
AgC2

Alexandria silt loam, 18 to 25 percent slopes
Alexandria silt loam, 18 to 25 percent slopes, eroded
Alexandria silt loam, 18 to 25 percent slopes, moderately eroded
Alexandria silt loam, 18 to 35 percent slopes
Alexandria silt loam, 18 to 35 percent slopes
Alexandria silt loam, 18 to 50 percent slopes
Alexandria silt loam, 2 to 6 percent slopes
Alexandria silt loam, 2 to 6 percent slopes
Alexandria silt loam, 2 to 6 percent slopes, eroded
Alexandria silt loam, 20 to 35 percent slopes, eroded
Alexandria silt loam, 20 to 35 percent slopes, eroded
Alexandria silt loam, 25 to 40 percent slopes
Alexandria silt loam, 25 to 50 percent slopes
Alexandria silt loam, 25 to 50 percent slopes
Alexandria silt loam, 25 to 50 percent slopes
Alexandria silt loam, 25 to 50 percent slopes
Alexandria silt loam, 6 to 12 percent slopes
Alexandria silt loam, 6 to 12 percent slopes, eroded
Alexandria silt loam, 6 to 12 percent slopes, eroded
Alexandria silt loam, 6 to 12 percent slopes, moderately eroded
Alexandria silt loam, 6 to 12 percent slopes, moderately eroded
Alexandria silty clay loam, 12 to 18 percent slopes, eroded
Alexandria silty clay loam, 12 to 18 percent slopes, eroded
Alexandria silty clay loam, 12 to 18 percent slopes, severely eroded
Alexandria-Fox complex, 20 to 35 percent slopes, eroded
Alfic Udarents-Urban land complex, clayey substratum over bedrock, 0 to 12 percent slopes
Alfic Udarents-Urban land complex, clayey substratum over bedrock, 12 to 25 percent slopes
Alfic Udarents-Urban land complex, clayey substratum over bedrock, 25 to 60 percent slopes
Alfic Udarents-Urban land complex, fragipan substratum over till, 0 to 12 percent slopes
Alfic Udarents-Urban land complex, loamy substratum over bedrock, 0 to 12 percent slopes
Alfic Udarents-Urban land complex, loamy substratum over outwash, 0 to 12 percent slopes
Alfic Udarents-Urban land complex, loamy substratum over till, 0 to 12 percent slopes
Alfic Udarents-Urban land complex, loamy substratum over till, 12 to 25 percent slopes
Alfic Udarents-Urban land complex, loamy substratum over till, 25 to 60 percent slopes
Alfic Udarents-Urban land complex, till substratum, 1 to 8 percent slopes
Alford silt loam, 0 to 2 percent slopes
Alford silt loam, 1 to 8 percent slopes
Alford silt loam, 10 to 25 percent slopes
Alford silt loam, 15 to 25 percent slopes
Alford silt loam, 2 to 6 percent slopes
Alford silt loam, 2 to 8 percent slopes
Alford silt loam, 2 to 8 percent slopes
Alford silt loam, 6 to 12 percent slopes
Alford silt loam, 6 to 12 percent slopes, eroded
Alford silt loam, 6 to 15 percent slopes, eroded
Alford silt loam, 8 to 15 percent slopes
Alford silt loam, 8 to 15 percent slopes, eroded

[illegible]

AfC2
AcC2
AfB
AhB
Ag
Ag
Ah
Af
AeA
Ak
Ag
Ag
AID
AkD
AgB
AkB
AgC
AgC
AkC
AID
AIG
AIB
AIC
AgD
AeC
AkA
AkA
As
AIA
At
AmA
AID
AkA
AgA
AmA
AmA
AmD2
AfD2
AmE
AmF
AmD2
AdD2
AmD2
AmE
AdE2
AdF2
AmB

Alford silt loam, 8 to 15 percent slopes, eroded
Alford silt loam, 8 to 15 percent slopes, eroded
Alford silt loam, till substratum, 1 to 4 percent slopes
Alford-Urban land complex, 2 to 6 percent slopes
Algansee fine sand, occasionally flooded
Algiers silt loam
Algiers silt loam
Algiers silt loam
Algiers silt loam, 0 to 2 percent slopes
Algiers silt loam, frequently flooded
Algiers silt loam, frequently flooded
Algiers silt loam, occasionally flooded
Allegheny loam, 12 to 20 percent slopes
Allegheny loam, 15 to 25 percent slopes
Allegheny loam, 2 to 6 percent slopes
Allegheny loam, 3 to 8 percent slopes
Allegheny loam, 6 to 12 percent slopes
Allegheny loam, 8 to 15 percent slopes
Allegheny loam, 8 to 15 percent slopes
Allegheny silt loam, 12 to 18 percent slopes
Allegheny silt loam, 18 to 50 percent slopes
Allegheny silt loam, 2 to 6 percent slopes
Allegheny silt loam, 6 to 12 percent slopes
Allegheny Variant loam, 15 to 25 percent slopes
Allegheny variant loam, 8 to 15 percent slopes
Allis clay loam, 0 to 2 percent slopes
Allis loam, 0 to 2 percent slopes
Allis silt loam
Allis silty clay loam, 0 to 2 percent slopes
Allis-Urban land complex
Allis-Urban land complex, nearly level
Alluvial land, steep, (wheeling, 25 to 30 percent slopes, rarely flooded)
Alvada loam, 0 to 1 percent slopes
Alvada loam, 0 to 1 percent slopes
Alvada silty clay loam, 0 to 1 percent slopes
Alvada-Urban land complex, 0 to 2 percent slopes
Amanda loam, 12 to 18 percent slopes, eroded
Amanda loam, 12 to 18 percent slopes, eroded
Amanda loam, 18 to 25 percent slopes
Amanda loam, 35 to 70 percent slopes
Amanda silt loam, 12 to 18 percent slopes, eroded
Amanda silt loam, 12 to 18 percent slopes, eroded
Amanda silt loam, 12 to 20 percent slopes, eroded
Amanda silt loam, 18 to 25 percent slopes
Amanda silt loam, 18 to 25 percent slopes, eroded
Amanda silt loam, 18 to 40 percent slopes, eroded
Amanda silt loam, 2 to 6 percent slopes

5
5
5
5
5
5
5
5
5
5
5
4
5
5
5
5
5
5
5
5
5
5
5
5
5
3
3
3
3
3
3
3
4
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5

AdB
AmB2
AmE2
AmF
AmC2
AdC2
AoD3
AoC3
AvD2
AvC2
AnG
AgG
ApD2
ApB2
ApC2
ArD2
Arc2
AwD2
AwB
AwC2
AqUXA
ArB
ArC
ArB
ArD
ArC
ApB
ArB
AsA
AsA
AsA
AsB
AsB
As
AsB
AtB
AsB2
AtB2
AsC2
AtC2
AtC3
AtC2
AmA
AsA
ArA
AnA
AtA

Amanda silt loam, 2 to 6 percent slopes
Amanda silt loam, 2 to 6 percent slopes, eroded
Amanda silt loam, 20 to 35 percent slopes, eroded
Amanda silt loam, 25 to 50 percent slopes
Amanda silt loam, 6 to 12 percent slopes, eroded
Amanda silt loam, 6 to 12 percent slopes, eroded
Amanda silty clay loam, 12 to 20 percent slopes, severely eroded
Amanda silty clay loam, 6 to 12 percent slopes, severely eroded
Amanda variant silt loam, 12 to 18 percent slopes, eroded
Amanda variant silt loam, 6 to 12 percent slopes, eroded
Amanda-Dekalb-Rock outcrop association, 40 to 70 percent slopes
Amanda-Dekalb-Rock outcrop association, 40 to 70 percent slopes
Amanda-Loudonville complex, 12 to 20 percent slopes, eroded
Amanda-Loudonville complex, 2 to 6 percent slopes, eroded
Amanda-Loudonville complex, 6 to 12 percent slopes, eroded
Amanda-Ockley complex, 12 to 20 percent slopes, eroded
Amanda-Ockley complex, 6 to 12 percent slopes, eroded
Amanda-Wooster complex, 12 to 18 percent slopes, eroded
Amanda-Wooster complex, 2 to 6 percent slopes
Amanda-Wooster complex, 6 to 12 percent slopes, eroded
Aquents, clayey-Urban land complex, 0 to 3 percent slopes
Arkport fine sand, 2 to 6 percent slopes
Arkport fine sand, 6 to 12 percent slopes
Arkport fine sandy loam, 0 to 6 percent slopes
Arkport fine sandy loam, 12 to 18 percent slopes
Arkport fine sandy loam, 6 to 12 percent slopes
Arkport loamy fine sand, 2 to 6 percent slopes
Arkport loamy fine sand, 2 to 6 percent slopes
Ashton silt loam, 0 to 2 percent slopes
Ashton silt loam, 0 to 2 percent slopes (occasionally flooded)
Ashton silt loam, 0 to 3 percent slopes
Ashton silt loam, 2 to 6 percent slopes
Ashton silt loam, 2 to 6 percent slopes (occasionally flooded)
Ashton silt loam, occasionally flooded
Atlas silt loam, 2 to 6 percent slopes
Atlas silt loam, 2 to 6 percent slopes
Atlas silt loam, 2 to 6 percent slopes, moderately eroded
Atlas silt loam, 2 to 6 percent slopes, moderately eroded
Atlas silt loam, 6 to 12 percent slopes, moderately eroded
Atlas silt loam, 6 to 12 percent slopes, moderately eroded
Atlas silt loam, 6 to 12 percent slopes, severely eroded
Atlas silty clay loam, 6 to 12 percent slopes, eroded
Aurand fine sandy loam, 0 to 2 percent slopes
Aurand fine sandy loam, 0 to 2 percent slopes
Aurand loam, 0 to 2 percent slopes
Aurand loam, 0 to 2 percent slopes
Aurand loam, 0 to 2 percent slopes

[illegible]

AsA
AuA
AxA
AsA
ArA
ArB2
ArC2
Av
AwA
AxA
BaB
BaF
BaF
BcB
BcD
BaD
BaB
BaF
BaD
BaD
BcB
BbD
BcD
BaF
BaA
BeD2
BeC2
Bb
Be
BeA
BmA
BfB
BeD
BdB
BeB
BaB
BmB
BeC
BmC
BeB
BeB
BIB
BIB
BfF2
BeD
BeE
BeF

Aurand loam, 0 to 2 percent slopes
Aurand loam, 0 to 3 percent slopes
Aurand silt loam, 0 to 3 percent slopes
Aurand-Urban land complex, 0 to 2 percent slopes
Ava silt loam, 0 to 3 percent slopes
Ava silt loam, 3 to 8 percent slopes, eroded
Ava silt loam, 8 to 15 percent slopes, eroded
Avonburg silt loam (0 to 4 percent slopes)
Avonburg-Urban land complex, nearly level
Avonburg-Urban land complex, nearly level
Barkcamp channery sandy loam, 0 to 8 percent slopes, very stony
Barkcamp channery sandy loam, 20 to 70 percent slopes
Barkcamp channery sandy loam, 25 to 70 percent slopes, very stony
Barkcamp clay loam, 0 to 8 percent slopes
Barkcamp clay loam, 8 to 25 percent slopes
Barkcamp gravelly loamy sand, 8 to 25 percent slopes
Barkcamp gravelly sandy loam, 0 to 8 percent slopes
Barkcamp gravelly sandy loam, 40 to 70 percent slopes
Barkcamp gravelly sandy loam, 8 to 40 percent slopes
Barkcamp loam, 8 to 25 percent slopes
Barkcamp very flaggy sandy loam, 0 to 8 percent slopes, very stony
Barkcamp very flaggy sandy loam, 8 to 40 percent slopes, very stony
Barkcamp very flaggy sandy loam, 8 to 40 percent slopes, very stony
Barkcamp very stony sandy loam, 40 to 70 percent slopes
Bartle silt loam, 0 to 3 percent slopes
Beasley silt loam, 12 to 18 percent slopes, moderately eroded
Beasley silt loam, 6 to 12 percent slopes, moderately eroded
Beaucoup silty clay loam, occasionally flooded
Belleville loamy sand
Belmore loam, 0 to 2 percent slopes
Belmore loam, 0 to 2 percent slopes
Belmore loam, 1 to 4 percent slopes
Belmore loam, 12 to 18 percent slopes
Belmore loam, 2 to 6 percent slopes
Belmore loam, 2 to 6 percent slopes
Belmore loam, 2 to 6 percent slopes
Belmore loam, 2 to 6 percent slopes
Belmore loam, 6 to 12 percent slopes
Belmore loam, 6 to 12 percent slopes
Belmore loam, till substratum, 2 to 6 percent slopes
Belmore sandy loam, 1 to 4 percent slopes
Belmore sandy loam, 1 to 6 percent slopes
Belmore sandy loam, 2 to 6 percent slopes
Belmore-Morley complex, 18 to 50 percent slopes, eroded
Belpre clay, 12 to 18 percent slopes
Belpre clay, 18 to 25 percent slopes
Belpre clay, 25 to 35 percent slopes

4
4
4
4
4
4
4
4
4
4
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
4
4
4
5
4
5
5
5
5
5
5
5
5
5
5
5
5
5
4
5
5
5
5
5
5
5
5

BeC
BeA
BgA
BnA
BcA
BeA
BfA
BeA
BgA
BeB
BgB
BeB
BnB
BcB
BgB2
BgB2
BnB2
BpB
BkB
BoA
BfA
BhB
BgD
BrD
BeD
BfD
BsD
BeD
BcD
BkD
BfD
BeD2
BsB
BgB
BrB
BeB
BeE
BkE
BcE
BeE
BfE
BbE
BeF
BdF
BcF
BeF
BkF

Belpre clay, 6 to 12 percent slopes
Bennington loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 2 percent slopes
Bennington silt loam, 0 to 3 percent slopes
Bennington silt loam, 0 to 3 percent slopes
Bennington silt loam, 2 to 4 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes
Bennington silt loam, 2 to 6 percent slopes, eroded
Bennington silt loam, 2 to 6 percent slopes, moderately eroded
Bennington silt loam, 2 to 6 percent slopes, moderately eroded
Bennington-Fitchville silt loams, 2 to 6 percent slopes
Bennington-Fitchville silt loams, 2 to 6 percent slopes
Bennington-Tiro silt loams, 0 to 2 percent slopes
Bennington-Urban land complex, 0 to 3 percent slopes
Bennington-Urban land complex, undulating
Berks channery silt loam, 12 to 18 percent slopes
Berks channery silt loam, 12 to 18 percent slopes
Berks channery silt loam, 12 to 20 percent slopes
Berks channery silt loam, 12 to 20 percent slopes
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 15 to 25 percent slopes
Berks channery silt loam, 15 to 25 percent slopes, eroded
Berks channery silt loam, 2 to 6 percent slopes
Berks channery silt loam, 2 to 6 percent slopes
Berks channery silt loam, 2 to 6 percent slopes
Berks channery silt loam, 2 to 8 percent slopes
Berks channery silt loam, 20 to 35 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 25 to 40 percent slopes
Berks channery silt loam, 25 to 70 percent slopes
Berks channery silt loam, 35 to 70 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Berks channery silt loam, 40 to 70 percent slopes

[illegible]

BfF
BrF
BrC
BsC
BeC
BkC
BrC
BcC
BeC
BfC
BkD
BkE
BkE
BkB
BkF
BfF
BkF
BkC
BeD
BrD
BkD
BkD
BrE
BeE
BkE
BeF
BeF
BrF
BkF
BeB
BfC
BmC
BmD
BnD
BmE
BnE
BmC
BnC
BgF
BgG
BhF
BhG
BhD
BvG
BeG
BsG
BsF

Berks channery silt loam, 40 to 70 percent slopes
Berks channery silt loam, 40 to 70 percent slopes
Berks channery silt loam, 6 to 12 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks channery silt loam, 6 to 15 percent slopes
Berks channery silt loam, 8 to 15 percent slopes
Berks channery silt loam, 8 to 15 percent slopes
Berks channery silt loam, 8 to 15 percent slopes
Berks shaly silt loam, 15 to 25 percent slopes
Berks shaly silt loam, 25 to 35 percent slopes
Berks shaly silt loam, 25 to 40 percent slopes
Berks shaly silt loam, 3 to 8 percent slopes
Berks shaly silt loam, 35 to 70 percent slopes
Berks shaly silt loam, 40 to 70 percent slopes
Berks shaly silt loam, 40 to 70 percent slopes
Berks shaly silt loam, 8 to 15 percent slopes
Berks silt loam, 12 to 18 percent slopes
Berks silt loam, 12 to 18 percent slopes
Berks silt loam, 15 to 25 percent slopes
Berks silt loam, 15 to 25 percent slopes, very stony
Berks silt loam, 18 to 25 percent slopes
Berks silt loam, 18 to 25 percent slopes
Berks silt loam, 25 to 35 percent slopes, very stony
Berks silt loam, 25 to 50 percent slopes
Berks silt loam, 25 to 70 percent slopes
Berks silt loam, 25 to 70 percent slopes
Berks silt loam, 25 to 70 percent slopes, very stony
Berks silt loam, 3 to 8 percent slopes
Berks-Aaron complex, 6 to 15 percent slopes
Berks-Aaron complex, 6 to 15 percent slopes
Berks-Guernsey complex, 15 to 25 percent slopes
Berks-Guernsey complex, 15 to 25 percent slopes
Berks-Guernsey complex, 25 to 40 percent slopes
Berks-Guernsey complex, 25 to 40 percent slopes
Berks-Guernsey complex, 8 to 15 percent slopes
Berks-Guernsey complex, 8 to 15 percent slopes
Berks-Muskingum channery silt loams, 18 to 35 percent slopes
Berks-Muskingum channery silt loams, 35 to 50 percent slopes
Berks-Muskingum-Neotoma channery silt loams, 18 to 35 percent slopes
Berks-Muskingum-Neotoma channery silt loams, 35 to 50 percent slopes
Berks-Muskingum-Neotoma channery silt loams, 6 to 18 percent slopes
Berks-Rock outcrop complex, 30 to 60 percent slopes
Berks-Rock outcrop complex, 30 to 60 percent slopes
Berks-Rock outcrop complex, 30 to 60 percent slopes
Berks-Rock outcrop complex, steep

[illegible]

BgC
BnC
BcF
BmD
BmB
BmC
BeF
BfF
BkF
BcF
BhF
BkD
BkE
BkF
BnB
BnD
BkE
BmE
BmF
BfF
BnF
BkF
BhF
BmF
BhC
BnC
BkD
BmC
BfD
BhD
BmB
BhB
BtB
BkB
BtE
BkF
BmF
BIF
BfF
BmF
BhF
BfF
BtF
BkF
BtC
BkD
BID

Berks-Tarhollow complex, 6 to 15 percent slopes
Berks-Tarhollow complex, 6 to 15 percent slopes
Berks-Upshur association, very steep
Berks-Urban land complex, 15 to 25 percent slopes
Berks-Urban land complex, 2 to 6 percent slopes
Berks-Urban land complex, 6 to 15 percent slopes
Berks-Westmoreland complex, 35 to 70 percent slopes
Berks-Westmoreland complex, 40 to 70 percent slopes
Berks-Westmoreland complex, 40 to 70 percent slopes
Berks-Westmoreland complex, 40 to 70 percent slopes
Berks-Westmoreland complex, 40 to 70 percent slopes
Berks-Westmoreland silt loams, 15 to 25 percent slopes
Berks-Westmoreland silt loams, 25 to 40 percent slopes
Berks-Westmoreland silt loams, 40 to 70 percent slopes
Bethesda channery clay loam, 0 to 8 percent slopes
Bethesda channery clay loam, 15 to 25 percent slopes
Bethesda channery clay loam, 20 to 40 percent slopes
Bethesda channery clay loam, 20 to 40 percent slopes
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery clay loam, 25 to 70 percent slopes
Bethesda channery clay loam, 40 to 70 percent slopes
Bethesda channery clay loam, 40 to 70 percent slopes
Bethesda channery clay loam, 8 to 15 percent slopes
Bethesda channery clay loam, 8 to 15 percent slopes
Bethesda channery clay loam, 8 to 20 percent slopes
Bethesda channery clay loam, 8 to 20 percent slopes
Bethesda channery clay loam, 8 to 25 percent slopes
Bethesda channery clay loam, 8 to 25 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 0 to 8 percent slopes
Bethesda channery loam, 20 to 40 percent slopes
Bethesda channery loam, 20 to 70 percent slopes
Bethesda channery loam, 20 to 70 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda channery loam, 25 to 70 percent slopes
Bethesda channery loam, 40 to 70 percent slopes
Bethesda channery loam, 40 to 70 percent slopes
Bethesda channery loam, 40 to 70 percent slopes
Bethesda channery loam, 8 to 20 percent slopes
Bethesda channery loam, 8 to 20 percent slopes
Bethesda channery loam, 8 to 25 percent slopes

[illegible]

BhD
BpB
BnF
BpF
BsF
BdF
BpD
BdD
BkD
BgB
BgE
BfE
BpD
BgD
BpF
BgB
BgE
BgD
BhB
BhE
BhD
BoB
BoD
BhB
BhE
BoE
BoF
BhD
BoD
BeB
BhB
BhD
BnD
BeD
BhB
BuB
BnD
BbE
BhE
BuE
BhC
BuC
BnB
BnF
BpF
BpC

Bethesda channery loam, 8 to 25 percent slopes
Bethesda channery silty clay loam, 0 to 8 percent slopes
Bethesda channery silty clay loam, 25 to 70 percent slopes
Bethesda channery silty clay loam, 25 to 70 percent slopes
Bethesda channery silty clay loam, 25 to 70 percent slopes
Bethesda channery silty clay loam, 25 to 70 percent slopes
Bethesda channery silty clay loam, 8 to 25 percent slopes
Bethesda channery silty clay loam, 8 to 25 percent slopes
Bethesda channery silty clay loam, 8 to 25 percent slopes
Bethesda clay loam, 0 to 8 percent slopes
Bethesda clay loam, 25 to 40 percent slopes
Bethesda clay loam, 25 to 40 percent slopes
Bethesda clay loam, 8 to 25 percent slopes
Bethesda clay loam, 8 to 25 percent slopes
Bethesda flaggy silt loam, 25 to 70 percent slopes
Bethesda loam, 0 to 8 percent slopes
Bethesda loam, 25 to 40 percent slopes
Bethesda loam, 8 to 25 percent slopes
Bethesda shaly clay loam, 0 to 8 percent slopes
Bethesda shaly clay loam, 25 to 40 percent slopes
Bethesda shaly clay loam, 8 to 25 percent slopes
Bethesda shaly silt loam, 1 to 15 percent slopes
Bethesda shaly silt loam, 15 to 25 percent slopes
Bethesda shaly silty clay loam, 0 to 8 percent slopes
Bethesda shaly silty clay loam, 25 to 40 percent slopes
Bethesda shaly silty clay loam, 25 to 40 percent slopes
Bethesda shaly silty clay loam, 40 to 70 percent slopes
Bethesda shaly silty clay loam, 8 to 25 percent slopes
Bethesda shaly silty clay loam, 8 to 25 percent slopes
Bethesda silt loam, 0 to 8 percent slopes
Bethesda silt loam, 0 to 8 percent slopes
Bethesda silt loam, 8 to 20 percent slopes
Bethesda silt loam, 8 to 25 percent slopes
Bethesda silt loam, 8 to 25 percent slopes
Bethesda silty clay loam, 0 to 8 percent slopes
Bethesda silty clay loam, 0 to 8 percent slopes
Bethesda silty clay loam, 15 to 25 percent slopes
Bethesda silty clay loam, 20 to 40 percent slopes
Bethesda silty clay loam, 20 to 40 percent slopes
Bethesda silty clay loam, 20 to 40 percent slopes
Bethesda silty clay loam, 8 to 20 percent slopes
Bethesda silty clay loam, 8 to 20 percent slopes
Bethesda very channery clay loam, 0 to 8 percent slopes
Bethesda very channery clay loam, 20 to 70 percent slopes
Bethesda very channery clay loam, 20 to 70 percent slopes
Bethesda very channery clay loam, 25 to 70 percent slopes
Bethesda very channery clay loam, 3 to 15 percent slopes

[illegible]

BnC
BpC
BpF
BhF
BhD
BoB
BoF
BgA
BkB
BgB
BhA
BbB
BcB
BhB
BkA
BhA
BxA
BcA
BkB
BxB
BkA
ByA
BmC
BdC
BkA
BkB
BkC
Bk
Bln3A
BnA
BkA
BnA
BmA
BnB
BkB
BnB2
BoA
BoB
BoA
BIA
BnA
BpB
BoB
BkB
BnB
BoB
BIB

Bethesda very channery clay loam, 8 to 20 percent slopes
Bethesda very channery clay loam, 8 to 20 percent slopes
Bethesda very channery silt loam, 25 to 70 percent slopes
Bethesda very cobbly silty clay loam, 40 to 70 percent slopes
Bethesda very shaly clay loam, 8 to 25 percent slopes
Bethesda very shaly silty clay loam, 0 to 8 percent slopes
Bethesda very shaly silty clay loam, 25 to 70 percent slopes
Biglick-Milton complex, 0 to 2 percent slopes
Biglick-Milton complex, 2 to 6 percent slopes
Biglick-Milton complex, 2 to 6 percent slopes
Birkbeck silt loam, 0 to 2 percent slopes
Birkbeck silt loam, 1 to 4 percent slopes
Birkbeck silt loam, 2 to 6 percent slopes
Birkbeck silt loam, 2 to 6 percent slopes
Bixler loamy fine sand, 0 to 2 percent slopes
Bixler loamy fine sand, 0 to 2 percent slopes
Bixler loamy fine sand, 0 to 2 percent slopes
Bixler loamy fine sand, 0 to 3 percent slopes
Bixler loamy fine sand, 2 to 6 percent slopes
Bixler loamy fine sand, 2 to 6 percent slopes
Bixler loamy sand, clayey substratum, 0 to 2 percent slopes
Bixler-Urban land complex, 0 to 3 percent slopes
Blairton-Rarden-Gilpin association, rolling
Blairton-Rarden-Gilpin association, rolling
Blakeslee silt loam, 0 to 2 percent slopes
Blakeslee silt loam, 2 to 6 percent slopes
Blakeslee silt loam, 6 to 12 percent slopes
Blanchester silt loam
Blanchester silty clay loam, 0 to 1 percent slopes
Blount loam, 0 to 2 percent slopes
Blount loam, 0 to 2 percent slopes
Blount loam, 0 to 3 percent slopes
Blount loam, 0 to 3 percent slopes
Blount loam, 2 to 6 percent slopes
Blount loam, 2 to 6 percent slopes
Blount loam, 2 to 6 percent slopes, moderately eroded
Blount loam, loamy substratum, 0 to 2 percent slopes
Blount loam, loamy substratum, 2 to 6 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 0 to 2 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 4 percent slopes
Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 2 to 6 percent slopes

5
5
5
5
5
5
5
5
1
1
1
5
5
5
5
5
5
5
5
5
5
3
3
4
4
4
4
5
5
4
4
4
4
4
4
4
4
4
4
4
4
4

BnB
BoB2
BlB2
Blg1A1
Blg1B1
BpA
BrB
BrA
BpA
BpA
BrA
BvA
BoB
BsA
BuA
BtA
BoB
BuB
BgB
BtB
BtA
BgA
BgB
BtB
BaB
BgC
BsC2
BtB
BtC2
BsA
BtA
BgA
BoA
BvA
BtB
BgB
BoB
BuB
BvB
BtC
BoC
BtA
BtB
BhB
BhB
Bu
BhB

Blount silt loam, 2 to 6 percent slopes
Blount silt loam, 2 to 6 percent slopes, moderately eroded
Blount silt loam, 2 to 6 percent slopes, moderately eroded
Blount silt loam, ground moraine, 0 to 2 percent slopes
Blount silt loam, ground moraine, 2 to 4 percent slopes
Blount silt loam, limestone substratum, 0 to 3 percent slopes
Blount-Del Rey silt loams, 1 to 6 percent slopes
Blount-Houcktown complex, 0 to 3 percent slopes
Blount-Houcktown complex, 0 to 3 percent slopes
Blount-Jenera complex, 0 to 3 percent slopes
Blount-Jenera complex, 0 to 3 percent slopes
Blount-Jenera complex, 0 to 3 percent slopes
Blount-Rimer complex, 2 to 6 percent slopes
Blount-Urban land complex, 0 to 2 percent slopes
Blount-Urban land complex, 0 to 2 percent slopes
Bogart gravelly loam, 0 to 2 percent slopes
Bogart gravelly loam, 2 to 6 percent slopes
Bogart gravelly loam, 2 to 6 percent slopes
Bogart gravelly loam, 2 to 6 percent slopes
Bogart gravelly loam, 2 to 6 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 0 to 2 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart loam, 2 to 6 percent slopes
Bogart loam, 6 to 12 percent slopes
Bogart loam, 6 to 12 percent slopes, eroded
Bogart loam, till substratum, 2 to 6 percent slopes
Bogart loam, till substratum, 6 to 12 percent slopes, moderately eroded
Bogart sandy loam, 0 to 2 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 0 to 2 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart silt loam, 2 to 6 percent slopes
Bogart silt loam, 6 to 12 percent slopes
Bogart silt loam, 6 to 12 percent slopes
Bogart variant loam, 0 to 3 percent slopes
Bogart variant loam, 3 to 8 percent slopes
Bogart-Haskins complex, 2 to 6 percent slopes
Bogart-Haskins loams, 2 to 6 percent slopes
Bogart-Urban land complex
Bogart-Urban land complex, undulating

[illegible]

BeD2
BeD3
BoD
BoD2
BaD2
BeE
BoE
BoE
BaE
BoF
BoF
BeC2
BrD3
BbD3
Bo
Bp
Bo
Bt
Br
Bw
Bs
Bp
Bp
Bo
BmD2
BmD3
BmE2
BmC2
BmC3
BnB
BnB2
BoB
BoC
BsD
BrA
BrB
BsB
BsC
BrC
BcB2
ByA
BrD
BrC
BpD2
BpB
BpB2
BnB

Bonnell silt loam, 12 to 18 percent slopes, eroded
Bonnell silt loam, 12 to 18 percent slopes, severely eroded
Bonnell silt loam, 15 to 25 percent slopes
Bonnell silt loam, 15 to 25 percent slopes, eroded
Bonnell silt loam, 15 to 25 percent slopes, eroded
Bonnell silt loam, 18 to 35 percent slopes
Bonnell silt loam, 25 to 35 percent slopes
Bonnell silt loam, 25 to 40 percent slopes
Bonnell silt loam, 25 to 40 percent slopes
Bonnell silt loam, 35 to 60 percent slopes
Bonnell silt loam, 40 to 60 percent slopes
Bonnell silt loam, 6 to 12 percent slopes, eroded
Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded
Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded
Bonnie silt loam, frequently flooded
Bonnie silt loam, ponded
Bono silty clay
Bono silty clay
Bono silty clay
Bono silty clay loam
Bono silty clay loam
Bono silty clay loam
Bono silty clay, loamy substratum
Boonesboro silt loam, frequently flooded
Boston-Bratton complex, 12 to 18 percent slopes, moderately eroded
Boston-Bratton complex, 12 to 18 percent slopes, severely eroded
Boston-Bratton complex, 18 to 25 percent slopes, moderately eroded
Boston-Bratton complex, 6 to 12 percent slopes, moderately eroded
Boston-Bratton complex, 6 to 12 percent slopes, severely eroded
Boston-Grayford silt loams, 2 to 6 percent slopes
Boston-Grayford silt loams, 2 to 6 percent slopes, moderately eroded
Boston-Urban land complex, gently sloping
Boston-Urban land complex, sloping
Boyer gravelly loamy sand, 12 to 18 percent slopes
Boyer loam, 0 to 4 percent slopes
Boyer loamy sand, 1 to 6 percent slopes
Boyer loamy sand, 1 to 6 percent slopes
Boyer loamy sand, 6 to 12 percent slopes
Boyer loamy sand, 6 to 12 percent slopes
Braceville gravelly loam, 3 to 8 percent slopes, moderately eroded
Brady sandy loam, 0 to 3 percent slopes
Brashear silty clay loam, 12 to 20 percent slopes
Brashear silty clay loam, 6 to 12 percent slopes
Bratton silt loam, 12 to 18 percent slopes, moderately eroded
Bratton silt loam, 2 to 6 percent slopes
Bratton silt loam, 2 to 6 percent slopes, moderately eroded
Bratton silt loam, 2 to 8 percent slopes

5
4
5
5
5
5
5
5
5
5
5
4
4
5
5
5
5
5
5
5
5
5
5
3
3
1
3
3
2
3
3
3
3
3
4
4
4
4
4
4
3
5
3
3
2
2
2
2

BvB
BrB2
BzB2
BpC2
BrD3
BtC2
BrC2
BwC2
BrF
BrF
BvF
BvG
BrF
Bt
BrB
BtB
BwD2
BwE2
BwE2
BwC2
BtF
BrD
BsD
BsD2
BrE
BrC
BsC2
BsD
BrD
BsD
BkD
BtE
BrE
BsE
BsE
BrE
BsE
BkE
BsC
BsC
BrC2
BsC2
BtD
BtD2
BtE2
BtE
BtC

Bratton silt loam, 2 to 8 percent slopes
Bratton silt loam, 3 to 8 percent slopes, eroded
Bratton silt loam, 3 to 8 percent slopes, eroded
Bratton silt loam, 6 to 12 percent slopes, moderately eroded
Bratton silty clay loam, 12 to 18 percent slopes, severely eroded
Bratton-Opequon complex, 8 to 15 percent slopes, eroded
Bratton-Opequon complex, 8 to 15 percent slopes, eroded
Bratton-Opequon complex, 8 to 15 percent slopes, eroded
Brecksville silt loam, 25 to 50 percent slopes
Brecksville silt loam, 25 to 70 percent slopes
Brecksville silt loam, 25 to 70 percent slopes
Brecksville silt loam, 40 to 70 percent slopes
Brecksville silt loam, 40 to 70 percent slopes
Brenton silt loam
Bronson sandy loam, 1 to 6 percent slopes
Bronson sandy loam, 1 to 6 percent slopes
Brooke silty clay loam, 12 to 18 percent slopes, moderately eroded
Brooke silty clay loam, 12 to 25 percent slopes, moderately eroded
Brooke silty clay loam, 18 to 35 percent slopes, moderately eroded
Brooke silty clay loam, 4 to 12 percent slopes, moderately eroded
Brookside bouldery silty clay loam, 18 to 35 percent slopes
Brookside silt loam, 15 to 25 percent slopes
Brookside silt loam, 15 to 25 percent slopes
Brookside silt loam, 15 to 25 percent slopes, eroded
Brookside silt loam, 25 to 40 percent slopes
Brookside silt loam, 8 to 15 percent slopes
Brookside silt loam, 8 to 15 percent slopes, eroded
Brookside silty clay loam, 12 to 18 percent slopes
Brookside silty clay loam, 12 to 20 percent slopes
Brookside silty clay loam, 15 to 25 percent slopes
Brookside silty clay loam, 15 to 25 percent slopes
Brookside silty clay loam, 15 to 40 percent slopes
Brookside silty clay loam, 15 to 40 percent slopes
Brookside silty clay loam, 15 to 40 percent slopes
Brookside silty clay loam, 18 to 25 percent slopes
Brookside silty clay loam, 20 to 35 percent slopes
Brookside silty clay loam, 25 to 40 percent slopes
Brookside silty clay loam, 25 to 40 percent slopes
Brookside silty clay loam, 6 to 12 percent slopes
Brookside silty clay loam, 8 to 15 percent slopes
Brookside silty clay loam, 8 to 15 percent slopes, eroded
Brookside silty clay loam, 8 to 15 percent slopes, eroded
Brookside-Vandalia complex, 15 to 25 percent slopes
Brookside-Vandalia complex, 15 to 25 percent slopes, eroded
Brookside-Vandalia complex, 25 to 35 percent slopes, eroded
Brookside-Vandalia complex, 25 to 40 percent slopes
Brookside-Vandalia complex, 8 to 15 percent slopes

[illegible]

Bp
Bs
Br
Bs
Br
Bt
BsA
BsB
Bt
BuD2
BwD2
BuE3
BuB2
BuC2
BwC3
BvE
BrD2
BrE2
BuE2
BtB
BwB2
BrB2
BwC2
BrC2
BsD3
BsC3
BxC3
BrD
BwD
BvD
BrD
BoD
BtD
ByD
BrE
BvE
BrE
BrF
BtE
ByE
BrF
BrG
BrC
BwC
BvF
BuG
ByF

Brookston silt loam
Brookston silt loam
Brookston silt loam, overwash
Brookston silty clay loam
Brookston silty clay loam
Brookston silty clay loam
Brookston silty clay loam, 0 to 2 percent slopes
Brookston silty clay loam, 2 to 6 percent slopes
Brookston-Urban land complex
Broughton clay, 12 to 18 percent slopes, moderately eroded
Broughton clay, 12 to 18 percent slopes, moderately eroded
Broughton clay, 18 to 25 percent slopes, severely eroded
Broughton clay, 2 to 6 percent slopes, moderately eroded
Broughton clay, 6 to 12 percent slopes, moderately eroded
Broughton clay, 6 to 12 percent slopes, severely eroded
Broughton silt loam, 12 to 35 percent slopes
Broughton silty clay loam, 12 to 18 percent slopes, eroded
Broughton silty clay loam, 18 to 35 percent slopes, eroded
Broughton silty clay loam, 18 to 35 percent slopes, eroded
Broughton silty clay loam, 2 to 6 percent slopes
Broughton silty clay loam, 2 to 6 percent slopes, eroded
Broughton silty clay loam, 2 to 6 percent slopes, eroded
Broughton silty clay loam, 6 to 12 percent slopes, eroded
Broughton silty clay loam, 6 to 12 percent slopes, eroded
Broughton silty clay, 12 to 18 percent slopes, severely eroded
Broughton silty clay, 6 to 12 percent slopes, severely eroded
Broughton silty clay, 6 to 12 percent slopes, severely eroded
Brownsville channery silt loam, 12 to 18 percent slopes
Brownsville channery silt loam, 12 to 18 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 15 to 25 percent slopes
Brownsville channery silt loam, 18 to 25 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 25 to 35 percent slopes
Brownsville channery silt loam, 35 to 70 percent slopes
Brownsville channery silt loam, 35 to 70 percent slopes
Brownsville channery silt loam, 6 to 12 percent slopes
Brownsville channery silt loam, 6 to 12 percent slopes
Brownsville silt loam, 40 to 70 percent slopes
Brownsville-Rock outcrop complex, 35 to 60 percent slopes
Brownsville-Rock outcrop complex, 35 to 70 percent slopes

[illegible]

BxF
BsF
BzE
BsE
BxE
BzF
BsF
BsC2
BxC2
BtD2
ByD2
CaA
CaD
CaB
CaC
CaD2
CbD2
CaD2
CaF
CaB
CaB2
CaE2
CaC2
CaC2
CaD2
CaF
CaB
CaD
CaC2
Ca
Ce
CcA
Ca
Ce
Cb
CsA
CcA
CdA
CcA
CcB
CcB
CcA
CbA
CcA
CdA
CeA
CeA

Brownsville-Rock outcrop complex, 35 to 70 percent slopes
Brownsville-Shelocta association, steep
Brownsville-Westmoreland complex, 18 to 25 percent slopes
Brownsville-Westmoreland complex, 18 to 25 percent slopes
Brownsville-Westmoreland complex, 18 to 25 percent slopes
Brownsville-Westmoreland complex, 25 to 40 percent slopes
Brownsville-Westmoreland complex, 25 to 40 percent slopes
Brushcreek silt loam, 6 to 12 percent slopes, eroded
Brushcreek silt loam, 6 to 12 percent slopes, eroded
Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded
Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded
Calcutta silt loam, 0 to 3 percent slopes
Cambridge silt loam, 12 to 18 percent slopes
Cambridge silt loam, 2 to 6 percent slopes
Cambridge silt loam, 6 to 12 percent slopes
Cana silt loam, 12 to 18 percent slopes, moderately eroded
Cana silt loam, 12 to 20 percent slopes, eroded
Cana silt loam, 12 to 20 percent slopes, eroded
Cana silt loam, 18 to 35 percent slopes
Cana silt loam, 2 to 6 percent slopes
Cana silt loam, 2 to 6 percent slopes, moderately eroded
Cana silt loam, 20 to 35 percent slopes, eroded
Cana silt loam, 6 to 12 percent slopes, eroded
Cana silt loam, 6 to 12 percent slopes, moderately eroded
Cana Variant silt loam, 15 to 25 percent slopes, eroded
Cana Variant silt loam, 18 to 50 percent slopes
Cana Variant silt loam, 2 to 6 percent slopes
Cana Variant silt loam, 6 to 18 percent slopes
Cana Variant silt loam, 8 to 15 percent slopes, eroded
Canadice silt loam
Canadice silt loam
Canadice silt loam, 0 to 2 percent slopes
Canadice silty clay loam
Canadice silty clay loam
Canadice silty clay loam
Canal silt loam, 0 to 2 percent slopes
Caneadea silt loam, 0 to 2 percent slopes
Caneadea silt loam, 0 to 2 percent slopes
Caneadea silt loam, 0 to 2 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Caneadea silt loam, 2 to 6 percent slopes
Caneadea silty clay loam, 0 to 2 percent slopes
Caneadea silty clay loam, 0 to 2 percent slopes
Caneadea silty clay loam, 0 to 3 percent slopes
Caneadea-Canadice complex, 0 to 2 percent slopes
Caneadea-Canadice silt loams, 0 to 2 percent slopes
Caneadea-Urban land complex, 0 to 2 percent slopes

4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
3
3
3
4
2
2
2
2
2
2
2
2
5
4
4
5
4
5
4
4
4
4
4
4

CdA
CdD
CdD2
CcD
CddD
CdB
CfB
CeB
CaB
CdB2
CdB2
CaB2
CcE
CddE
CdC
CfC
CeC
CaC
CdC2
CaC2
CdC2
CgC
CdC
CfB
CfC
CeB
CeB
CfB
CgB
CfC
CeC
CfB
CeB
CaD2
CaB
CaB
CaC2
CfD2
CfF
CfC2
CfB
CaA
CdD2
CdD2
CaD2
CgE2
CdB

Canfield silt loam, 0 to 2 percent slopes
Canfield silt loam, 12 to 18 percent slopes
Canfield silt loam, 12 to 18 percent slopes, moderately eroded
Canfield silt loam, 12 to 20 percent slopes
Canfield silt loam, 12 to 20 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes
Canfield silt loam, 2 to 6 percent slopes, eroded
Canfield silt loam, 2 to 6 percent slopes, moderately eroded
Canfield silt loam, 2 to 6 percent slopes, moderately eroded
Canfield silt loam, 20 to 35 percent slopes
Canfield silt loam, 20 to 35 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes
Canfield silt loam, 6 to 12 percent slopes, eroded
Canfield silt loam, 6 to 12 percent slopes, eroded
Canfield silt loam, 6 to 12 percent slopes, moderately eroded
Canfield silt loam, 8 to 15 percent slopes
Canfield silt loam, 8 to 15 percent slopes
Canfield silt loam, moderately shallow variant, 2 to 6 percent slopes
Canfield silt loam, moderately shallow variant, 6 to 12 percent slopes
Canfield silt loam, sandstone substratum, 2 to 6 percent slopes
Canfield-Urban land complex
Canfield-Urban land complex, 2 to 6 percent slopes
Canfield-Urban land complex, 2 to 8 percent slopes
Canfield-Urban land complex, rolling
Canfield-Urban land complex, rolling
Canfield-Urban land complex, undulating
Canfield-Urban land complex, undulating
Captina silt loam, 12 to 18 percent slopes, moderately eroded
Captina silt loam, 2 to 6 percent slopes
Captina silt loam, 2 to 6 percent slopes
Captina silt loam, 6 to 12 percent slopes, moderately eroded
Cardinal silt loam, 12 to 18 percent slopes, eroded
Cardinal silt loam, 18 to 50 percent slopes
Cardinal silt loam, 6 to 12 percent slopes, eroded
Cardington fine sandy loam, 2 to 6 percent slopes
Cardington silt loam, 0 to 2 percent slopes
Cardington silt loam, 12 to 18 percent slopes, eroded
Cardington silt loam, 12 to 18 percent slopes, moderately eroded
Cardington silt loam, 12 to 20 percent slopes, eroded
Cardington silt loam, 12 to 25 percent slopes, moderately eroded
Cardington silt loam, 2 to 6 percent slopes

4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
2
2
4
4
4
4
4
4
4
4
4
4
4
3
4
4
4
4
4
5
5
5
5
5
5
5
5

CgB
CaB
CcB
CgB2
CaB2
CdB2
CgB2
CdB2
CgC
CdC
CgC2
CdC2
CaC2
CgC2
CcC2
CdC2
CbC2
CcC2
CeC3
ChC3
CeC
Ce
Cg
Ch
Cb
Ca
Cc
Cf
Cd
Ck
CeA
Ca
Cf
Cr
Ch
Ck
Cc
Cb
Cg
Cg
Ca
CaD2
CaE2
CbC2
CaC2
CcD3
CcC3

Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 2 to 6 percent slopes, eroded
Cardington silt loam, 2 to 6 percent slopes, moderately eroded
Cardington silt loam, 2 to 6 percent slopes, moderately eroded
Cardington silt loam, 6 to 12 percent slopes
Cardington silt loam, 6 to 12 percent slopes
Cardington silt loam, 6 to 12 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes, eroded
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Cardington silt loam, 6 to 12 percent slopes, moderately eroded
Cardington silty clay loam, 6 to 12 percent slopes, eroded
Cardington silty clay loam, 6 to 12 percent slopes, eroded
Cardington silty clay loam, 6 to 12 percent slopes, severely eroded
Cardington silty clay loam, 6 to 12 percent slopes, severely eroded
Cardington-Urban land complex, rolling
Carlisle muck
Carlisle muck
Carlisle muck
Carlisle muck
Carlisle muck
Carlisle muck
Carlisle muck
Carlisle muck
Carlisle muck
Carlisle muck, 0 to 1 percent slopes
Carlisle muck, drained
Carlisle muck, ponded
Carlisle muck, ponded
Carlisle muck, ponded
Carlisle muck, ponded
Carlisle muck, ponded
Carlisle muck, ponded
Carlisle muck, undrained
Carlisle mucky silt loam
Carlisle silty clay loam
Carlisle silty clay loam
Carmel silt loam, 12 to 18 percent slopes, eroded
Carmel silt loam, 18 to 25 percent slopes, eroded
Carmel silt loam, 6 to 12 percent slopes, eroded
Carmel silt loam, 6 to 12 percent slopes, eroded
Carmel silty clay loam, 12 to 18 percent slopes, severely eroded
Carmel silty clay loam, 6 to 12 percent slopes, severely eroded

[illegible]

CdE
CfE
CdD2
CdC2
CgD2
CcD2
CfD2
CbD2
CgC
CcD3
CdD
CcF2
CcB
CcB2
CdE
CdF
CaF
CcC2
CaD2
CaE2
CeE2
CdD2
ChD2
CcD2
ChD
ChE
CmD2
CdD2
CkD
CkE
CdE2
CgB
CcA
CcD
CcB
CaA
ChB
ChB
CbB
CxB
CeF
CdF
ClB
CoB
CeA
ClA
CgA

Casco and Rodman gravelly loams, 18 to 35 percent slopes
Casco and Rodman gravelly loams, 18 to 35 percent slopes
Casco and Rodman gravelly loams, 6 to 18 percent slopes, moderately eroded
Casco and Rodman soils, 2 to 12 percent slopes, moderately eroded
Casco gravelly loam, 12 to 18 percent slopes, moderately eroded
Casco gravelly loam, 12 to 20 percent slopes, eroded
Casco gravelly loam, 12 to 20 percent slopes, eroded
Casco gravelly loam, 12 to 20 percent slopes, eroded
Casco gravelly loam, 6 to 12 percent slopes
Casco loam, 12 to 18 percent slopes, severely eroded
Casco loam, 15 to 25 percent slopes
Casco loam, 18 to 35 percent slopes, moderately eroded
Casco loam, 2 to 6 percent slopes
Casco loam, 2 to 6 percent slopes, moderately eroded
Casco loam, 25 to 35 percent slopes
Casco loam, 35 to 70 percent slopes
Casco loam, 40 to 70 percent slopes
Casco loam, 6 to 12 percent slopes, moderately eroded
Casco silt loam, 12 to 18 percent slopes, eroded
Casco silt loam, 18 to 50 percent slopes, eroded
Casco silt loam, 18 to 50 percent slopes, eroded
Casco-Eldean complex, 12 to 18 percent slopes, moderately eroded
Casco-Eldean complex, 12 to 18 percent slopes, moderately eroded
Casco-Eldean loams, 12 to 18 percent slopes, moderately eroded
Casco-Kendallville complex, 12 to 18 percent slopes
Casco-Kendallville complex, 18 to 35 percent slopes
Casco-Miami-Fox complex, 12 to 18 percent slopes, moderately eroded
Casco-Rodman complex, 12 to 18 percent slopes, moderately eroded
Casco-Rodman gravelly loams, 12 to 18 percent slopes
Casco-Rodman gravelly loams, 18 to 35 percent slopes
Casco-Rodman loams, 18 to 50 percent slopes, moderately eroded
Castalia channery silt loam, 2 to 6 percent slopes
Castalia very channery loam, 0 to 2 percent slopes
Castalia very channery loam, 12 to 18 percent slopes
Castalia very channery loam, 2 to 6 percent slopes
Castalia very cobbly loam, 0 to 2 percent slopes
Castalia very stony fine sandy loam, 1 to 6 percent slopes
Castalia very stony loam, 1 to 6 percent slopes
Castalia-Marblehead complex, very stony, 0 to 6 percent slopes
Castalia-Marblehead-Urban land complex, very stony, 0 to 6 percent slopes
Cedarfalls-Rock outcrop complex, 40 to 70 percent slopes
Cedarfalls-Rock outcrop complex, 40 to 70 percent slopes
Celina bouldery silt loam, 2 to 6 percent slopes
Celina bouldery silt loam, 2 to 6 percent slopes
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 0 to 2 percent slopes

[illegible]

CnA
CeB
ClB
CgB
CnB
CbB
CeB2
CgB2
CbB2
CeB2
CnB2
CeC2
CnC2
CnC
CcA
CgB
CfB
CdB
CeB
CgB2
CeB2
ChA
ChB
CfB
CgA
CgB
CfB
CeB
CgB
CdB
CfB
CeB
CmB
CfB2
CdB2
CmB2
CdC
CgC2
CfC2
CeC2
CdC2
CmC2
CfB
CfC
Ce
Ce
Cg

Celina silt loam, 0 to 2 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes
Celina silt loam, 2 to 6 percent slopes, eroded
Celina silt loam, 2 to 6 percent slopes, eroded
Celina silt loam, 2 to 6 percent slopes, eroded
Celina silt loam, 2 to 6 percent slopes, moderately eroded
Celina silt loam, 2 to 6 percent slopes, moderately eroded
Celina silt loam, 6 to 12 percent slopes, eroded
Celina silt loam, 6 to 12 percent slopes, moderately eroded
Celina Variant silt loam, 6 to 15 percent slopes
Celina-Crosby silt loams, 0 to 2 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes
Celina-Losantville silt loams, 2 to 6 percent slopes, eroded
Celina-Losantville silt loams, 2 to 6 percent slopes, eroded
Celina-Strawn complex, 0 to 2 percent slopes
Celina-Strawn complex, 2 to 6 percent slopes
Celina-Urban land complex, gently sloping
Celina-Xenia silt loams, 0 to 2 percent slopes
Celina-Xenia silt loams, 2 to 6 percent slopes
Centerburg silt loam, 1 to 4 percent slopes
Centerburg silt loam, 1 to 4 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes
Centerburg silt loam, 2 to 6 percent slopes, eroded
Centerburg silt loam, 2 to 6 percent slopes, eroded
Centerburg silt loam, 2 to 6 percent slopes, eroded
Centerburg silt loam, 6 to 12 percent slopes
Centerburg silt loam, 6 to 12 percent slopes, eroded
Centerburg silt loam, 6 to 12 percent slopes, eroded
Centerburg silt loam, 6 to 12 percent slopes, eroded
Centerburg silt loam, 6 to 12 percent slopes, eroded
Centerburg silt loam, 6 to 12 percent slopes, eroded
Centerburg-Urban land complex, 2 to 6 percent slopes
Centerburg-Urban land complex, 6 to 12 percent slopes
Ceresco sandy loam
Ceresco sandy loam, occasionally flooded
Chagrin gravelly silty clay loam (sensabaugh 0 to 4 percent slopes, occasionally flooded)

[illegible]

Ck
Ci
Cb
Ck
Cg
Ca
Cb
Cd
Ch
Cm
Cg
Ck
Cm
Cg
Ca
Cg
Ch
Ch
Cr
Cg
Cm
CNWXFF
Cm
CnA
CnB
ChC
ChB
ChB
ChC
CcA
CeB
CcB
ChA
ChB
CmC
ChA
CkA
CkD
CkB
CkC
CrD
CkD
CrE
CkE
CtF2
CvF2
CnE

Chagrin loam
Chagrin loam
Chagrin loam, alkaline phase
Chagrin loam, alkaline phase
Chagrin loam, frequently flooded
Chagrin loam, occasionally flooded
Chagrin loam, rarely flooded
Chagrin loam, rarely flooded
Chagrin silt loam
Chagrin silt loam
Chagrin silt loam
Chagrin silt loam, alkaline
Chagrin silt loam, alkaline phase
Chagrin silt loam, alkaline phase
Chagrin silt loam, frequently flooded
Chagrin silt loam, frequently flooded
Chagrin silt loam, frequently flooded
Chagrin silt loam, occasionally flooded
Chagrin silt loam, occasionally flooded
Chagrin silt loam, occasionally flooded
Chagrin silt loam, rarely flooded
Chagrin-Nelse-Wheeling complex, 2 to 75 percent slopes, frequently flooded
Chagrin-Urban land complex
Channahon silt loam, 0 to 2 percent slopes
Channahon silt loam, 2 to 6 percent slopes
Channahon-Biglick complex, 6 to 12 percent slopes
Chavies fine sandy loam, 0 to 6 percent slopes
Chavies fine sandy loam, 2 to 6 percent slopes
Chavies fine sandy loam, 6 to 12 percent slopes
Chavies loam, 0 to 2 percent slopes
Chavies loam, 0 to 6 percent slopes
Chavies loam, 2 to 6 percent slopes
Chavies silt loam, 0 to 2 percent slopes, rarely flooded
Chavies silt loam, 2 to 6 percent slopes, rarely flooded
Chavies silt loam, 6 to 15 percent slopes
Chavies silt loam, rarely flooded
Chenango gravelly loam, 0 to 2 percent slopes
Chenango gravelly loam, 12 to 18 percent slopes
Chenango gravelly loam, 2 to 6 percent slopes
Chenango gravelly loam, 6 to 12 percent slopes
Chili and Conotton gravelly loams, 12 to 18 percent slopes
Chili and Conotton gravelly loams, 12 to 18 percent slopes
Chili and Conotton gravelly loams, 18 to 35 percent slopes
Chili and Conotton gravelly loams, 18 to 35 percent slopes
Chili and Conotton gravelly loams, 25 to 50 percent slopes, moderately eroded
Chili and Conotton gravelly loams, 25 to 50 percent slopes, moderately eroded
Chili and Conotton gravelly soils, 18 to 25 percent slopes

5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
1
1
1
4
4
4
4
5
5
5
5
5
5
5
4
4
4
4
4
4
4
4
4
4

CnF
CoD
CoD3
CoE
CoF
ChA
CoD
CkD
CID
CqD
CbD
ChD
CoD2
CoD2
CpD2
CrD2
CoD2
CID2
CmE2
CoE2
CkE
ChE
CoE2
CIB
ChB
CkF
CoF
CmF2
CoF2
ChB
CkB
CkC
CIC
CoC
ChC
CoC2
CmC2
CkC
ChC
CnA
CIA
ChA
CfA
CgA
CeA
ChA
CpA

Chili and Conotton gravelly soils, 25 to 50 percent slopes
Chili and Conotton soils, 12 to 18 percent slopes
Chili and Conotton soils, 12 to 18 percent slopes, severely eroded
Chili and Conotton soils, 18 to 25 percent slopes
Chili and Conotton soils, 25 to 40 percent slopes
Chili gravelly loam, 0 to 3 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 12 to 18 percent slopes
Chili gravelly loam, 12 to 18 percent slopes, eroded
Chili gravelly loam, 12 to 18 percent slopes, moderately eroded
Chili gravelly loam, 12 to 18 percent slopes, moderately eroded
Chili gravelly loam, 12 to 25 percent slopes, eroded
Chili gravelly loam, 12 to 25 percent slopes, eroded
Chili gravelly loam, 12 to 25 percent slopes, eroded
Chili gravelly loam, 12 to 25 percent slopes, moderately eroded
Chili gravelly loam, 12 to 25 percent slopes, moderately eroded
Chili gravelly loam, 18 to 25 percent slopes
Chili gravelly loam, 18 to 25 percent slopes
Chili gravelly loam, 18 to 25 percent slopes, moderately eroded
Chili gravelly loam, 2 to 6 percent slopes
Chili gravelly loam, 2 to 6 percent slopes
Chili gravelly loam, 25 to 70 percent slopes
Chili gravelly loam, 25 to 70 percent slopes
Chili gravelly loam, 25 to 70 percent slopes, moderately eroded
Chili gravelly loam, 25 to 70 percent slopes, moderately eroded
Chili gravelly loam, 3 to 8 percent slopes
Chili gravelly loam, 3 to 8 percent slopes
Chili gravelly loam, 6 to 12 percent slopes
Chili gravelly loam, 6 to 12 percent slopes
Chili gravelly loam, 6 to 12 percent slopes
Chili gravelly loam, 6 to 12 percent slopes
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili gravelly loam, 6 to 12 percent slopes, moderately eroded
Chili gravelly loam, 8 to 15 percent slopes
Chili gravelly loam, 8 to 15 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 0 to 2 percent slopes
Chili loam, 0 to 3 percent slopes
Chili loam, 0 to 3 percent slopes
Chili loam, 0 to 3 percent slopes

[illegible]

CnD2
ChD2
CID2
CgD2
CnD2
CfD2
CfD
CID
CnE
ChE2
CnB
CIB
CmB
ChB
CuB
CfB
CgB
CfE
CnF
CeB
ChF
CnC
CmC
ChC
CgC
CnC2
CfC2
ChC2
CIC2
CgC2
CnC2
CfC
CID2
ChC2
CpC2
ChB
CkB
ChC
CpA
ChA
CsA
CIA
CmA
ChA
CIA
CmA
CpB

Chili loam, 12 to 18 percent slopes, eroded
Chili loam, 12 to 18 percent slopes, eroded
Chili loam, 12 to 18 percent slopes, eroded
Chili loam, 12 to 18 percent slopes, eroded
Chili loam, 12 to 18 percent slopes, moderately eroded
Chili loam, 12 to 20 percent slopes, eroded
Chili loam, 15 to 25 percent slopes
Chili loam, 15 to 25 percent slopes
Chili loam, 18 to 25 percent slopes
Chili loam, 18 to 25 percent slopes, eroded
Chili loam, 2 to 6 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 2 to 6 percent slopes
Chili loam, 25 to 35 percent slopes
Chili loam, 25 to 70 percent slopes
Chili loam, 3 to 8 percent slopes
Chili loam, 35 to 70 percent slopes
Chili loam, 6 to 12 percent slopes
Chili loam, 6 to 12 percent slopes
Chili loam, 6 to 12 percent slopes
Chili loam, 6 to 12 percent slopes
Chili loam, 6 to 12 percent slopes, eroded
Chili loam, 6 to 12 percent slopes, eroded
Chili loam, 6 to 12 percent slopes, eroded
Chili loam, 6 to 12 percent slopes, eroded
Chili loam, 6 to 12 percent slopes, eroded
Chili loam, 6 to 12 percent slopes, moderately eroded
Chili loam, 6 to 15 percent slopes
Chili loam, 6 to 18 percent slopes, moderately eroded
Chili loam, 8 to 15 percent slopes, eroded
Chili loam, 8 to 15 percent slopes, eroded
Chili loam, loamy substratum, 2 to 6 percent slopes
Chili loam, loamy substratum, 2 to 6 percent slopes
Chili loam, loamy substratum, 6 to 12 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 0 to 2 percent slopes
Chili silt loam, 0 to 3 percent slopes
Chili silt loam, 0 to 3 percent slopes
Chili silt loam, 0 to 3 percent slopes
Chili silt loam, 2 to 6 percent slopes

[illegible]

ChB
CsB
CmB
ClB
ChB
ChC
CpC
CmC
CpC2
CmC2
ChC
CoE
CuE
CnD
CnC
CtD
CtE
CyF
CtF
CvF
CrF
CyD
CkE
CgA
CmB
CsB
CrB
CgB
CsC
CnB
CoC
CuC
CuF
CoB
CuB
CsD
ChD
CwD2
ChE
CwE2
CwE
CsC
ChC
CwC2
CpA
ChA
CkA

Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 2 to 6 percent slopes
Chili silt loam, 3 to 8 percent slopes
Chili silt loam, 6 to 12 percent slopes
Chili silt loam, 6 to 12 percent slopes
Chili silt loam, 6 to 12 percent slopes
Chili silt loam, 6 to 12 percent slopes, moderately eroded
Chili silt loam, 6 to 12 percent slopes, moderately eroded
Chili silt loam, 8 to 15 percent slopes
Chili-Amanda complex, 18 to 25 percent slopes
Chili-Amanda complex, 18 to 25 percent slopes
Chili-Homewood silt loams, 12 to 18 percent slopes
Chili-Homewood silt loams, 6 to 12 percent slopes
Chili-Oshtemo complex, 12 to 18 percent slopes
Chili-Oshtemo complex, 18 to 25 percent slopes
Chili-Oshtemo complex, 25 to 50 percent slopes
Chili-Oshtemo complex, 25 to 50 percent slopes
Chili-Oshtemo complex, 25 to 50 percent slopes
Chili-Oshtemo complex, 25 to 50 percent slopes
Chili-Oshtemo complex, 6 to 18 percent slopes
Chili-Udorthents complex, 18 to 30 percent slopes
Chili-Urban land complex, 0 to 2 percent slopes
Chili-Urban land complex, 0 to 8 percent slopes
Chili-Urban land complex, 2 to 6 percent slopes
Chili-Urban land complex, 2 to 6 percent slopes
Chili-Urban land complex, 2 to 6 percent slopes
Chili-Urban land complex, 6 to 12 percent slopes
Chili-Urban land complex, gently sloping
Chili-Urban land complex, rolling
Chili-Urban land complex, rolling
Chili-Urban land complex, steep
Chili-Urban land complex, undulating
Chili-Urban land complex, undulating
Chili-Wooster complex, 12 to 18 percent slopes
Chili-Wooster complex, 12 to 18 percent slopes
Chili-Wooster complex, 12 to 18 percent slopes, moderately eroded
Chili-Wooster complex, 18 to 25 percent slopes
Chili-Wooster complex, 18 to 25 percent slopes, moderately eroded
Chili-Wooster complex, 18 to 30 percent slopes
Chili-Wooster complex, 6 to 12 percent slopes
Chili-Wooster complex, 6 to 12 percent slopes
Chili-Wooster complex, 6 to 12 percent slopes, moderately eroded
Cidermill silt loam, 0 to 2 percent slopes
Cidermill silt loam, 0 to 2 percent slopes
Cidermill silt loam, 0 to 2 percent slopes

[illegible]

CmA
CkA
CpB
ChB
CkB
CmB
CkD3
CkB
CcD2
ChD2
CnB
CkB
CcB
CmB
ChB
CcB2
CnB2
CnB2
CkC2
CnC2
CmC2
CnC2
CcC2
ChC2
CnC2
CoC2
CjC2
CkC2
CnC2
CmC2
CmC2
ChD
CmD2
CkD
CbD
CmC2
CkC
CbC
CmC2
CpC2
CmD
CgC
CkC
CrC
Cle1A
Cp
Cf

Cidermill silt loam, 0 to 2 percent slopes
Cidermill silt loam, 0 to 3 percent slopes
Cidermill silt loam, 2 to 6 percent slopes
Cidermill silt loam, 2 to 6 percent slopes
Cidermill silt loam, 2 to 6 percent slopes
Cidermill silt loam, 2 to 6 percent slopes
Cincinnati and Hickory soils, 12 to 25 percent slopes, severely eroded
Cincinnati silt loam, 1 to 8 percent slopes
Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded
Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes
Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded
Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded
Cincinnati silt loam, 3 to 8 percent slopes, eroded
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Cincinnati silt loam, 6 to 12 percent slopes, eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
Cincinnati silt loam, 6 to 15 percent slopes, eroded
Cincinnati silt loam, 6 to 15 percent slopes, eroded
Cincinnati silt loam, 6 to 15 percent slopes, eroded
Cincinnati silt loam, 8 to 15 percent slopes, eroded
Cincinnati silt loam, 8 to 15 percent slopes, eroded
Cincinnati silt loam, 8 to 15 percent slopes, eroded
Cincinnati-Wellston complex, 6 to 12 percent slopes, eroded
Clarksburg channery silt loam, 15 to 25 percent slopes
Clarksburg silt loam, 12 to 18 percent slopes, eroded
Clarksburg silt loam, 15 to 25 percent slopes
Clarksburg silt loam, 15 to 25 percent slopes
Clarksburg silt loam, 6 to 12 percent slopes, eroded
Clarksburg silt loam, 6 to 15 percent slopes
Clarksburg silt loam, 6 to 15 percent slopes
Clarksburg silt loam, 8 to 15 percent slopes, eroded
Clarksburg silt loam, 8 to 15 percent slopes, eroded
Clarksburg-Urban land complex, 15 to 25 percent slopes
Claysville-Guernsey complex, 8 to 15 percent slopes
Claysville-Guernsey complex, 8 to 15 percent slopes
Claysville-Guernsey silty clay loams, 8 to 15 percent slopes
Clermont silt loam, 0 to 1 percent slopes
Clifty silt loam, occasionally flooded
Clifty silt loam, occasionally flooded

[illegible]

Cn
ChD
CmC
CID
CkB
CIC
CkC
CrC
CpA
Ch
Ch
Ch
CoB
CoD
CoC
CoD
CoB
CoF
CoD
CpB
Co
Cp
CcA
Ck
Co
Cn
Cw
Cm
CmA
CpA
CoA
CdA
Cm
CsA
Cm
Co
Cw
Cp
CnA
Cp
CtA
CkF
CoD2
CoF
CoG
Cq
Ct

Clifty silt loam, occasionally flooded
Clymer loam, 15 to 25 percent slopes
Clymer loam, 8 to 15 percent slopes
Clymer silt loam, 12 to 18 percent slopes
Clymer silt loam, 3 to 8 percent slopes
Clymer silt loam, 6 to 12 percent slopes
Clymer silt loam, 8 to 15 percent slopes
Clymer silt loam, 8 to 15 percent slopes
Coblen loam, 0 to 2 percent slopes, rarely flooded
Cohoctah fine sandy loam
Cohoctah fine sandy loam, frequently flooded
Cohoctah loam
Colonie fine sand, 1 to 6 percent slopes
Colonie fine sand, 12 to 18 percent slopes
Colonie fine sand, 6 to 12 percent slopes
Colonie loamy fine sand, 12 to 18 percent slopes
Colonie loamy fine sand, 2 to 6 percent slopes
Colonie loamy fine sand, 25 to 50 percent slopes
Colonie loamy fine sand, 6 to 18 percent slopes
Colonie-Urban land complex, 2 to 6 percent slopes
Colwood fine sandy loam
Colwood fine sandy loam
Colwood fine sandy loam, 0 to 1 percent slopes
Colwood fine sandy loam, 0 to 1 percent slopes
Colwood loam
Colwood loam
Colwood loam
Colwood loam
Colwood loam, 0 to 1 percent slopes
Colwood loam, 0 to 1 percent slopes
Colwood loam, 0 to 1 percent slopes
Colwood loam, 0 to 1 percent slopes
Colwood loam, 0 to 1 percent slopes
Colwood loam, 0 to 1 percent slopes
Colwood silt loam
Colwood silt loam
Colwood silt loam
Colwood silt loam
Colwood silt loam, bedrock substratum, 0 to 1 percent slopes
Colwood-Urban land complex
Colwood-Urban land complex, 0 to 1 percent slopes
Colyer Variant silt loam, 25 to 70 percent slopes
Colyer-Trappist complex, 12 to 18 percent slopes, moderately eroded
Colyer-Trappist complex, 18 to 35 percent slopes
Colyer-Trappist complex, 35 to 50 percent slopes
Condit silt loam
Condit silt loam

[illegible]

Cy
Cs
Cn
Cr
Co
Cp
CnA
CoA
CrA
Ct
Cz
Co
Cn
Cp
Cs
Cr
Cu
CtA
CtA
CtB
CwA
CoA
CnA
CoA
CoB
CoA
CsD2
CyD2
CcD
CoD
CyE2
CnE
CsC
CtC
CyB
CoB
CsB
CvB
CoB
CoC
CsC
CyC
CvC
CnC
CuC
CoC2
CyC

Condit silt loam
Condit silt loam
Condit silt loam
Condit silt loam
Condit silt loam
Condit silt loam
Condit silt loam, 0 to 1 percent slopes
Condit silt loam, 0 to 1 percent slopes
Condit silt loam, 0 to 1 percent slopes
Condit silty clay loam
Condit silty clay loam
Condit silty clay loam
Condit silty clay loam
Condit silty clay loam
Condit-Bennington silt loams
Condit-Bennington silt loams
Condit-Urban land complex
Conneaut silt loam, 0 to 1 percent slopes
Conneaut silt loam, 0 to 2 percent slopes
Conneaut silt loam, 1 to 4 percent slopes
Conneaut silt loam, shale substratum, 0 to 2 percent slopes
Conotton gravelly loam, 0 to 2 percent slopes
Conotton gravelly loam, 0 to 2 percent slopes
Conotton gravelly loam, 0 to 3 percent slopes
Conotton gravelly loam, 0 to 6 percent slopes
Conotton gravelly loam, 1 to 6 percent slopes
Conotton gravelly loam, 12 to 18 percent slopes, moderately eroded
Conotton gravelly loam, 12 to 18 percent slopes, moderately eroded
Conotton gravelly loam, 15 to 25 percent slopes
Conotton gravelly loam, 15 to 25 percent slopes
Conotton gravelly loam, 18 to 25 percent slopes, moderately eroded
Conotton gravelly loam, 18 to 40 percent slopes
Conotton gravelly loam, 2 to 12 percent slopes
Conotton gravelly loam, 2 to 12 percent slopes
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 2 to 6 percent slopes
Conotton gravelly loam, 3 to 8 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes
Conotton gravelly loam, 6 to 12 percent slopes, eroded
Conotton gravelly loam, 6 to 15 percent slopes

[illegible]

CoD
CxA
CwA
CtB
CtD
CpE
CyD
CjD
CyE
CyF
CrA
CoB
CoB
CrB
CmB
CpB
CoB
CrC2
CmC2
CoC
CpC
CrD2
CrC2
CtC
CpC
CtB
Co
Cp
Cr
CoA
CoB
CrB
CoD
CrD
CvB
CsC
CvC
CnB
CvD
CoD2
CvD
CtD
CsD
CnD
CoD
CtD2
CoD2

Conotton gravelly loam, 6 to 18 percent slopes
Conotton loam, 0 to 2 percent slopes
Conotton loam, 0 to 2 percent slopes
Conotton loam, 2 to 6 percent slopes
Conotton Variant gravelly loam, 10 to 20 percent slopes
Conotton-Chili gravelly loams, 18 to 25 percent slopes
Conotton-Oshtemo complex, 12 to 18 percent slopes
Conotton-Oshtemo complex, 12 to 18 percent slopes
Conotton-Oshtemo complex, 18 to 25 percent slopes
Conotton-Oshtemo complex, 25 to 50 percent slopes
Coolville silt loam, 0 to 2 percent slopes
Coolville silt loam, 1 to 6 percent slopes
Coolville silt loam, 1 to 8 percent slopes
Coolville silt loam, 2 to 6 percent slopes
Coolville silt loam, 2 to 6 percent slopes
Coolville silt loam, 3 to 8 percent slopes
Coolville silt loam, 3 to 8 percent slopes
Coolville silt loam, 6 to 12 percent slopes, eroded
Coolville silt loam, 6 to 12 percent slopes, eroded
Coolville silt loam, 8 to 15 percent slopes
Coolville-Blairton association, rolling
Coolville-Rarden silt loams, 12 to 18 percent slopes, moderately eroded
Coolville-Rarden silt loams, 6 to 12 percent slopes, moderately eroded
Coolville-Rarden silt loams, 8 to 15 percent slopes
Coolville-Rarden silt loams, 8 to 15 percent slopes
Coolville-Tilsit silt loams, 2 to 6 percent slopes
Cope silt loam
Cope silty clay loam
Corunna sandy loam
Corwin silt loam, 0 to 2 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Corwin silt loam, 2 to 6 percent slopes
Coshocton loam, 15 to 25 percent slopes
Coshocton loam, 15 to 25 percent slopes
Coshocton loam, 2 to 6 percent slopes
Coshocton loam, 6 to 15 percent slopes
Coshocton loam, 6 to 15 percent slopes
Coshocton silt loam, 1 to 7 percent slopes
Coshocton silt loam, 12 to 18 percent slopes
Coshocton silt loam, 12 to 18 percent slopes, eroded
Coshocton silt loam, 12 to 25 percent slopes, very stony
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 15 to 25 percent slopes
Coshocton silt loam, 15 to 25 percent slopes, eroded
Coshocton silt loam, 15 to 25 percent slopes, eroded

5
5
5
5
4
5
5
5
5
5
4
4
4
4
4
4
4
4
4
4
4
4
4
5
5
5
5
4
4
4
4
4
4
4
4
4
4
4

CuD
CpD
CoE2
CtB
CnB
CoB
CvB
CxB
CoE
CtE
CnB
CpB
CtC
CvC
CoC2
CpC
CoC
CnC
ChC
CtC2
ChC2
CoC2
CxC2
CpC
CsC2
CpC2
CnC2
CwD
CsD
CrD
CuD
CwE
CsE
CrE
CsC
CxD
CtD
CvD
CxC
CtC
CoB
CyB
CrD
CxD
CrE
CzD
CsD

Coshocton silt loam, 15 to 25 percent slopes, very stony
Coshocton silt loam, 15 to 25 percent slopes, very stony
Coshocton silt loam, 18 to 25 percent slopes, eroded
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 2 to 6 percent slopes
Coshocton silt loam, 25 to 35 percent slopes
Coshocton silt loam, 25 to 40 percent slopes
Coshocton silt loam, 3 to 8 percent slopes
Coshocton silt loam, 3 to 8 percent slopes
Coshocton silt loam, 6 to 12 percent slopes
Coshocton silt loam, 6 to 12 percent slopes
Coshocton silt loam, 6 to 12 percent slopes, eroded
Coshocton silt loam, 6 to 15 percent slopes
Coshocton silt loam, 6 to 15 percent slopes
Coshocton silt loam, 6 to 15 percent slopes
Coshocton silt loam, 6 to 15 percent slopes
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton silt loam, 6 to 15 percent slopes, eroded
Coshocton silt loam, 6 to 15 percent slopes, very stony
Coshocton silt loam, 8 to 15 percent slopes, eroded
Coshocton silt loam, 8 to 15 percent slopes, eroded
Coshocton silt loam, 8 to 15 percent slopes, eroded
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey silt loams, 15 to 25 percent slopes
Coshocton-Guernsey silt loams, 25 to 40 percent slopes
Coshocton-Guernsey silt loams, 25 to 40 percent slopes
Coshocton-Guernsey silt loams, 25 to 40 percent slopes
Coshocton-Guernsey silt loams, 8 to 15 percent slopes
Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
Coshocton-Guernsey very stony silt loams, 8 to 15 percent slopes
Coshocton-Guernsey very stony silt loams, 8 to 15 percent slopes
Coshocton-Keene silt loams, 3 to 8 percent slopes
Coshocton-Keene silt loams, 3 to 8 percent slopes
Coshocton-Rigley complex, 15 to 25 percent slopes
Coshocton-Rigley complex, 15 to 25 percent slopes
Coshocton-Rigley complex, 25 to 35 percent slopes
Coshocton-Westmoreland complex, 15 to 25 percent slopes
Coshocton-Westmoreland complex, 15 to 25 percent slopes

[illegible]

CsE
CtE
CrA
CpA
CnA
CzA
CrB
CrB
CsB
CrA
CvA
CsA
CrB
CvB
CsA
CtA
CsB
CtB
CpB
CtB
CsA
CsB
CsA
CtA
CvA
CtB
CsB
Cu
CsA
CuA
CuD2
CqC2
CuC2
CvC2
CrD
CwD
CwE
CwC2
CtC
Cy
Cu
CbB
CuB
CuC
Cy
CyA
CvA

Coshocton-Westmoreland complex, 25 to 35 percent slopes
Coshocton-Westmoreland silt loams, 25 to 40 percent slopes
Crane silt loam, 0 to 2 percent slopes
Crane silt loam, 0 to 2 percent slopes
Crane silt loam, 0 to 2 percent slopes
Crane silt loam, 1 to 4 percent slopes
Crider silt loam, 1 to 6 percent slopes
Crider silt loam, 2 to 6 percent slopes
Crosby bouldery silt loam, 0 to 6 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 0 to 2 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby silt loam, 2 to 6 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 0 to 2 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby-Celina silt loams, 2 to 4 percent slopes
Crosby-Celina silt loams, 2 to 6 percent slopes
Crosby-Fincastle silt loams, 0 to 2 percent slopes
Crosby-Fincastle silt loams, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 0 to 2 percent slopes
Crosby-Lewisburg silt loams, 2 to 6 percent slopes
Crosby-Lewisburg silt loams, 2 to 6 percent slopes
Crosby-Urban land complex
Crosby-Urban land complex, nearly level
Crosby-Urban land complex, nearly level
Crouse-Miamian silt loams, 12 to 18 percent slopes, eroded
Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded
Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded
Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded
Cruze silt loam, 12 to 20 percent slopes
Cruze silt loam, 12 to 20 percent slopes
Cruze silt loam, 20 to 35 percent slopes
Cruze silt loam, 6 to 12 percent slopes, eroded
Cruze silt loam, 8 to 15 percent slopes
Cuba silt loam, frequently flooded
Cuba silt loam, occasionally flooded
Culleoka silt loam, 3 to 8 percent slopes
Culleoka silt loam, 3 to 8 percent slopes
Culleoka silt loam, 8 to 15 percent slopes
Cyclone silt loam
Cyclone silt loam, 0 to 2 percent slopes
Cyclone silt loam, 0 to 2 percent slopes

[illegible]

CvA
CtA
CyA
CzA
CyA
CuA
CyF
CnE2
CyE2
Dm
Da
Dc
Da
DaA
DaB
DaB
DcB
DbB
DeC
DeC2
DaA
DaA
DrA
DaB
DrB
DaC
DrA
DrB
DsB
DhB
DbA
DaA
Db
De
Df
Dc
Db
Db
Dc
DsG
DkD
DkD
DbD
DkD
DeE
DkE
DkB

Cygnets loam, 0 to 2 percent slopes
Cygnets loam, 0 to 2 percent slopes
Cygnets loam, 0 to 2 percent slopes
Cygnets loam, 0 to 3 percent slopes
Cygnets loam, 0 to 3 percent slopes
Cygnets-Urban land complex, 0 to 2 percent slopes
Cynthiana flaggy silty clay loam, 20 to 50 percent slopes
Cynthiana-Faywood complex, rocky, 20 to 35 percent slopes, eroded
Cynthiana-Faywood complex, very rocky, 12 to 30 percent slopes, eroded
Damascus loam
Damascus loam
Damascus loam, till substratum
Damascus silt loam
Dana silt loam, 0 to 2 percent slopes
Dana silt loam, 0 to 4 percent slopes
Dana silt loam, 2 to 6 percent slopes
Dana silt loam, 2 to 6 percent slopes
Dana silt loam, bedrock substratum, 2 to 8 percent slopes
Darren and Platea silt loams, 6 to 12 percent slopes
Darren and Platea silt loams, 6 to 12 percent slopes, eroded
Darren silt loam, 0 to 1 percent slopes
Darren silt loam, 0 to 2 percent slopes
Darren silt loam, 0 to 2 percent slopes
Darren silt loam, 1 to 4 percent slopes
Darren silt loam, 2 to 6 percent slopes
Darren silt loam, 6 to 12 percent slopes
Darren silt loam, bedrock substratum, 0 to 2 percent slopes
Darren silt loam, bedrock substratum, 2 to 6 percent slopes
Darren-Hornell silt loams complex, 2 to 6 percent slopes
Darren-Hornell silt loams, 2 to 6 percent slopes
Darroch loam, 0 to 2 percent slopes
Darroch loam, 0 to 2 percent slopes
Dearborn loam, frequently flooded
Defiance silt loam
Defiance silty clay loam
Defiance silty clay loam, frequently flooded
Defiance silty clay loam, frequently flooded
Defiance silty clay loam, occasionally flooded
Defiance silty clay, frequently flooded
DeKalb and Gilpin stony soils, 25 to 70 percent slopes
DeKalb channery loam 12 to 25 percent slopes
DeKalb channery loam, 12 to 18 percent slopes
DeKalb channery loam, 12 to 18 percent slopes
DeKalb channery loam, 15 to 25 percent slopes
DeKalb channery loam, 18 to 25 percent slopes
DeKalb channery loam, 18 to 25 percent slopes
DeKalb channery loam, 2 to 6 percent slopes

4
4
4
4
4
4
2
2
1
4
4
4
4
5
5
5
5
4
5
5
4
5
5
4
4
4
4
5
5
5
5
2
5
5
5
5
5
2
2
2
2
2
2
2
2
2

DbB
DkE
DmE
DkF
DoF
DmF
DkF
DkC
DkC
DkC
DbC
DeC
DhD
DkD
DkD2
DkD
DhE
DkE
DkE2
DkF
DkE
DkB
DmF
DkC
DkC2
DkC
DhC
DmF
DnF
DeD
DkD
DkE2
DmE2
DkE
DkB
DkF2
DkF
DkC
DmC
DkB
DkE
DkC
DkF
DeF
DkF
DkF
DtD

Dekalb channery loam, 2 to 6 percent slopes
Dekalb channery loam, 25 to 40 percent slopes
Dekalb channery loam, 25 to 40 percent slopes
Dekalb channery loam, 25 to 70 percent slopes
Dekalb channery loam, 25 to 70 percent slopes, very stony
Dekalb channery loam, 25 to 70 percent slopes, very stony
Dekalb channery loam, 40 to 70 percent slopes
Dekalb channery loam, 6 to 12 percent slopes
Dekalb channery loam, 6 to 15 percent slopes
Dekalb channery loam, 8 to 15 percent slopes
Dekalb channery loam, 8 to 15 percent slopes
Dekalb channery sandy loam, 6 to 15 percent slopes, stony
Dekalb loam, 12 to 18 percent slopes
Dekalb loam, 12 to 18 percent slopes
Dekalb loam, 12 to 18 percent slopes, moderately eroded
Dekalb loam, 15 to 25 percent slopes
Dekalb loam, 18 to 25 percent slopes
Dekalb loam, 18 to 25 percent slopes
Dekalb loam, 18 to 35 percent slopes, moderately eroded
Dekalb loam, 25 to 35 percent slopes
Dekalb loam, 25 to 40 percent slopes
Dekalb loam, 3 to 8 percent slopes
Dekalb loam, 40 to 70 percent slopes, very stony
Dekalb loam, 6 to 12 percent slopes
Dekalb loam, 6 to 12 percent slopes, moderately eroded
Dekalb loam, 8 to 15 percent slopes
Dekalb loam, 8 to 15 percent slopes
Dekalb moderately channery loam, 40 to 70 percent slopes
Dekalb moderately channery loam, 40 to 70 percent slopes
Dekalb sandy loam, 12 to 18 percent slopes
Dekalb sandy loam, 12 to 18 percent slopes
Dekalb sandy loam, 12 to 25 percent slopes, moderately eroded
Dekalb sandy loam, 12 to 25 percent slopes, moderately eroded
Dekalb sandy loam, 18 to 25 percent slopes
Dekalb sandy loam, 2 to 6 percent slopes
Dekalb sandy loam, 25 to 50 percent slopes, moderately eroded
Dekalb sandy loam, 25 to 70 percent slopes
Dekalb sandy loam, 6 to 12 percent slopes
Dekalb sandy loam, 6 to 12 percent slopes
Dekalb very channery loam, 1 to 6 percent slopes
Dekalb very stony loam, 12 to 25 percent slopes
Dekalb very stony loam, 2 to 12 percent slopes
Dekalb very stony loam, 25 to 50 percent slopes
Dekalb very stony loam, 25 to 50 percent slopes
Dekalb-Loudonville complex, 25 to 70 percent slopes
Dekalb-Shelocta-Rock outcrop complex, 40 to 70 percent slopes
Dekalb-Westmoreland complex, 15 to 25 percent slopes

[illegible]

DtE
DtF
DuF
DeA
DgA
DdA
DdA
DeB
DeA
DeA
DdA
DfA
DIA
DeA
DgA
DfA
DfA
DdA
DeA
DeB
DdB
DIB
DfA
DeA
DfA
DfB
DgA
DfA
DhA
DmB
DcA
DuA
DmA
DhA
DyA
DnA
DnA
DgA
DmA
DzA
DmB
DmA
DnB
DmB
DoA
DgA
DgA

Dekalb-Westmoreland complex, 25 to 40 percent slopes
Dekalb-Westmoreland complex, 40 to 70 percent slopes
Dekalb-Westmoreland complex, benched, 40 to 70 percent slopes
Del Rey loam, 0 to 2 percent slopes
Del Rey loam, 0 to 2 percent slopes
Del Rey loam, 0 to 2 percent slopes
Del Rey loam, 0 to 3 percent slopes
Del Rey loam, 2 to 6 percent slopes
Del Rey loam, sandy substratum, 0 to 2 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 2 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, 0 to 3 percent slopes
Del Rey silt loam, 1 to 3 percent slopes
Del Rey silt loam, 2 to 6 percent slopes
Del Rey silt loam, 2 to 6 percent slopes
Del Rey silt loam, 2 to 6 percent slopes
Del Rey silt loam, till substratum, 0 to 3 percent slopes
Del Rey silt loam, till substratum, 0 to 3 percent slopes
Del Rey silty clay loam, 0 to 2 percent slopes
Del Rey silty clay loam, 2 to 6 percent slopes
Del Rey Variant silt loam, 0 to 3 percent slopes
Del Rey-Blount complex, 0 to 3 percent slopes
Del Rey-Blount complex, 0 to 3 percent slopes
Del Rey-Fulton silt loams, 1 to 6 percent slopes
Del Rey-Urban land complex, 0 to 3 percent slopes
Digby fine sandy loam, 0 to 2 percent slopes
Digby loam, 0 to 2 percent slopes
Digby loam, 0 to 2 percent slopes
Digby loam, 0 to 2 percent slopes
Digby loam, 0 to 2 percent slopes
Digby loam, 0 to 3 percent slopes
Digby loam, 0 to 3 percent slopes
Digby loam, 0 to 3 percent slopes
Digby loam, 0 to 3 percent slopes
Digby loam, 1 to 4 percent slopes
Digby loam, 1 to 4 percent slopes
Digby loam, 2 to 6 percent slopes
Digby loam, 2 to 6 percent slopes
Digby loam, moderately shallow variant, 0 to 2 percent slopes
Digby sandy loam, 0 to 2 percent slopes
Digby sandy loam, 0 to 3 percent slopes

2
2
2
5
5
5
5
5
4
5
5
5
5
5
5
5
3
5
5
5
5
5
5
5
5
5
5
4
5
5
5
5
4
4
4
4
4
4
4
4
4
4
4
4
4
2
4
4

DgB
DoA
DsA
DtA
DkA
DtA
DoA
DcA
DgA
DxA
DbA
DoA
DoE
DpF
Dr
DuA
DuB
DuB
DpB
DuB
DuA
DuB
DrA
DuB
DuB
DrB
DsA
DsB
DtB
DtC
DuC
DuD
DuE
DuB
DhA
DuA
EdD2
EdE2
EdB2
EdF2
EdC2
EaE
EaF
EaD2
EdE3
EaE2
EfE2

Digby sandy loam, 2 to 6 percent slopes
Digby variant silt loam, 0 to 2 percent slopes
Dixboro fine sandy loam, 0 to 2 percent slopes
Dixboro fine sandy loam, 0 to 3 percent slopes
Dixboro-Kibbie complex, 0 to 2 percent slopes
Dixboro-Urban land complex, 0 to 2 percent slopes
Doles silt loam, 0 to 2 percent slopes
Doles silt loam, 0 to 2 percent slopes
Doles silt loam, 0 to 3 percent slopes
Doles silt loam, 0 to 3 percent slopes
Doles silt loam, 0 to 3 percent slopes
Doles silt loam, 0 to 3 percent slopes
Donnelsville channery silt loam, 18 to 30 percent slopes
Donnelsville-Rock outcrop complex, 30 to 70 percent slopes
Drummer silty clay loam, gravelly substratum
Dubois silt loam, 0 to 2 percent slopes
Dubois silt loam, 2 to 6 percent slopes
Dunbridge fine sandy loam, 2 to 6 percent slopes
Dunbridge loamy fine sand, 1 to 4 percent slopes
Dunbridge loamy fine sand, 1 to 4 percent slopes
Dunbridge loamy sand, 0 to 2 percent slopes
Dunbridge loamy sand, 2 to 6 percent slopes
Dunbridge sandy loam, 0 to 2 percent slopes
Dunbridge sandy loam, 0 to 4 percent slopes
Dunbridge sandy loam, 1 to 4 percent slopes
Dunbridge sandy loam, 1 to 4 percent slopes
Dunbridge-Spinks, deep to limestone, loamy fine sands, 0 to 2 percent slopes
Dunbridge-Spinks, deep to limestone, loamy fine sands, 2 to 6 percent slopes
Duncannon silt loam, 2 to 6 percent slopes
Duncannon silt loam, 6 to 12 percent slopes
Duncannon silt loam, 6 to 12 percent slopes
Duncannon-Lakin complex, 12 to 18 percent slopes
Duncannon-Lakin complex, 18 to 25 percent slopes
Duncannon-Urban land complex, 0 to 15 percent slopes
Dunham silt loam, 0 to 2 percent slopes, overwash
Dunham silty clay loam, 0 to 2 percent slopes
Eden complex, 12 to 18 percent slopes, moderately eroded
Eden complex, 18 to 25 percent slopes, moderately eroded
Eden complex, 2 to 6 percent slopes, moderately eroded
Eden complex, 25 to 35 percent slopes, moderately eroded
Eden complex, 6 to 12 percent slopes, moderately eroded
Eden flaggy silt loam, 25 to 40 percent slopes
Eden flaggy silt loam, 40 to 70 percent slopes
Eden flaggy silty clay loam, 12 to 18 percent slopes, moderately eroded
Eden flaggy silty clay loam, 15 to 25 percent slopes, severely eroded
Eden flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded
Eden flaggy silty clay loam, 20 to 35 percent slopes, eroded

4
4
5
5
5
5
4
4
4
4
4
4
3
3
5
4
4
2
2
2
2
2
2
2
2
2
2
2
2
5
5
5
5
5
5
4
4
3
3
3
3
3
3
3
3
3
2
3
3

EgE2
EcE2
EbE2
EaF2
EbF
EdF
EgF2
EbF2
EfD2
EbE2
EdD2
EdD2
EcD
EcE2
EdE2
EcE
EcF2
EcB2
EcC2
EdG
EdG3
EcE3
EbD2
EbE2
EbG2
EdG2
EbC2
EdD2
EbD2
EbF2
EdB
EdC2
EbC2
EdB
EdC
Ed
EdA
Ee
EaA
Ee
Ee
Ee
Es
Em
EmA
Ee
EeA

Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded
Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded
Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded
Eden flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded
Eden flaggy silty clay loam, 40 to 60 percent slopes
Eden flaggy silty clay loam, 40 to 60 percent slopes
Eden flaggy silty clay loam, 40 to 70 percent slopes, eroded
Eden flaggy silty clay loam, 40 to 70 percent slopes, eroded
Eden flaggy silty clay loam, 6 to 20 percent slopes, eroded
Eden flaggy silty clay, 15 to 25 percent slopes, eroded
Eden silt loam, 6 to 20 percent slopes, eroded
Eden silty clay loam, 12 to 20 percent slopes, eroded
Eden silty clay loam, 15 to 25 percent slopes
Eden silty clay loam, 15 to 25 percent slopes, moderately eroded
Eden silty clay loam, 20 to 35 percent slopes, eroded
Eden silty clay loam, 25 to 40 percent slopes
Eden silty clay loam, 25 to 50 percent slopes, moderately eroded
Eden silty clay loam, 3 to 8 percent slopes, eroded
Eden silty clay loam, 8 to 15 percent slopes, eroded
Eden very flaggy silty clay, 25 to 60 percent slopes, stony
Edenton and Fairmount soils, 25 to 50 percent slopes, severely eroded
Edenton clay loam, 12 to 25 percent slopes, severely eroded
Edenton loam, 12 to 18 percent slopes, moderately eroded
Edenton loam, 18 to 25 percent slopes, moderately eroded
Edenton loam, 25 to 50 percent slopes, moderately eroded
Edenton loam, 25 to 50 percent slopes, moderately eroded
Edenton loam, 6 to 12 percent slopes, moderately eroded
Edenton silt loam, 12 to 18 percent slopes, moderately eroded
Edenton silt loam, 12 to 18 percent slopes, moderately eroded
Edenton silt loam, 18 to 35 percent slopes, moderately eroded
Edenton silt loam, 2 to 6 percent slopes
Edenton silt loam, 6 to 12 percent slopes, moderately eroded
Edenton silt loam, 6 to 12 percent slopes, moderately eroded
Eden-Urban land complex, 3 to 8 percent slopes
Eden-Urban land complex, 8 to 15 percent slopes
Edwards muck
Edwards muck, 0 to 1 percent slopes
Eel loam
Eel loam, 0 to 2 percent slopes, frequently flooded
Eel loam, 0 to 2 percent slopes, frequently flooded
Eel loam, occasionally flooded
Eel silt loam
Eel silt loam
Eel silt loam
Eel silt loam, 0 to 2 percent slopes, frequently flooded
Eel silt loam, frequently flooded
Eel silt loam, gravelly substratum, 0 to 1 percent slopes, occasionally flooded

[illegible]

EfA
Ee
EnA
Ee
Ef
Eg
EbD
EbD2
EbE2
EbE
EbE2
EbB
EbF2
EbC
EbC2
EaC2
EID
EIE
EIF
EkF
EbF
EdD2
EdE2
EcD2
EnC3
EhD3
EhC3
EnA
EgA
EnB
EgB
EnB2
EgB2
EnB2
EnC2
EgC2
EkC2
EIA
EeA
EkA
EnA
EpA
EIB
EeB
EnB
EkB
EmB

Eel silt loam, gravelly substratum, 0 to 1 percent slopes, occasionally flooded
Eel silt loam, gravelly substratum, occasionally flooded
Eel silt loam, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded
Eel silt loam, occasionally flooded
Eel Variant silt loam, occasionally flooded
Egam silty clay loam, (woolper 0 to 4 percent slopes)
Elba silty clay loam, 15 to 25 percent slopes
Elba silty clay loam, 15 to 25 percent slopes, eroded
Elba silty clay loam, 20 to 35 percent slopes, eroded
Elba silty clay loam, 25 to 40 percent slopes
Elba silty clay loam, 25 to 40 percent slopes, eroded
Elba silty clay loam, 3 to 8 percent slopes
Elba silty clay loam, 40 to 70 percent slopes, eroded
Elba silty clay loam, 8 to 15 percent slopes
Elba silty clay loam, 8 to 15 percent slopes, eroded
Elba silty clay loam, 8 to 15 percent slopes, eroded
Elba-Belpre complex, 12 to 18 percent slopes
Elba-Belpre complex, 18 to 25 percent slopes
Elba-Belpre complex, 25 to 35 percent slopes
Elba-Berks complex, 40 to 70 percent slopes
Elba-Brookside-Berks complex, 40 to 70 percent slopes
Elba-Guernsey silty clay loams, 15 to 25 percent slopes, eroded
Elba-Guernsey silty clay loams, 25 to 35 percent slopes, eroded
Elba-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Eldean clay loam, 6 to 12 percent slopes, severely eroded
Eldean gravelly clay loam, 12 to 18 percent slopes, severely eroded
Eldean gravelly clay loam, 6 to 12 percent slopes, severely eroded
Eldean gravelly loam, 0 to 2 percent slopes
Eldean gravelly loam, 0 to 2 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes
Eldean gravelly loam, 2 to 6 percent slopes, eroded
Eldean gravelly loam, 2 to 6 percent slopes, eroded
Eldean gravelly loam, 2 to 6 percent slopes, moderately eroded
Eldean gravelly loam, 6 to 12 percent slopes, eroded
Eldean gravelly loam, 6 to 12 percent slopes, eroded
Eldean gravelly loam, 6 to 12 percent slopes, eroded
Eldean loam, 0 to 2 percent slopes
Eldean loam, 0 to 2 percent slopes
Eldean loam, 0 to 2 percent slopes
Eldean loam, 0 to 2 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 2 to 6 percent slopes
Eldean loam, 2 to 6 percent slopes

[illegible]

EkB2
EpB2
EIB2
EIC
EmC
EIC2
EeC2
EpC2
EfC2
EIC2
EkA
EIA
EmA
EnA
EmB
EkB
EID2
EkB
EIB
EmB
EgB
EmB2
EmB2
EIC2
EmC2
EmC2
EnC2
EqC2
EoC2
EpD3
EoD2
EoC2
EpA
EpB
EpC2
ErD2
EpD2
EoD2
EpD3
EpE2
EpB
ErB
EpB2
ErC
ErC2
EpC2
EoC2

Eldean loam, 2 to 6 percent slopes, eroded
Eldean loam, 2 to 6 percent slopes, eroded
Eldean loam, 2 to 6 percent slopes, moderately eroded
Eldean loam, 6 to 12 percent slopes
Eldean loam, 6 to 12 percent slopes
Eldean loam, 6 to 12 percent slopes, eroded
Eldean loam, 6 to 12 percent slopes, eroded
Eldean loam, 6 to 12 percent slopes, eroded
Eldean loam, 6 to 12 percent slopes, eroded
Eldean loam, 6 to 12 percent slopes, moderately eroded
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 0 to 2 percent slopes
Eldean silt loam, 0 to 3 percent slopes
Eldean silt loam, 1 to 4 percent slopes
Eldean silt loam, 1 to 4 percent slopes
Eldean silt loam, 12 to 18 percent slopes, eroded
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes
Eldean silt loam, 2 to 6 percent slopes, eroded
Eldean silt loam, 2 to 6 percent slopes, moderately eroded
Eldean silt loam, 6 to 12 percent slopes, eroded
Eldean silt loam, 6 to 12 percent slopes, eroded
Eldean silt loam, 6 to 12 percent slopes, moderately eroded
Eldean-Casco complex, 6 to 12 percent slopes, eroded
Eldean-Casco complex, 6 to 12 percent slopes, eroded
Eldean-Casco complex, 6 to 15 percent slopes, eroded
Eldean-Casco complex, 6 to 18 percent slopes, severely eroded
Eldean-Casco gravelly loams, 12 to 18 percent slopes, moderately eroded
Eldean-Casco gravelly loams, 6 to 12 percent slopes, moderately eroded
Eldean-Kendallville loams, 0 to 2 percent slopes
Eldean-Kendallville loams, 2 to 6 percent slopes
Eldean-Kendallville loams, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, eroded
Eldean-Miamian complex, 12 to 18 percent slopes, severely eroded
Eldean-Miamian complex, 18 to 30 percent slopes, eroded
Eldean-Miamian complex, 2 to 6 percent slopes
Eldean-Miamian complex, 2 to 6 percent slopes
Eldean-Miamian complex, 2 to 6 percent slopes, eroded
Eldean-Miamian complex, 6 to 12 percent slopes
Eldean-Miamian complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 6 to 12 percent slopes, eroded
Eldean-Miamian complex, 6 to 12 percent slopes, eroded

[illegible]

EpC3
EsB2
EsC2
EsE3
EuB
EuA
EpC
EpB
ErA
ErB
EkC
EkA
EkA
EkB
EhB
EkB
EID
EkE
EnB
EvB
EkB
EkE
EIB
EvC
EkC2
EIC
Ek
En
EmA
EtA
EsA
EoB
EoB
EcA
EtA
EID
EhD
EhD2
EID2
EhD2
EIE2
EIE2
EhE
EIE2
EIF2
EIB
EhB

Eldean-Miamian complex, 6 to 12 percent slopes, severely eroded
Eldean-Morley complex, 2 to 6 percent slopes, eroded
Eldean-Morley complex, 6 to 15 percent slopes, eroded
Eldean-Rodman complex, 18 to 30 percent slopes, severely eroded
Eldean-Urban land complex, gently sloping
Eldean-Urban land complex, nearly level
Eldean-Urban land complex, rolling
Eldean-Urban land complex, undulating
Elk silt loam, 0 to 2 percent slopes, occasionally flooded
Elk silt loam, 2 to 6 percent slopes, rarely flooded
Elk silt loam, 6 to 12 percent slopes
Elkinsville silt loam, 0 to 2 percent slopes
Elkinsville silt loam, 0 to 3 percent slopes
Elkinsville silt loam, 1 to 6 percent slopes
Elkinsville silt loam, 1 to 6 percent slopes
Elkinsville silt loam, 1 to 8 percent slopes
Elkinsville silt loam, 15 to 25 percent slopes
Elkinsville silt loam, 15 to 40 percent slopes
Elkinsville silt loam, 2 to 6 percent slopes
Elkinsville silt loam, 2 to 6 percent slopes
Elkinsville silt loam, 2 to 6 percent slopes
Elkinsville silt loam, 25 to 40 percent slopes
Elkinsville silt loam, 3 to 8 percent slopes
Elkinsville silt loam, 6 to 12 percent slopes
Elkinsville silt loam, 6 to 12 percent slopes, eroded
Elkinsville silt loam, 8 to 15 percent slopes
Elkinsville silt loam, rarely flooded
Elkinsville silt loam, rarely flooded
Elliott silt loam, 0 to 2 percent slopes
Elliott silt loam, 0 to 3 percent slopes
Elliott silt loam, 0 to 3 percent slopes
Elliott silt loam, 0 to 4 percent slopes
Elliott silt loam, 1 to 4 percent slopes
Elliott silt loam, bedrock substratum, 0 to 2 percent slopes
Elliott silty clay loam, 0 to 3 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes
Ellsworth silt loam, 12 to 18 percent slopes, eroded
Ellsworth silt loam, 12 to 18 percent slopes, moderately eroded
Ellsworth silt loam, 12 to 18 percent slopes, moderately eroded
Ellsworth silt loam, 12 to 25 percent slopes, eroded
Ellsworth silt loam, 12 to 25 percent slopes, moderately eroded
Ellsworth silt loam, 18 to 25 percent slopes
Ellsworth silt loam, 18 to 40 percent slopes, moderately eroded
Ellsworth silt loam, 18 to 50 percent slopes, moderately eroded
Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes

[illegible]

EdB
EhB2
EIB2
EIB2
EhF
EIF2
EIF
EkF
EIC
EhC
EhC2
EdC2
EIC2
EIC2
EsB
EsC
EsC2
EmD
EmC
EuB
ExB
EsC
ExC
EuC
EuB
EnA
EmA
EnA
EnB
EyB
EoA
EnB
EnD
EnE
EnB
EnD
EnF
ErD
ErC
ErC
EsC
EuA
EuA
EuA
EvA
EuA
EcA

Ellsworth silt loam, 2 to 6 percent slopes
Ellsworth silt loam, 2 to 6 percent slopes, eroded
Ellsworth silt loam, 2 to 6 percent slopes, eroded
Ellsworth silt loam, 2 to 6 percent slopes, moderately eroded
Ellsworth silt loam, 25 to 50 percent slopes
Ellsworth silt loam, 25 to 50 percent slopes, moderately eroded
Ellsworth silt loam, 25 to 70 percent slopes
Ellsworth silt loam, 25 to 70 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes
Ellsworth silt loam, 6 to 12 percent slopes, eroded
Ellsworth silt loam, 6 to 12 percent slopes, eroded
Ellsworth silt loam, 6 to 12 percent slopes, eroded
Ellsworth silt loam, 6 to 12 percent slopes, moderately eroded
Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes
Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes
Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes, moderately eroded
Ellsworth silt loam, shale substratum, 12 to 18 percent slopes
Ellsworth silt loam, shale substratum, 6 to 12 percent slopes
Ellsworth-Urban land complex
Ellsworth-Urban land complex, 2 to 8 percent slopes
Ellsworth-Urban land complex, rolling
Ellsworth-Urban land complex, rolling
Ellsworth-Urban land complex, rolling
Ellsworth-Urban land complex, undulating
Elnora loamy fine sand, 0 to 4 percent slopes
Elnora loamy fine sand, 0 to 4 percent slopes
Elnora loamy fine sand, 1 to 3 percent slopes
Elnora loamy fine sand, 1 to 5 percent slopes
Elnora loamy fine sand, 2 to 6 percent slopes
Elnora loamy fine sand, bedrock substratum, 0 to 4 percent slopes
Enoch loam, 0 to 8 percent slopes
Enoch loam, 8 to 25 percent slopes
Enoch shaly clay loam, 20 to 40 percent slopes
Enoch shaly silty clay loam, 0 to 8 percent slopes, very stony
Enoch shaly silty clay loam, 15 to 25 percent slopes, very stony
Enoch shaly silty clay loam, 25 to 70 percent slopes, very stony
Ernest silt loam, 15 to 25 percent slopes
Ernest silt loam, 6 to 15 percent slopes
Ernest silt loam, 8 to 15 percent slopes
Ernest silt loam, 8 to 15 percent slopes
Euclid silt loam
Euclid silt loam, 0 to 2 percent slopes
Euclid silt loam, occasionally flooded
Euclid silt loam, occasionally flooded
Euclid silt loam, rarely flooded
Euclid silt loam, rarely flooded

[illegible]

Eu
FaE2
FaF2
FaF
FaE2
FaG2
FaE2
FaF2
FrF
FaF
FbF
FbD
FaD
FaB
FbB
FaE
FbF
FcF
FaD
FbD
FcB
FaB
FcC
FaC
FbB
FbD
FaB
FaE
FaD
FdD
FbE
FbF
FaB
FaC
FaC
FaD
FcB
FpB
FaB
FfB
FaB
FdB
FaD
FdD
FcE
FaE
FaE

Euclid silt loam, rarely flooded
Fairmount silty clay loam, 12 to 25 percent slopes, moderately eroded
Fairmount silty clay loam, 25 to 50 percent slopes, moderately eroded
Fairmount silty clay loam, moderately deep variant, 25 to 50 percent slopes
Fairmount very flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded
Fairmount very flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded
Fairmount-Eden flaggy silty clay loams, 12 to 25 percent slopes, moderately eroded
Fairmount-Eden flaggy silty clay loams, 25 to 50 percent slopes, moderately eroded
Fairmount-Rock outcrop complex, 30 to 65 percent slopes
Fairpoint channery clay loam, 25 to 70 percent slopes
Fairpoint channery clay loam, 40 to 70 percent slopes
Fairpoint channery clay loam, 8 to 20 percent slopes
Fairpoint channery clay loam, 8 to 25 percent slopes
Fairpoint channery silty clay loam, 1 to 8 percent slopes
Fairpoint channery silty clay loam, 1 to 8 percent slopes
Fairpoint channery silty clay loam, 25 to 40 percent slopes
Fairpoint channery silty clay loam, 25 to 70 percent slopes
Fairpoint channery silty clay loam, 25 to 70 percent slopes
Fairpoint channery silty clay loam, 8 to 25 percent slopes
Fairpoint channery silty clay loam, 8 to 25 percent slopes
Fairpoint clay loam, 0 to 8 percent slopes
Fairpoint clay loam, 0 to 8 percent slopes
Fairpoint clay loam, 8 to 20 percent slopes
Fairpoint clay loam, 8 to 20 percent slopes
Fairpoint gravelly clay loam, 0 to 8 percent slopes
Fairpoint gravelly clay loam, 8 to 25 percent slopes
Fairpoint loam, 0 to 8 percent slopes
Fairpoint loam, 25 to 35 percent slopes
Fairpoint loam, 8 to 25 percent slopes
Fairpoint loam, 8 to 25 percent slopes
Fairpoint shaly clay loam, 25 to 40 percent slopes
Fairpoint shaly clay loam, 40 to 70 percent slopes
Fairpoint silt loam, 0 to 8 percent slopes
Fairpoint silt loam, 3 to 15 percent slopes
Fairpoint silt loam, 8 to 20 percent slopes
Fairpoint silt loam, 8 to 25 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 0 to 8 percent slopes
Fairpoint silty clay loam, 1 to 15 percent slopes
Fairpoint silty clay loam, 1 to 15 percent slopes
Fairpoint silty clay loam, 15 to 25 percent slopes
Fairpoint silty clay loam, 15 to 25 percent slopes
Fairpoint silty clay loam, 25 to 40 percent slopes
Fairpoint silty clay loam, 25 to 40 percent slopes
Fairpoint silty clay loam, 25 to 50 percent slopes

[illegible]

FcD
FaD
FfD
FbB
FbF
FrF
FbD
FbF
FbC
FeB
FeC
FcB
FcC
FdD2
FaC2
FcD
FbD2
FdD2
FcC
FeC2
FeA
FcA
FhA
FdA
FnA
FgA
FbA
FcA
FgB
FiB
FbB
FcB
FhB
FdA
FdB
FcA
FhA
FdA
FbA
FcA
FtA
FcA
FbA
FcB
FhB
FdB
FbB

Fairpoint silty clay loam, 8 to 25 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Fairpoint silty clay loam, 8 to 25 percent slopes
Fairpoint very channery silt loam, 0 to 8 percent slopes
Fairpoint very channery silt loam, 25 to 70 percent slopes
Fairpoint very channery silt loam, 25 to 70 percent slopes
Fairpoint very channery silt loam, 8 to 25 percent slopes
Fairpoint very shaly clay loam, 25 to 70 percent slopes
Fairpoint very shaly clay loam, 3 to 15 percent slopes
Farmerstown loam, 0 to 8 percent slopes
Farmerstown loam, 8 to 20 percent slopes
Farmerstown silt loam, 0 to 8 percent slopes
Farmerstown silt loam, 8 to 20 percent slopes
Faywood silt loam, 15 to 25 percent slopes, eroded
Faywood silt loam, 8 to 15 percent slopes, eroded
Faywood silty clay loam, 12 to 20 percent slopes
Faywood silty clay loam, 15 to 25 percent slopes, eroded
Faywood silty clay loam, 15 to 25 percent slopes, eroded
Faywood silty clay loam, 6 to 12 percent slopes
Faywood-Lowell silt loams, 8 to 15 percent slopes, eroded
Fincastle and Crosby silt loams, 0 to 2 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 0 to 2 percent slopes
Fincastle silt loam, 0 to 4 percent slopes
Fincastle silt loam, 2 to 4 percent slopes
Fincastle silt loam, 2 to 4 percent slopes
Fincastle silt loam, 2 to 4 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Fincastle silt loam, 2 to 6 percent slopes
Fincastle silt loam, bedrock substratum, 0 to 2 percent slopes
Fincastle silt loam, bedrock substratum, 2 to 6 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 0 to 2 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Fitchville silt loam, 0 to 3 percent slopes
Fitchville silt loam, 1 to 4 percent slopes
Fitchville silt loam, 1 to 4 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, 2 to 6 percent slopes
Fitchville silt loam, 2 to 6 percent slopes

[illegible]

FcB
FcC
FdA
FdB
FgA
FgB
FdA
FIA
FhB
FcB
FdA
FIB
Fn
Fu
FfA
FdA
FeA
FeB
FbA
FcA
Fc
FdA
Fb
FoC3
FpC2
FoC3
FoA
FoD2
FoD
FoE2
FoB
FoC
FhA
FoA
FIA
FnA
FnD2
FID2
FhD2
FhB
FnB
FoB
FIB
FoB2
FIB2
FoC
FhC2

Fitchville silt loam, 3 to 8 percent slopes
Fitchville silt loam, 6 to 12 percent slopes
Fitchville silt loam, clayey substratum, 0 to 3 percent slopes
Fitchville silt loam, clayey substratum, 3 to 8 percent slopes
Fitchville silt loam, gravelly subsoil variant, 0 to 2 percent slopes
Fitchville silt loam, gravelly subsoil variant, 2 to 6 percent slopes
Fitchville silt loam, low terrace, 0 to 2 percent slopes
Fitchville silt loam, low terrace, 0 to 2 percent slopes
Fitchville silt loam, till substratum, 2 to 6 percent slopes
Fitchville variant silt loam, 1 to 6 percent slopes
Fitchville-Bennington silt loams, 0 to 2 percent slopes
Fitchville-Urban land complex
Fitchville-Urban land complex
Fitchville-Urban land complex
Fitchville-Urban land complex, 0 to 2 percent slopes
Fitchville-Urban land complex, 0 to 3 percent slopes
Fitchville-Urban land complex, nearly level
Fitchville-Urban land complex, undulating
Flatrock loam, 0 to 2 percent slopes, occasionally flooded
Flatrock silt loam, 0 to 2 percent slopes, occasionally flooded
Flatrock silt loam, frequently flooded
Flatrock silt loam, limestone substratum, 0 to 2 percent slopes, occasionally flooded
Flatrock silt loam, occasionally flooded
Fox and Casco soils, 6 to 12 percent slopes, severely eroded
Fox clay loam, 6 to 12 percent slopes, eroded
Fox clay loam, 6 to 12 percent slopes, severely eroded
Fox gravelly loam, 0 to 2 percent slopes
Fox gravelly loam, 12 to 18 percent slopes, eroded
Fox gravelly loam, 12 to 25 percent slopes
Fox gravelly loam, 18 to 25 percent slopes, eroded
Fox gravelly loam, 2 to 6 percent slopes
Fox gravelly loam, 6 to 12 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 0 to 2 percent slopes
Fox loam, 12 to 18 percent slopes, eroded
Fox loam, 12 to 18 percent slopes, moderately eroded
Fox loam, 12 to 20 percent slopes, eroded
Fox loam, 2 to 6 percent slopes
Fox loam, 2 to 6 percent slopes
Fox loam, 2 to 6 percent slopes
Fox loam, 2 to 6 percent slopes
Fox loam, 2 to 6 percent slopes, eroded
Fox loam, 2 to 6 percent slopes, moderately eroded
Fox loam, 6 to 12 percent slopes
Fox loam, 6 to 12 percent slopes, eroded

[illegible]

FnC2
FmC2
FoC2
FIC2
FkA
FkB
FmB
FmA
FnA
FoA
FmD2
FnD1
FmB
FnB
FoB
FnB2
FoB2
FnC2
FnC2
FoC2
FmC2
FmA
FnA
FmB
FmB2
FsC3
FrE2
FoD2
FpC2
FoC2
FpC2
FuB
FrB
FkB
FnD2
FoC2
FoB
Fr
FrA
FeA
Fr
FrA
FpA
FsA
FtA
FrA
FsA

Fox loam, 6 to 12 percent slopes, eroded
Fox loam, 6 to 12 percent slopes, eroded
Fox loam, 6 to 12 percent slopes, eroded
Fox loam, 6 to 12 percent slopes, moderately eroded
Fox sandy loam, 0 to 2 percent slopes
Fox sandy loam, 2 to 6 percent slopes
Fox sandy loam, 2 to 6 percent slopes
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 0 to 2 percent slopes
Fox silt loam, 12 to 18 percent slopes, moderately eroded
Fox silt loam, 12 to 18 percent slopes, slightly eroded
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 2 to 6 percent slopes
Fox silt loam, 2 to 6 percent slopes, moderately eroded
Fox silt loam, 2 to 6 percent slopes, moderately eroded
Fox silt loam, 6 to 12 percent slopes, eroded
Fox silt loam, 6 to 12 percent slopes, moderately eroded
Fox silt loam, 6 to 12 percent slopes, moderately eroded
Fox silt loam, 6 to 12 percent slopes, moderately eroded
Fox silt loam, till substratum, 0 to 2 percent slopes
Fox silt loam, till substratum, 0 to 2 percent slopes
Fox silt loam, till substratum, 2 to 6 percent slopes
Fox silt loam, till substratum, 2 to 6 percent slopes, eroded
Fox soils, 6 to 12 percent slopes, severely eroded
Fox, Casco, and Rodman soils, 12 to 25 percent slopes, moderately eroded
Fox-Casco complex, 12 to 18 percent slopes, moderately eroded
Fox-Lybrand complex, 6 to 12 percent slopes, eroded
Fox-Miami silt loams, 6 to 12 percent slopes, moderately eroded
Fox-Miami silt loams, 6 to 12 percent slopes, moderately eroded
Fox-Urban land complex, gently sloping
Frankstown variant-Mertz complex, 2 to 6 percent slopes, very stony
Frankstown variant-Mertz complex, 3 to 8 percent slopes
Fredericktown gravelly loam, 15 to 25 percent slopes, eroded
Fredericktown gravelly loam, 6 to 15 percent slopes, eroded
Fredericktown silt loam, 2 to 6 percent slopes
Frenchtown silt loam
Frenchtown silt loam, 0 to 2 percent slopes
Frenchtown silt loam, 0 to 3 percent slopes
Fries silty clay loam
Fries silty clay loam, 0 to 1 percent slopes
Fries silty clay loam, 0 to 1 percent slopes
Fulton loam, 0 to 2 percent slopes
Fulton loam, 0 to 2 percent slopes
Fulton loam, 0 to 2 percent slopes
Fulton loam, 0 to 3 percent slopes

4
4
4
4
4
4
4
4
4
4
4
3
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
3
3
3
4
4
4
4
2
2
5
5
5
4
4
3
3
3
3
5
5
5
5

FsB
FvA
FuA
FsA
FuA
FuB
FvA
FtA
FxA
FuA
FtA
FvA
FuA
FtA
FvA
FtB
FuB
FuB2
FvA
FxA
FvA
FxB
FuA
FuB
FzA
FwA
GaF
GaA
GaB
GaB
GbB
GaD
GcC
GaC
GaC
GaC2
GaD
GaB
GaC
GbC
GbA
GbB
GyB
GbB
GfB
GbC
GaA

Fulton loam, 2 to 6 percent slopes
Fulton loam, sandy subsoil variant, 0 to 2 percent slopes
Fulton silt loam, 0 to 2 percent slopes
Fulton silt loam, 0 to 2 percent slopes
Fulton silt loam, 0 to 4 percent slopes
Fulton silt loam, 2 to 6 percent slopes
Fulton silt loam, sandy substratum, 0 to 2 percent slopes
Fulton silt loam, till substratum, 0 to 2 percent slopes
Fulton silt loam, till substratum, 0 to 2 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 0 to 2 percent slopes
Fulton silty clay loam, 0 to 3 percent slopes
Fulton silty clay loam, 0 to 3 percent slopes
Fulton silty clay loam, 0 to 3 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes
Fulton silty clay loam, 2 to 6 percent slopes, eroded
Fulton silty clay loam, gravelly substratum, 0 to 2 percent slopes
Fulton silty clay loam, loamy substratum, 0 to 2 percent slopes
Fulton silty clay loam, loamy substratum, 0 to 2 percent slopes
Fulton silty clay loam, loamy substratum, 2 to 6 percent slopes
Fulton silty clay loam, till substratum, 0 to 2 percent slopes
Fulton silty clay loam, till substratum, 2 to 6 percent slopes
Fulton, till substratum-Urban land complex, 0 to 2 percent slopes
Fulton-Urban land complex, 0 to 3 percent slopes
Gageville silt loam, 18 to 50 percent slopes
Galen fine sand, 0 to 2 percent slopes
Galen fine sand, 2 to 6 percent slopes
Galen loamy fine sand, 1 to 6 percent slopes
Galen loamy fine sand, 1 to 6 percent slopes
Gallia loam, 12 to 18 percent slopes
Gallia loam, 6 to 12 percent slopes
Gallia loam, 6 to 12 percent slopes
Gallia loam, 8 to 15 percent slopes
Gallia loam, 8 to 15 percent slopes, eroded
Gallia silt loam, 12 to 18 percent slopes
Gallia silt loam, 2 to 6 percent slopes
Gallia silt loam, 6 to 12 percent slopes
Gallia silt loam, 6 to 12 percent slopes
Gallipolis silt loam, 0 to 2 percent slopes
Gallipolis silt loam, 1 to 6 percent slopes
Gallipolis silt loam, 2 to 6 percent slopes
Gallipolis silt loam, 2 to 6 percent slopes
Gallipolis silt loam, 2 to 6 percent slopes
Gallipolis silt loam, 6 to 15 percent slopes
Gallman loam, 0 to 2 percent slopes

[illegible]

GaB
GaB
GbB
GaC
GaC2
GaB
GaA
GbA
GaB
GbA
GaB
GbB
GaC
GcB
GbF2
GbG
GaD2
GaC
GaB
GeF
GbD2
GbD2
GbE2
GbB
GbB
GbB2
GbB2
GbB2
GbC
GbC
GbC2
GbC2
GbC2
GbC
GcC2
GeF
Gd
Gn
Gm
Ge
GmA
Ge
Gn
Gn
GnA
Gn
Gn

Gallman loam, 1 to 4 percent slopes
Gallman loam, 2 to 6 percent slopes
Gallman loam, 2 to 6 percent slopes
Gallman loam, 6 to 12 percent slopes
Gallman loam, loamy substratum, 6 to 12 percent slopes, eroded
Gallman sandy loam, 2 to 6 percent slopes
Gallman silt loam, 0 to 2 percent slopes
Gallman silt loam, 0 to 2 percent slopes
Gallman silt loam, 2 to 6 percent slopes
Gallman silt loam, loamy substratum, 0 to 2 percent slopes
Gallman silt loam, loamy substratum, 2 to 6 percent slopes
Gallman silt loam, loamy substratum, 2 to 6 percent slopes
Gallman silt loam, loamy substratum, 6 to 12 percent slopes
Gallman silt loam, till substratum, 2 to 6 percent slopes
Gasconade flaggy silty clay loam, 18 to 35 percent slopes, moderately eroded
Gasconade flaggy silty clay loam, 35 to 50 percent slopes
Gasconade silty clay loam, 12 to 18 percent slopes, moderately eroded
Gasconade silty clay loam, 6 to 12 percent slopes
Gavers silt loam, 2 to 6 percent slopes
Geeburg and Glenford silt loams, steep
Geeburg silt loam, 12 to 18 percent slopes, moderately eroded
Geeburg silt loam, 12 to 18 percent slopes, moderately eroded
Geeburg silt loam, 12 to 25 percent, moderately eroded
Geeburg silt loam, 2 to 6 percent slopes
Geeburg silt loam, 2 to 6 percent slopes
Geeburg silt loam, 2 to 6 percent slopes, eroded
Geeburg silt loam, 2 to 6 percent slopes, moderately eroded
Geeburg silt loam, 2 to 6 percent slopes, moderately eroded
Geeburg silt loam, 6 to 12 percent slopes
Geeburg silt loam, 6 to 12 percent slopes
Geeburg silt loam, 6 to 12 percent slopes, eroded
Geeburg silt loam, 6 to 12 percent slopes, moderately eroded
Geeburg silt loam, 6 to 12 percent slopes, moderately eroded
Geeburg silt loam, 6 to 18 percent slopes
Geeburg silty clay loam, 6 to 12 percent slopes, moderately eroded
Geeburg-Mentor silt loams, 25 to 70 percent slopes
Genesee fine sandy loam
Genesee loam
Genesee loam
Genesee loam
Genesee loam, 0 to 2 percent slopes, frequently flooded
Genesee loam, occasionally flooded
Genesee silt loam
Genesee silt loam
Genesee silt loam, 0 to 2 percent slopes, frequently flooded
Genesee silt loam, frequently flooded
Genesee silt loam, occasionally flooded

5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
1
1
1
1
5
2
2
3
2
2
3
2
2
3
2
2
3
2
3
2
2
3
2
3
2
5
5
5
5
5
5
5
5
5
4
5
5
5

Ge
Go
Gn
Ge
Go
Go
GeD
GtD
GeC
GtC
GcD
GdB
GoB
GcE
GdC2
GeD
GbD
GaD
GeE
GbE
GaE
GbC
GaC
GdF
Ge
Gd
Ge
Gg
Gf
Gf
Gs
Ge
Go
Ge
Gf
Go
GdA
GfA
GdE
GdG
GdD
GnD
GcD
GdD
GhD
GkD
GpD

Genesee silt loam, occasionally flooded
Genesee silt loam, till substratum, occasionally flooded
Genesee silt loam, till substratum, occasionally flooded
Genesee silt loam, till substratum, rarely flooded
Genesee variant loam, frequently flooded
Genesee-Urban land complex
Germano fine sandy loam, 15 to 25 percent slopes
Germano fine sandy loam, 15 to 25 percent slopes
Germano fine sandy loam, 6 to 15 percent slopes
Germano fine sandy loam, 6 to 15 percent slopes
Germano sandy loam, 15 to 25 percent slopes
Germano sandy loam, 2 to 6 percent slopes
Germano sandy loam, 2 to 6 percent slopes
Germano sandy loam, 25 to 40 percent slopes
Germano sandy loam, 6 to 15 percent slopes, eroded
Germano-Gilpin complex, 15 to 25 percent slopes
Germano-Gilpin complex, 15 to 25 percent slopes
Germano-Gilpin complex, 15 to 25 percent slopes
Germano-Gilpin complex, 25 to 40 percent slopes
Germano-Gilpin complex, 25 to 40 percent slopes
Germano-Gilpin complex, 25 to 40 percent slopes
Germano-Gilpin complex, 6 to 15 percent slopes
Germano-Gilpin complex, 6 to 15 percent slopes
Germano-Rock outcrop complex, 40 to 70 percent slopes
Gessie loam, frequently flooded
Gessie loam, frequently flooded
Gessie loam, sandy substratum, occasionally flooded
Gessie silt loam, frequently flooded
Gessie silt loam, frequently flooded
Gessie silt loam, occasionally flooded
Gessie silt loam, occasionally flooded
Gessie silt loam, occasionally flooded
Gessie silt loam, occasionally flooded
Gessie silt loam, occasionally flooded
Gilford fine sandy loam
Gilford fine sandy loam
Gilford fine sandy loam
Gilford fine sandy loam, 0 to 1 percent slopes
Gilford mucky loam, 0 to 1 percent slopes
Gilpin and Dekalb very stony soils, 12 to 35 percent slopes
Gilpin and Dekalb very stony soils, 35 to 70 percent slopes
Gilpin silt loam, 12 to 18 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 15 to 25 percent slopes
Gilpin silt loam, 15 to 25 percent slopes

[illegible]

GdE
GeB
GdB
GkB
GnB
GhB
GaB
GdB
GbB
GcE
GdF
GdE
GhB
GnB
GpB
GcF
GdF
GdC
GhC
GaC
GdC2
GgC2
GeC
GnC
GkC
GhC
GhC
GnC
GcC
GdC
GmC
GkC
GpC
GbC
GkC2
GdC2
GoC2
GhC2
GpC
GcC
GkD
GoD
GkC
GmC
GoC
GoD
GoC

Gilpin silt loam, 18 to 25 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 2 to 6 percent slopes
Gilpin silt loam, 2 to 8 percent slopes
Gilpin silt loam, 2 to 8 percent slopes
Gilpin silt loam, 25 to 35 percent slopes
Gilpin silt loam, 25 to 35 percent slopes
Gilpin silt loam, 25 to 35 percent slopes
Gilpin silt loam, 3 to 8 percent slopes
Gilpin silt loam, 3 to 8 percent slopes
Gilpin silt loam, 3 to 8 percent slopes
Gilpin silt loam, 35 to 70 percent slopes
Gilpin silt loam, 35 to 70 percent slopes
Gilpin silt loam, 6 to 12 percent slopes
Gilpin silt loam, 6 to 12 percent slopes
Gilpin silt loam, 6 to 12 percent slopes
Gilpin silt loam, 6 to 12 percent slopes, eroded
Gilpin silt loam, 6 to 12 percent slopes, eroded
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 6 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes
Gilpin silt loam, 8 to 15 percent slopes, eroded
Gilpin silt loam, 8 to 15 percent slopes, eroded
Gilpin silt loam, 8 to 15 percent slopes, eroded
Gilpin silt loam, 8 to 15 percent slopes, eroded
Gilpin-Aaron complex, 6 to 15 percent slopes
Gilpin-Aaron complex, 6 to 15 percent slopes
Gilpin-Coshocton complex, 15 to 25 percent slopes
Gilpin-Coshocton complex, 15 to 25 percent slopes
Gilpin-Coshocton complex, 6 to 15 percent slopes
Gilpin-Coshocton complex, 6 to 15 percent slopes
Gilpin-Coshocton complex, 6 to 15 percent slopes
Gilpin-Coshocton silt loams, 15 to 25 percent slopes
Gilpin-Coshocton silt loams, 6 to 15 percent slopes

[illegible]

GoC
GpC
GgD
GgE
GgF
GmD
GpD
GrC
GpC
GpD
GpC
GdE
GkD
GhD
GkD2
GcD2
GkE
GcE
GhE
GhC
GeE
GkD
GkD3
GkE
GkE3
GkF
GIF
GIG
GkC
GmC
GhC
GkD
GkD2
GhD2
GrD
GuD
GmD2
GkD2
GeD2
GkE2
GkE3
GkB2
GhE2
GmE2
GkE2
GeE2
GrE

Gilpin-Coshocton silt loams, 8 to 15 percent slopes
Gilpin-Coshocton-Urban land complex, 6 to 15 percent slopes
Gilpin-Guernsey complex, 15 to 25 percent slopes
Gilpin-Guernsey complex, 25 to 40 percent slopes
Gilpin-Guernsey complex, 40 to 70 percent slopes
Gilpin-Latham silt loams, 15 to 25 percent slopes
Gilpin-Lowell complex, 15 to 25 percent slopes
Gilpin-Lowell complex, 6 to 15 percent slopes
Gilpin-Lowell complex, 6 to 15 percent slopes
Gilpin-Lowell silt loams, 15 to 25 percent slopes
Gilpin-Lowell silt loams, 8 to 15 percent slopes
Gilpin-Rarden association, steep
Gilpin-Rarden complex, 15 to 25 percent slopes
Gilpin-Rarden complex, 15 to 25 percent slopes
Gilpin-Rarden complex, 15 to 25 percent slopes, eroded
Gilpin-Rarden complex, 15 to 25 percent slopes, eroded
Gilpin-Rarden complex, 25 to 40 percent slopes
Gilpin-Rarden complex, 25 to 40 percent slopes
Gilpin-Rarden complex, 25 to 40 percent slopes
Gilpin-Rarden complex, 6 to 15 percent slopes
Gilpin-Steinsburg-Upshur association, steep
Gilpin-Summitville-Upshur complex, 12 to 18 percent slopes
Gilpin-Summitville-Upshur complex, 12 to 18 percent slopes, severely eroded
Gilpin-Summitville-Upshur complex, 18 to 25 percent slopes
Gilpin-Summitville-Upshur complex, 18 to 25 percent slopes, severely eroded
Gilpin-Summitville-Upshur complex, 25 to 35 percent slopes
Gilpin-Summitville-Upshur complex, 25 to 35 percent slopes, benched
Gilpin-Summitville-Upshur complex, 35 to 70 percent slopes, benched
Gilpin-Summitville-Upshur complex, 6 to 12 percent slopes
Gilpin-Tarhollow complex, 6 to 15 percent slopes
Gilpin-Tilsit complex, 6 to 12 percent slopes
Gilpin-Upshur complex, 12 to 18 percent slopes
Gilpin-Upshur complex, 12 to 18 percent slopes, moderately eroded
Gilpin-Upshur complex, 12 to 20 percent slopes, eroded
Gilpin-Upshur complex, 15 to 25 percent slopes
Gilpin-Upshur complex, 15 to 25 percent slopes
Gilpin-Upshur complex, 15 to 25 percent slopes, eroded
Gilpin-Upshur complex, 15 to 25 percent slopes, eroded
Gilpin-Upshur complex, 15 to 25 percent slopes, eroded
Gilpin-Upshur complex, 18 to 35 percent slopes, moderately eroded
Gilpin-Upshur complex, 18 to 35 percent slopes, severely eroded
Gilpin-Upshur complex, 2 to 6 percent slopes, moderately eroded
Gilpin-Upshur complex, 20 to 35 percent slopes, eroded
Gilpin-Upshur complex, 25 to 35 percent slopes, eroded
Gilpin-Upshur complex, 25 to 35 percent slopes, eroded
Gilpin-Upshur complex, 25 to 40 percent slopes, eroded
Gilpin-Upshur complex, 25 to 50 percent slopes

[illegible]

GuE
GkG
GhF
GkF
GmF2
GkF2
GkG3
GkC2
GmC2
GrC
GuC
GIE
GIG
GnE
GnG
GsF
GoD2
GoD3
GoE2
GoE3
GoB2
GoG2
GoC2
GpG
Ge
Gr
GnA
GfA
GmA
GsB
GnB
GfD
GfD2
GpE2
GfB
GnB
GrB
GsB
GdB
GoB
GpB
GtB
GhB
GhB
GfB
GmB
GfC

Gilpin-Upshur complex, 25 to 50 percent slopes
Gilpin-Upshur complex, 35 to 70 percent slopes
Gilpin-Upshur complex, 35 to 70 percent slopes
Gilpin-Upshur complex, 35 to 70 percent slopes
Gilpin-Upshur complex, 35 to 70 percent slopes, eroded
Gilpin-Upshur complex, 35 to 70 percent slopes, eroded
Gilpin-Upshur complex, 35 to 70 percent slopes, severely eroded
Gilpin-Upshur complex, 6 to 12 percent slopes, moderately eroded
Gilpin-Upshur complex, 6 to 12 percent slopes, moderately eroded
Gilpin-Upshur complex, 8 to 15 percent slopes
Gilpin-Upshur complex, 8 to 15 percent slopes
Gilpin-Upshur complex, steep, benched
Gilpin-Upshur complex, very steep, benched
Gilpin-Upshur very stony complex, 12 to 35 percent slopes
Gilpin-Upshur very stony complex, 35 to 70 percent slopes
Gilpin-Weikert complex, 25 to 70 percent slopes
Gilpin-Westmoreland silt loams, 12 to 18 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, 12 to 18 percent slopes, severely eroded
Gilpin-Westmoreland silt loams, 18 to 35 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, 18 to 35 percent slopes, severely eroded
Gilpin-Westmoreland silt loams, 2 to 6 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, 35 to 70 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, 6 to 12 percent slopes, moderately eroded
Gilpin-Westmoreland silt loams, very steep, benched
Ginat silt loam
Glendora loamy fine sand, frequently flooded
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 0 to 2 percent slopes
Glenford silt loam, 0 to 3 percent slopes
Glenford silt loam, 1 to 7 percent slopes
Glenford silt loam, 1 to 8 percent slopes
Glenford silt loam, 12 to 18 percent slopes
Glenford silt loam, 12 to 18 percent slopes, moderately eroded
Glenford silt loam, 18 to 25 percent slopes, moderately eroded
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 2 to 6 percent slopes
Glenford silt loam, 3 to 8 percent slopes
Glenford silt loam, 3 to 8 percent slopes
Glenford silt loam, 3 to 8 percent slopes
Glenford silt loam, 6 to 12 percent slopes

[illegible]

GrC
GIC
GnC
GnC2
GfC2
GfC2
GpC2
GpC
GsC
GeC
GnC
GnC2
GfC2
GsC
GfC
GmC
GpA
GnB
GoC
GoB
GyD3
GmD3
GyD3
GxD3
Gwd5B2
GyB2
Gwd5C2
Gwg5C3
GoC3
Gwg5C2
GdA
GkA
GnD2
GwD2
GID2
GIE2
GkB
GwB
GIB
GnB2
GwB2
GIB2
GIC
GnC2
GwC2
GIC2
GmA

Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 12 percent slopes
Glenford silt loam, 6 to 12 percent slopes, eroded
Glenford silt loam, 6 to 12 percent slopes, eroded
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Glenford silt loam, 6 to 12 percent slopes, moderately eroded
Glenford silt loam, 6 to 15 percent slopes
Glenford silt loam, 6 to 15 percent slopes
Glenford silt loam, 6 to 15 percent slopes
Glenford silt loam, 6 to 15 percent slopes
Glenford silt loam, 6 to 15 percent slopes, eroded
Glenford silt loam, 6 to 15 percent slopes, eroded
Glenford silt loam, 7 to 15 percent slopes
Glenford silt loam, 8 to 15 percent slopes
Glenford silt loam, 8 to 15 percent slopes
Glenford silt loam, occasionally flooded
Glenford-Urban land complex, 2 to 6 percent slopes
Glenford-Urban land complex, rolling
Glenford-Urban land complex, undulating
Glynwood clay loam, 12 to 18 percent slopes, severely eroded
Glynwood clay loam, 12 to 18 percent slopes, severely eroded
Glynwood clay loam, 12 to 18 percent slopes, severely eroded
Glynwood clay loam, 12 to 18 percent slopes, severely eroded
Glynwood clay loam, 2 to 6 percent slopes, eroded
Glynwood clay loam, 2 to 6 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, eroded
Glynwood clay loam, 6 to 12 percent slopes, severely eroded
Glynwood clay loam, 6 to 12 percent slopes, severely eroded
Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded
Glynwood loam, 0 to 2 percent slopes
Glynwood loam, 0 to 2 percent slopes
Glynwood loam, 12 to 18 percent slopes, eroded
Glynwood loam, 12 to 18 percent slopes, moderately eroded
Glynwood loam, 12 to 18 percent slopes, moderately eroded
Glynwood loam, 18 to 40 percent slopes, moderately eroded
Glynwood loam, 2 to 4 percent slopes
Glynwood loam, 2 to 6 percent slopes
Glynwood loam, 2 to 6 percent slopes
Glynwood loam, 2 to 6 percent slopes, eroded
Glynwood loam, 2 to 6 percent slopes, eroded
Glynwood loam, 2 to 6 percent slopes, moderately eroded
Glynwood loam, 6 to 12 percent slopes
Glynwood loam, 6 to 12 percent slopes, eroded
Glynwood loam, 6 to 12 percent slopes, eroded
Glynwood loam, 6 to 12 percent slopes, moderately eroded
Glynwood loam, limestone substratum, 0 to 2 percent slopes

[illegible]

GwA
GmD2
GID2
GwD2
GwD2
Gwd1B1
GwB
GIB
GnB
GuB
GeB
GIB2
GnB2
GwB2
GwB2
GnB2
Gwd1C1
Gwg1C1
GwB2
GxB2
GpB2
GrB2
GsB
GfB
GwM5C3
GuB
GzB
GoF
Gr
GpA
Gx
Gr
Gx
Gr
Gs
GrB
GuB
GuB
GnD
GuD
GtD
GgD
GuD2
GrD2
GwD2
GgD2
GpD2

Glynwood silt loam, 0 to 2 percent slopes
Glynwood silt loam, 12 to 18 percent slopes, eroded
Glynwood silt loam, 12 to 18 percent slopes, eroded
Glynwood silt loam, 12 to 18 percent slopes, eroded
Glynwood silt loam, 12 to 18 percent slopes, moderately eroded
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes
Glynwood silt loam, 2 to 6 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes, eroded
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Glynwood silt loam, 2 to 6 percent slopes, moderately eroded
Glynwood silt loam, 6 to 12 percent slopes
Glynwood silt loam, ground moraine, 6 to 12 percent slopes
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Glynwood silty clay loam, 2 to 6 percent slopes, eroded
Glynwood-Blount-Houcktown complex, 1 to 4 percent slopes
Glynwood-Blount-Houcktown complex, 1 to 4 percent slopes
Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded
Glynwood-Urban land complex, 2 to 6 percent slopes
Glynwood-Urban land complex, 2 to 6 percent slopes
Gosport silty clay loam, 25 to 70 percent slopes
Granby loamy fine sand
Granby loamy fine sand, till substratum, 0 to 1 percent slopes
Granby loamy sand
Granby loamy sand, clayey substratum
Granby loamy sand, clayey substratum
Granby sandy loam
Granby-Urban land complex
Gresham silt loam, 2 to 6 percent slopes
Guernsey silt loam, 1 to 6 percent slopes
Guernsey silt loam, 1 to 7 percent slopes
Guernsey silt loam, 12 to 18 percent slopes
Guernsey silt loam, 15 to 25 percent slopes
Guernsey silt loam, 15 to 25 percent slopes
Guernsey silt loam, 15 to 25 percent slopes
Guernsey silt loam, 15 to 25 percent slopes, eroded
Guernsey silt loam, 15 to 25 percent slopes, eroded
Guernsey silt loam, 15 to 25 percent slopes, eroded
Guernsey silt loam, 15 to 25 percent slopes, eroded
Guernsey silt loam, 15 to 25 percent slopes, eroded

4
4
4
4
4
3
4
4
4
4
4
4
4
4
4
4
3
3
4
4
4
4
4
4
4
2
4
4
3
5
5
5
5
5
5
5
5
4
5
5
5
5
5
5
5
5
5
5
5

GnB
GuB
GgB
GsB
GuC
GnC2
GnC
GyC
GtC
GuC
GuC2
GmC
GvC
GrC
GgC
GsC
GuC
GuD2
GrD2
GuE2
GnB
GvC3
GvC2
GuC2
GrC2
GxD3
GwE
GxD
GwD
GxE
GwE
GsC
GrD2
GsD2
GxD
GuD
GrE2
GsG
GrG2
GrC2
GuC
GsC
GuE
GuG
GtD2
GwD2
GvD2

Guernsey silt loam, 2 to 6 percent slopes
Guernsey silt loam, 2 to 6 percent slopes
Guernsey silt loam, 3 to 8 percent slopes
Guernsey silt loam, 3 to 8 percent slopes
Guernsey silt loam, 6 to 12 percent slopes
Guernsey silt loam, 6 to 12 percent slopes, eroded
Guernsey silt loam, 6 to 15 percent slopes
Guernsey silt loam, 6 to 15 percent slopes
Guernsey silt loam, 6 to 15 percent slopes
Guernsey silt loam, 6 to 15 percent slopes
Guernsey silt loam, 6 to 15 percent slopes, eroded
Guernsey silt loam, 8 to 15 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey silt loam, 8 to 15 percent slopes
Guernsey silty clay loam, 15 to 25 percent slopes, eroded
Guernsey silty clay loam, 15 to 25 percent slopes, eroded
Guernsey silty clay loam, 25 to 40 percent slopes, eroded
Guernsey silty clay loam, 3 to 8 percent slopes
Guernsey silty clay loam, 6 to 12 percent slopes, severely eroded
Guernsey silty clay loam, 7 to 15 percent slopes, eroded
Guernsey silty clay loam, 8 to 15 percent slopes, eroded
Guernsey silty clay loam, 8 to 15 percent slopes, eroded
Guernsey soils, 12 to 18 percent slopes, severely eroded
Guernsey-Gilpin association, steep
Guernsey-Gilpin complex, 15 to 25 percent slopes
Guernsey-Gilpin complex, 15 to 25 percent slopes
Guernsey-Gilpin complex, 25 to 40 percent slopes
Guernsey-Gilpin complex, 25 to 40 percent slopes
Guernsey-Gilpin silt loams, 8 to 15 percent slopes
Guernsey-Upshur complex, 12 to 18 percent slopes, moderately eroded
Guernsey-Upshur complex, 12 to 20 percent slopes, eroded
Guernsey-Upshur complex, 15 to 25 percent slopes
Guernsey-Upshur complex, 15 to 25 percent slopes
Guernsey-Upshur complex, 18 to 35 percent slopes, moderately eroded
Guernsey-Upshur complex, 18 to 70 percent slopes, landslip
Guernsey-Upshur complex, 35 to 70 percent slopes, moderately eroded
Guernsey-Upshur complex, 6 to 12 percent slopes, moderately eroded
Guernsey-Upshur complex, 8 to 15 percent slopes
Guernsey-Upshur complex, 8 to 15 percent slopes
Guernsey-Upshur complex, steep, benched
Guernsey-Upshur complex, very steep, benched
Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded

[illegible]

GtC2
GwD2
GwE2
GwE3
GwG2
GwC2
GwD
GwE
GwC
HcA
HcA
HcB
HcB
HcC
HeC
HaA
HaB
HaA
HdA
HaB
HaB
HdB
HaC2
HaA
HaB
HeB
HeC
HaD
HfD
HfD2
HaE
HfE
HaB
HfB
HaC
HfC
HaC2
HfC2
HfC3
HaA
HaC
HbB
HdA
HaA
HgA
He
He

Guernsey-Upshur silty clay loams, 6 to 15 percent slopes, eroded
Guernsey-Westmore silt loams, 12 to 18 percent slopes, moderately eroded
Guernsey-Westmore silt loams, 18 to 35 percent slopes, moderately eroded
Guernsey-Westmore silt loams, 18 to 35 percent slopes, severely eroded
Guernsey-Westmore silt loams, 35 to 70 percent slopes, moderately eroded
Guernsey-Westmore silt loams, 6 to 12 percent slopes, moderately eroded
Guernsey-Westmoreland silt loams, 15 to 25 percent slopes
Guernsey-Westmoreland silt loams, 25 to 40 percent slopes
Guernsey-Westmoreland silt loams, 8 to 15 percent slopes
Hackers silt loam, 0 to 2 percent slopes
Hackers silt loam, 0 to 3 percent slopes
Hackers silt loam, 2 to 6 percent slopes
Hackers silt loam, 3 to 8 percent slopes
Hackers silt loam, 6 to 12 percent slopes
Haney and Rawson loams, 6 to 12 percent slopes
Haney fine sandy loam, 0 to 2 percent slopes
Haney fine sandy loam, 2 to 6 percent slopes
Haney loam, 0 to 2 percent slopes
Haney loam, 0 to 2 percent slopes
Haney loam, 1 to 6 percent slopes
Haney loam, 2 to 6 percent slopes
Haney loam, 2 to 6 percent slopes
Haney loam, 6 to 12 percent slopes, eroded
Haney sandy loam, 0 to 2 percent slopes
Haney sandy loam, 2 to 6 percent slopes
Haney-Rawson sandy loams, 1 to 6 percent slopes
Haney-Rawson sandy loams, 6 to 12 percent slopes
Hanover silt loam, 12 to 18 percent slopes
Hanover silt loam, 12 to 18 percent slopes
Hanover silt loam, 12 to 18 percent slopes, moderately eroded
Hanover silt loam, 18 to 25 percent slopes
Hanover silt loam, 18 to 25 percent slopes
Hanover silt loam, 2 to 6 percent slopes
Hanover silt loam, 2 to 6 percent slopes
Hanover silt loam, 6 to 12 percent slopes
Hanover silt loam, 6 to 12 percent slopes
Hanover silt loam, 6 to 12 percent slopes, moderately eroded
Hanover silt loam, 6 to 12 percent slopes, moderately eroded
Hanover silt loam, 6 to 12 percent slopes, severely eroded
Harbor fine sandy loam, 0 to 3 percent slopes
Harbor fine sandy loam, 6 to 12 percent slopes
Harbor-Urban land complex, 0 to 6 percent slopes
Harrod silt loam, 0 to 1 percent slopes, frequently flooded
Harrod silt loam, 0 to 1 percent slopes, frequently flooded
Harrod silt loam, 0 to 1 percent slopes, frequently flooded
Hartshorn silt loam
Hartshorn silt loam, occasionally flooded

[illegible]

Hf
Hr
HeA
HeB
HfA
HfB
HkA
HhA
HkB
HnA
HaA
HsA
HdA
HkA
HhA
HnA
HIA
HpA
HkA
HaA
HnA
HaB
HsB
HdB
HkB
HIB
HnB
HaA
HhA
HmA
HkA
HaB
HbB
HkA
HdA
HaA
HkB
HcB
HmB
HbB
HbA
HtA
HbA
HbD2
HbD3
HaB
HbB

Hartshorn silt loam, occasionally flooded
Hartshorn silt loam, wet variant
Haskins and Digby, till substratum, fine sandy loams, 0 to 2 percent slopes
Haskins and Digby, till substratum, fine sandy loams, 2 to 6 percent slopes
Haskins and Digby, till substratum, loams, 0 to 2 percent slopes
Haskins and Digby, till substratum, loams, 2 to 6 percent slopes
Haskins fine sandy loam, 0 to 2 percent slopes
Haskins fine sandy loam, 0 to 2 percent slopes
Haskins fine sandy loam, 2 to 6 percent slopes
Haskins fine sandy loam, stratified substratum, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 2 percent slopes
Haskins loam, 0 to 3 percent slopes
Haskins loam, 0 to 3 percent slopes
Haskins loam, 0 to 3 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins loam, 2 to 6 percent slopes
Haskins loamy sand, 0 to 2 percent slopes
Haskins loamy sand, 0 to 2 percent slopes
Haskins sandy loam, 0 to 3 percent slopes
Haskins sandy loam, 0 to 3 percent slopes
Haskins sandy loam, 1 to 4 percent slopes
Haskins sandy loam, 1 to 4 percent slopes
Haskins silt loam, 0 to 2 percent slopes
Haskins silt loam, 0 to 3 percent slopes
Haskins silt loam, 0 to 3 percent slopes
Haskins silt loam, 2 to 6 percent slopes
Haskins-Caneadea complex, 2 to 6 percent slopes
Haskins-Seward complex, 2 to 6 percent slopes
Haskins-Urban land complex, 2 to 6 percent slopes
Haskins-Urban land complex, nearly level
Haskins-Urban land complex, nearly level
Haubstadt silt loam, 0 to 2 percent slopes
Haubstadt silt loam, 12 to 18 percent slopes, moderately eroded
Haubstadt silt loam, 12 to 18 percent slopes, severely eroded
Haubstadt silt loam, 2 to 6 percent slopes
Haubstadt silt loam, 2 to 6 percent slopes

[illegible]

HaC2
HbC2
HbC3
HcB
HcC
Ha
Hd
HgD
HgE
HgB
HgF
HgC
HhE
HkE
HkF
HeD
HgD
HzB
HeE
HbE
HgE
HaF
HfF
HeF
HgF
HeC
HeC
HeD
HaD
HaE
HeE
HaE
HkF
HeF
HaF
HeF
HgF
HtD
HgD
HtE
HgE
HvF
HeB
HtC
HgC
HeF
HfF

Haubstadt silt loam, 6 to 12 percent slopes, eroded
Haubstadt silt loam, 6 to 12 percent slopes, moderately eroded
Haubstadt silt loam, 6 to 12 percent slopes, severely eroded
Haubstadt-Urban land complex, gently sloping
Haubstadt-Urban land complex, sloping
Haymond silt loam, occasionally flooded
Haymond silt loam, occasionally flooded
Hayter loam, 12 to 18 percent slopes
Hayter loam, 18 to 25 percent slopes
Hayter loam, 2 to 6 percent slopes
Hayter loam, 25 to 35 percent slopes
Hayter loam, 6 to 12 percent slopes
Hayter very stony soils, 18 to 30 percent slopes
Hayter-Vandalia channery loams, 12 to 25 percent slopes
Hayter-Vandalia stony complex, 25 to 50 percent slopes
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 15 to 25 percent slopes
Hazleton channery loam, 2 to 6 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 25 to 40 percent slopes
Hazleton channery loam, 25 to 70 percent slopes, stony
Hazleton channery loam, 25 to 70 percent slopes, stony
Hazleton channery loam, 40 to 60 percent slopes
Hazleton channery loam, 40 to 60 percent slopes
Hazleton channery loam, 6 to 15 percent slopes
Hazleton channery loam, 8 to 15 percent slopes
Hazleton channery sandy loam, 15 to 25 percent slopes
Hazleton channery sandy loam, 15 to 25 percent slopes
Hazleton channery sandy loam, 25 to 35 percent slopes
Hazleton channery sandy loam, 25 to 40 percent slopes
Hazleton channery sandy loam, 25 to 40 percent slopes
Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery
Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery
Hazleton channery sandy loam, 35 to 70 percent slopes
Hazleton channery sandy loam, 40 to 70 percent slopes
Hazleton extremely bouldery loam, 25 to 60 percent slopes
Hazleton loam, 15 to 25 percent slopes
Hazleton loam, 15 to 25 percent slopes
Hazleton loam, 25 to 40 percent slopes
Hazleton loam, 25 to 40 percent slopes
Hazleton loam, 25 to 70 percent slopes, very bouldery
Hazleton loam, 3 to 8 percent slopes
Hazleton loam, 8 to 15 percent slopes
Hazleton loam, 8 to 15 percent slopes
Hazleton-Rock outcrop complex, 25 to 70 percent slopes
Hazleton-Rock outcrop complex, 40 to 70 percent slopes

[illegible]

HfE
HgF
HgE
HgF
HeE2
HeF2
HeE2
HeF2
HmF3
HeF1
HeG
HeG1
HeF
HeF
HpE
HnD3
HfE3
HeE
HaE
HmE
HeE2
HmE2
HeF2
HeF
HaF
HmF
HeF2
HeG2
HwE2
HwF2
HeA
HoA
HnA
HoB
HeB
HkA
HeF
HsD3
HyD3
HyE3
HIG3
HsC3
HyC3
HkD2
HkF2
HmD2
HkD2

Hazleton-Summitville complex, 15 to 40 percent slopes
Hazleton-Westmoreland channery loams, 40 to 70 percent slopes
Hazleton-Westmoreland complex, 25 to 40 percent slopes
Hazleton-Westmoreland complex, 40 to 70 percent slopes
Hennepin and Miamian loams, 18 to 25 percent slopes, eroded
Hennepin and Miamian loams, 25 to 50 percent slopes, eroded
Hennepin and Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin and Miamian silt loams, 25 to 50 percent slopes, moderately eroded
Hennepin and Miamian soils, 18 to 50 percent slopes, severely eroded
Hennepin loam, 25 to 35 percent slopes, slightly eroded
Hennepin loam, 25 to 60 percent slopes
Hennepin loam, 35 to 50 percent slopes, slightly eroded
Hennepin silt loam, 25 to 35 percent slopes
Hennepin silt loam, 35 to 60 percent slopes
Hennepin-Alexandria silt loams, 18 to 50 percent slopes
Hennepin-Miamian complex, 12 to 18 percent slopes, severely eroded
Hennepin-Miamian complex, 12 to 25 percent slopes, severely eroded
Hennepin-Miamian silt loams, 18 to 25 percent slopes
Hennepin-Miamian silt loams, 18 to 25 percent slopes
Hennepin-Miamian silt loams, 18 to 25 percent slopes
Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 18 to 35 percent slopes, moderately eroded
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Hennepin-Miamian silt loams, 25 to 50 percent slopes
Hennepin-Miamian silt loams, 25 to 50 percent slopes, eroded
Hennepin-Miamian silt loams, 35 to 50 percent slopes, moderately eroded
Hennepin-Wynn silt loams, 18 to 25 percent slopes, eroded
Hennepin-Wynn silt loams, 25 to 50 percent slopes, eroded
Henshaw silt loam, 0 to 2 percent slopes
Henshaw silt loam, 0 to 2 percent slopes
Henshaw silt loam, 0 to 4 percent slopes
Henshaw silt loam, 1 to 4 percent slopes
Henshaw silt loam, 2 to 6 percent slopes
Henshaw silt loam, dark variant, 0 to 2 percent slopes
Heverlo silt loam, 25 to 70 percent slopes
Hickory clay loam, 12 to 18 percent slopes, severely eroded
Hickory clay loam, 12 to 18 percent slopes, severely eroded
Hickory clay loam, 18 to 25 percent slopes, severely eroded
Hickory clay loam, 25 to 50 percent slopes, severely eroded
Hickory clay loam, 6 to 12 percent slopes, severely eroded
Hickory clay loam, 6 to 12 percent slopes, severely eroded
Hickory loam, 12 to 18 percent slopes, moderately eroded
Hickory loam, 18 to 35 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 12 to 18 percent slopes, eroded

3
3
3
3
5
5
5
5
4
5
5
5
5
5
5
4
4
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
3
4
4
4
5
4
4
4
5
5
5
5

HiD2
HrD2
HkD2
HkD2
HmE
HiE2
HkE2
HkE2
HrB2
HkE2
HiF2
HkF2
HmF
HhC2
HkC2
HrC2
HkC2
HtE2
HtF2
HkE
HmD2
HnE2
HuE2
Hy
Hl
Ho
HoA
HnA
HkA
Hy
Hs
Ho
Hy
Ho
Ho
Ht
Ho
HoA
HoB
HoD2
HwD2
HpD2
HaD2
HoD2
HfD2
HoE2
HwE2

Hickory silt loam, 12 to 18 percent slopes, eroded
Hickory silt loam, 12 to 18 percent slopes, moderately eroded
Hickory silt loam, 12 to 18 percent slopes, moderately eroded
Hickory silt loam, 12 to 20 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes
Hickory silt loam, 18 to 25 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes, eroded
Hickory silt loam, 18 to 25 percent slopes, moderately eroded
Hickory silt loam, 2 to 6 percent slopes, moderately eroded
Hickory silt loam, 20 to 35 percent slopes, eroded
Hickory silt loam, 25 to 35 percent slopes, eroded
Hickory silt loam, 25 to 35 percent slopes, eroded
Hickory silt loam, 25 to 40 percent slopes
Hickory silt loam, 6 to 12 percent slopes, eroded
Hickory silt loam, 6 to 12 percent slopes, eroded
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory silt loam, 6 to 12 percent slopes, moderately eroded
Hickory-Fairmount complex, 18 to 25 percent slopes, moderately eroded
Hickory-Fairmount complex, 25 to 50 percent slopes, moderately eroded
Hickory-Germano complex, 20 to 35 percent slopes
Hickory-Gilpin complex, 12 to 20 percent slopes, eroded
Hickory-Morrisville silt loams, 18 to 25 percent slopes, eroded
Hickory-Morrisville silt loams, 18 to 25 percent slopes, eroded
Holly silt loam
Holly silt loam
Holly silt loam
Holly silt loam, 0 to 1 percent slopes, occasionally flooded
Holly silt loam, 0 to 1 percent slopes, occasionally flooded
Holly silt loam, 0 to 2 percent slopes, frequently flooded
Holly silt loam, alkaline
Holly silt loam, alkaline
Holly silt loam, frequently flooded
Holly silt loam, frequently flooded
Holly silt loam, ponded
Holton silt loam, occasionally flooded
Holton silt loam, occasionally flooded
Homer silt loam
Homer silt loam, 0 to 2 percent slopes
Homer silt loam, 2 to 6 percent slopes
Homewood silt loam, 12 to 18 percent slopes, eroded
Homewood silt loam, 12 to 18 percent slopes, eroded
Homewood silt loam, 12 to 18 percent slopes, eroded
Homewood silt loam, 15 to 20 percent slopes, eroded
Homewood silt loam, 15 to 20 percent slopes, eroded
Homewood silt loam, 15 to 20 percent slopes, eroded
Homewood silt loam, 18 to 25 percent slopes, eroded
Homewood silt loam, 18 to 25 percent slopes, eroded

[illegible]

HpE2
HIB
HoB
HwB
HpB
HwC
HpC
HoC2
HnC2
HoC
HrC
HaC2
HoD2
HoE2
HaD2
HaE2
HmA
HmB
HoA
HoB
HpB
HrA
HzA
HrD
HrB
HzB
HrB
HrC
HsA
HrA
HpA
HxA
HrA
HnB
HpB
HxB
HrB
HpA
HwB
HpB
HsA
HsB
HuC2
HrB
HyB
HoA
HvA

Homewood silt loam, 18 to 25 percent slopes, eroded
Homewood silt loam, 2 to 6 percent slopes
Homewood silt loam, 2 to 6 percent slopes
Homewood silt loam, 2 to 6 percent slopes
Homewood silt loam, 2 to 6 percent slopes
Homewood silt loam, 6 to 12 percent slopes
Homewood silt loam, 6 to 12 percent slopes
Homewood silt loam, 6 to 12 percent slopes, eroded
Homewood silt loam, 6 to 12 percent slopes, eroded
Homewood silt loam, 6 to 15 percent slopes
Homewood silt loam, 6 to 15 percent slopes
Homewood silt loam, 8 to 15 percent slopes, eroded
Homewood-Gilpin complex, 12 to 20 percent slopes, eroded
Homewood-Gilpin complex, 20 to 35 percent slopes, eroded
Homewood-Westmoreland silt loams, 15 to 25 percent slopes, eroded
Homewood-Westmoreland silt loams, 25 to 40 percent slopes, eroded
Homeworth loam, 0 to 2 percent slopes
Homeworth loam, 2 to 6 percent slopes
Homeworth silt loam, 0 to 2 percent slopes
Homeworth silt loam, 2 to 6 percent slopes
Hornell loam, 2 to 6 percent slopes
Hornell silt loam, 0 to 2 percent slopes
Hornell silt loam, 0 to 2 percent slopes
Hornell silt loam, 12 to 18 percent slopes
Hornell silt loam, 2 to 6 percent slopes
Hornell silt loam, 2 to 6 percent slopes
Hornell silt loam, 3 to 8 percent slopes
Hornell silt loam, 6 to 12 percent slopes
Hornell silty clay loam, 0 to 2 percent slopes
Hornell silty clay loam, 0 to 2 percent slopes
Houcktown loam, 0 to 2 percent slopes
Houcktown loam, 0 to 2 percent slopes
Houcktown loam, 0 to 2 percent slopes
Houcktown loam, 2 to 6 percent slopes
Houcktown loam, 2 to 6 percent slopes
Houcktown loam, 2 to 6 percent slopes
Houcktown loam, 2 to 6 percent slopes
Houcktown sandy loam, 0 to 2 percent slopes
Houcktown sandy loam, 2 to 4 percent slopes
Houcktown sandy loam, 2 to 4 percent slopes
Houcktown silt loam, 0 to 2 percent slopes
Houcktown silt loam, 2 to 4 percent slopes
Houcktown-Glynwood complex, 6 to 12 percent slopes, eroded
Houcktown-Glynwood-Jenera complex, 1 to 4 percent slopes
Houcktown-Glynwood-Jenera complex, 1 to 4 percent slopes
Hoytville clay loam, 0 to 1 percent slopes
Hoytville clay, 0 to 1 percent slopes

4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
5
5

HcA
HcA
Hs
HtA
HyA
Hn
Hu
Hu
Ht
Hu
Ht
HyA
HyB
IoA
IoB
IvA
JeA
JeB
JfB
JeB
JeB
JeD
JeD
JeD2
JfD2
JeE2
JeC
JeC2
JfC2
JmA
JtA
JbA
JsA
JtA
JmA
JmB
JtB
JoB
JuB
JsA
JsA
JmA
JwA
JtA
JwA
JwB
JmB

Hoytville silty clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, 0 to 1 percent slopes
Hoytville silty clay loam, moderately shallow variant
Hoytville silty clay, 0 to 1 percent slopes
Hoytville-Urban land complex, 0 to 1 percent slopes
Huntington fine sandy loam (grigsby 0 to 4 percent slopes, occasionally flooded)
Huntington silt loam
Huntington silt loam (0 to 4 percent slopes, occasionally flooded)
Huntington silt loam, occasionally flooded
Huntington silt loam, occasionally flooded
Huntington silt loam, rarely flooded
Hyatts silt loam, 0 to 2 percent slopes
Hyatts silt loam, 2 to 4 percent slopes
Ionia silt loam, 0 to 2 percent slopes
Ionia silt loam, 2 to 6 percent slopes
Iva silt loam, till substratum, 0 to 2 percent slopes
Jenera fine sandy loam, 0 to 2 percent slopes
Jenera fine sandy loam, 2 to 6 percent slopes
Jenera-Shinrock, till substratum complex, 1 to 4 percent slopes
Jeneva silt loam, 2 to 6 percent slopes
Jessup silt loam, 1 to 8 percent slopes
Jessup silt loam, 12 to 18 percent slopes
Jessup silt loam, 12 to 20 percent slopes
Jessup silt loam, 15 to 25 percent slopes, eroded
Jessup silt loam, 15 to 25 percent slopes, eroded
Jessup silt loam, 25 to 35 percent slopes, eroded
Jessup silt loam, 6 to 12 percent slopes
Jessup silt loam, 8 to 15 percent slopes, eroded
Jessup silt loam, 8 to 15 percent slopes, eroded
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 0 to 2 percent slopes
Jimtown loam, 0 to 3 percent slopes
Jimtown loam, 0 to 3 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown loam, 2 to 6 percent slopes
Jimtown loam, till substratum, 2 to 6 percent slopes
Jimtown sandy loam, 0 to 2 percent slopes
Jimtown silt loam, 0 to 2 percent slopes
Jimtown silt loam, 0 to 2 percent slopes
Jimtown silt loam, 0 to 2 percent slopes
Jimtown silt loam, 0 to 3 percent slopes
Jimtown silt loam, 0 to 3 percent slopes
Jimtown silt loam, 2 to 6 percent slopes
Jimtown silt loam, 2 to 6 percent slopes

5
4
2
5
5
5
5
5
5
5
4
4
4
4
5
5
5
5
5
5
3
5
5
5
5
3
5
5
5
5
5
5
5
5
5
5
5
5
5

JwB
Ju
JuA
JuA
JoC
JoA
JuA
JoA
JrA
JrB
JrC2
Ju
Ju
KaB
KaB
KbB
KaB
KaC
Ka
KaA
KeB
KeB
KcB
KeD
KeD2
KeD2
KeE
KeB
KnB
KfB
KdB
KeB
KeC
KeC2
KeC2
KeC
KeC2
KfC2
KhC
KeC
KfC
KID2
KID3
KfD3
KIC3
KeD2
KeB

Jimtown-Urban land complex
Jimtown-Urban land complex
Jimtown-Urban land complex, 0 to 3 percent slopes
Jimtown-Urban land complex, nearly level
Johnsburg silt loam, 2 to 8 percent slopes
Joliet loam, 0 to 1 percent slopes
Joliet silt loam, 0 to 1 percent slopes
Joliet silty clay loam, 0 to 1 percent slopes
Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes
Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes
Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded
Jules silt loam, frequently flooded
Jules silt loam, occasionally flooded
Kanawha loam, 2 to 6 percent slopes
Kanawha silt loam, 1 to 8 percent slopes
Kanawha silt loam, 2 to 6 percent slopes
Kanawha silt loam, 2 to 6 percent slopes
Kanawha silt loam, 6 to 12 percent slopes
Kane silt loam
Kane silt loam, 0 to 2 percent slopes
Keene silt loam, 1 to 7 percent slopes
Keene silt loam, 1 to 8 percent slopes
Keene silt loam, 1 to 8 percent slopes
Keene silt loam, 12 to 18 percent slopes
Keene silt loam, 12 to 18 percent slopes, eroded
Keene silt loam, 12 to 18 percent slopes, moderately eroded
Keene silt loam, 18 to 25 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 2 to 6 percent slopes
Keene silt loam, 3 to 8 percent slopes
Keene silt loam, 6 to 12 percent slopes
Keene silt loam, 6 to 12 percent slopes, eroded
Keene silt loam, 6 to 12 percent slopes, moderately eroded
Keene silt loam, 6 to 15 percent slopes
Keene silt loam, 6 to 15 percent slopes, eroded
Keene silt loam, 6 to 15 percent slopes, eroded
Keene silt loam, 8 to 15 percent slopes
Keene silt loam, 8 to 15 percent slopes
Keene silt loam, 8 to 15 percent slopes
Keene-Latham silt loam, 12 to 18 percent slopes, moderately eroded
Kendallville clay loam, 12 to 18 percent slopes, severely eroded
Kendallville clay loam, 12 to 18 percent slopes, severely eroded
Kendallville clay loam, 6 to 12 percent slopes, severely eroded
Kendallville loam, 12 to 18 percent slopes, eroded
Kendallville loam, 2 to 6 percent slopes

[illegible]

KeC2
KeA
KaA
KeD2
KeB
KaB
KeB2
KeC2
KaC2
KeC2
KeD2
KeE2
KeC2
KeD2
KfD2
KeC2
KnD
KnB
KnC
Km
KbA
KaA
KfA
KfB
KbA
KbB
KcA
KbA
KaA
KIA
KfA
KbA
KmA
KeA
Ks
KsA
KIA
KIB
KcB
KdB
KcA
KcB
KtB
KkA
Kk
Kb
Kk

Kendallville loam, 6 to 12 percent slopes, moderately eroded
Kendallville silt loam, 0 to 2 percent slopes
Kendallville silt loam, 0 to 2 percent slopes
Kendallville silt loam, 12 to 18 percent slopes, moderately eroded
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 2 to 6 percent slopes
Kendallville silt loam, 2 to 6 percent slopes, moderately eroded
Kendallville silt loam, 6 to 12 percent slopes, eroded
Kendallville silt loam, 6 to 12 percent slopes, eroded
Kendallville silt loam, 6 to 12 percent slopes, moderately eroded
Kendallville-Eldean complex, 12 to 20 percent slopes, eroded
Kendallville-Eldean complex, 20 to 35 percent slopes, eroded
Kendallville-Eldean complex, 6 to 12 percent slopes, eroded
Kendallville-Eldean silt loams, 12 to 18 percent slopes, eroded
Kendallville-Eldean silt loams, 12 to 18 percent slopes, eroded
Kendallville-Eldean silt loams, 6 to 12 percent slopes, eroded
Kensington silt loam, 15 to 25 percent slopes
Kensington silt loam, 2 to 6 percent slopes
Kensington silt loam, 6 to 15 percent slopes
Kerston muck
Kibbie fine sandy loam, 0 to 2 percent slopes
Kibbie fine sandy loam, 0 to 2 percent slopes
Kibbie fine sandy loam, 0 to 2 percent slopes
Kibbie fine sandy loam, 2 to 6 percent slopes
Kibbie fine sandy loam, till substratum, 0 to 2 percent slopes
Kibbie fine sandy loam, till substratum, 2 to 6 percent slopes
Kibbie loam, 0 to 2 percent slopes
Kibbie loam, 0 to 2 percent slopes
Kibbie loam, 0 to 2 percent slopes
Kibbie loam, 0 to 2 percent slopes
Kibbie loam, 0 to 3 percent slopes
Kibbie loam, 0 to 3 percent slopes
Kibbie loam, 0 to 3 percent slopes
Kibbie loamy fine sand, 0 to 2 percent slopes
Kibbie silt loam
Kibbie silt loam, 0 to 2 percent slopes
Kibbie very fine sandy loam, 0 to 2 percent slopes
Kibbie very fine sandy loam, 2 to 6 percent slopes
Kibbie-Bennington complex, 2 to 6 percent slopes
Kibbie-Bennington complex, 2 to 6 percent slopes
Kibbie-Blount complex, 0 to 2 percent slopes
Kibbie-Blount complex, 2 to 6 percent slopes
Kibbie-Del Rey silt loams, 1 to 6 percent slopes
Kibbie-Urban land complex, 0 to 2 percent slopes
Killbuck silt loam
Killbuck silt loam
Killbuck silt loam, frequently flooded

[illegible]

Kb
Km
Km
Kg
Kf
KfA
Kn
KnA
Kn
Kw
Kn
KnA
Km
Ko
Ko
Kp
KoA
Ko
Ku
Ky
Kg
LaA
LaB
LbD
LaD
LaE
LaC
LaB
LbC
LaC
LaC
LaD
LbB
LaB
LaB
LaC
LcD
LbA
La
La
La
La
Lb
Lb
Ld
La
LbB

Killbuck silt loam, frequently flooded
Killbuck silt loam, frequently flooded
Killbuck silt loam, occasionally flooded
Kings silty clay loam, thick surface variant
Kingsville fine sand
Kingsville loamy fine sand, 0 to 2 percent slopes
Kinn silt loam, occasionally flooded
Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded
Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded
Knoxdale silt loam, occasionally flooded
Knoxdale silt loam, occasionally flooded
Kokomo silt loam, 0 to 1 percent slopes
Kokomo silt loam, overwash
Kokomo silt loam, overwash
Kokomo silty clay loam
Kokomo silty clay loam
Kokomo silty clay loam, 0 to 1 percent slopes
Kokomo silty clay loam, 0 to 2 percent slopes
Kokomo-Urban land complex
Kyger loamy sand, frequently flooded
Kyger loamy sand, frequently flooded
Lakin loamy fine sand, 0 to 2 percent slopes (bruno occasionally flooded)
Lakin loamy fine sand, 1 to 6 percent slopes
Lakin loamy fine sand, 12 to 18 percent slopes
Lakin loamy fine sand, 12 to 18 percent slopes
Lakin loamy fine sand, 18 to 40 percent slopes
Lakin loamy fine sand, 2 to 12 percent slopes
Lakin loamy fine sand, 2 to 8 percent slopes
Lakin loamy fine sand, 3 to 12 percent slopes
Lakin loamy fine sand, 6 to 12 percent slopes
Lakin loamy fine sand, 8 to 15 percent slopes
Lakin loamy fine sand, 8 to 25 percent slopes
Lakin loamy sand, 1 to 8 percent slopes
Lakin loamy sand, 1 to 8 percent slopes
Lakin loamy sand, 2 to 6 percent slopes
Lakin loamy sand, 6 to 12 percent slopes
Lakin-Alford complex, 15 to 25 percent slopes
Lamberjack loam, 0 to 2 percent slopes
Lamson fine sandy loam
Lamson very fine sandy loam
Landes fine sandy loam
Landes fine sandy loam, occasionally flooded
Landes fine sandy loam, occasionally flooded
Landes loam, occasionally flooded
Landes loam, occasionally flooded
Landes loam, occasionally flooded
Landes loamy fine sand, 0 to 6 percent slopes, frequently flooded

[illegible]

La
Ld
Lb
La
Lg
Lg
Lh
LaD
LaD2
LfD2
LbD
LbD2
LaF
LaB
LfB
LfE
LaC
LfC
LfC2
LaC2
LaC
LbC
LbF
LcE
LgD
LdE2
LsD
LhD
LgD
LdD
LwD
La
Lc
La
Lc
Le
Lb
Lb
La
Lb
LdA
LgA
La
LhD2
LhB
LhC2
LlD3

Landes sandy loam
Landes sandy loam
Landes sandy loam
Landes sandy loam, rarely flooded
Lanier fine sandy loam
Lanier sandy loam
Lanier sandy loam, occasionally flooded
Latham silt loam, 12 to 18 percent slopes
Latham silt loam, 12 to 18 percent slopes, moderately eroded
Latham silt loam, 12 to 20 percent slopes, eroded
Latham silt loam, 15 to 25 percent slopes
Latham silt loam, 15 to 25 percent slopes, eroded
Latham silt loam, 18 to 35 percent slopes
Latham silt loam, 2 to 6 percent slopes
Latham silt loam, 2 to 6 percent slopes
Latham silt loam, 20 to 35 percent slopes
Latham silt loam, 6 to 12 percent slopes
Latham silt loam, 6 to 12 percent slopes
Latham silt loam, 6 to 12 percent slopes, eroded
Latham silt loam, 6 to 12 percent slopes, moderately eroded
Latham silt loam, 8 to 15 percent slopes
Latham silt loam, 8 to 15 percent slopes
Latham-Brecksville complex, 25 to 70 percent slopes
Latham-Brownsville-Shelocta association, steep
Latham-Gilpin association, hilly
Latham-Keene silt loams, 18 to 35 percent slopes, moderately eroded
Latham-Steinsburg association, hilly
Latham-Steinsburg complex, 15 to 25 percent slopes
Latham-Wharton complex, 15 to 25 percent slopes
Latham-Wharton silt loams, 15 to 25 percent slopes
Latham-Wharton silt loams, 15 to 25 percent slopes
Latty clay
Latty clay
Latty silty clay
Latty silty clay
Latty silty clay
Latty silty clay
Latty silty clay loam
Latty silty clay loam
Latty silty clay, occasionally flooded
Latty silty clay, till substratum, 0 to 1 percent slopes
Latty, till substratum-Urban land complex, 0 to 1 percent slopes
Lawrence silt loam, rarely flooded
Lawshe silty clay loam, 12 to 18 percent slopes, moderately eroded
Lawshe silty clay loam, 2 to 6 percent slopes
Lawshe silty clay loam, 6 to 12 percent slopes, moderately eroded
Lawshe silty clay, 12 to 18 percent slopes, severely eroded

[illegible]

Le
Ln
Lg
Le
Lg
Lf
Ls
Lf
Lh
LeE
LgC3
LeB
LsB
LfB2
LeB
LbB
LfB
LeB
LbB
LbA
LrB
LbB
LiB
LrC2
LbC2
LmC2
LcA
LcB
LkB
LcB
LcD
LkD2
LdD2
LcE2
LcD2
LkD2
LcB
LkB
LkB
LcC
LcC2
LhC2
LkC2
LcC2
LcC2
LkC2
LkC

Lenawee loam
Lenawee silt loam
Lenawee silt loam, overwash
Lenawee silty clay loam
Lenawee silty clay loam
Lenawee silty clay loam
Lenawee silty clay loam
Lenawee variant silty clay loam
Lenawee Variant silty clay loam
Leoni gravelly loam, 12 to 25 percent slopes
Lewisburg clay loam, 6 to 12 percent slopes, severely eroded
Lewisburg silt loam, 2 to 6 percent slopes
Lewisburg silt loam, 2 to 6 percent slopes
Lewisburg-Celina clay loams, 2 to 6 percent slopes, eroded
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Lewisburg-Celina silt loams, 2 to 6 percent slopes
Lewisburg-Crosby complex, 2 to 6 percent slopes
Library Variant silt loam, 3 to 8 percent slopes
Libre silt loam, 0 to 2 percent slopes
Libre silt loam, 2 to 6 percent slopes
Libre silt loam, 2 to 6 percent slopes
Libre silt loam, 2 to 6 percent slopes
Libre silt loam, 6 to 12 percent slopes, eroded
Libre silt loam, 6 to 12 percent slopes, eroded
Libre silt loam, 6 to 12 percent slopes, eroded
Licking silt loam, 0 to 2 percent slopes
Licking silt loam, 0 to 6 percent slopes
Licking silt loam, 1 to 6 percent slopes
Licking silt loam, 1 to 6 percent slopes
Licking silt loam, 12 to 18 percent slopes
Licking silt loam, 12 to 18 percent slopes, eroded
Licking silt loam, 12 to 18 percent slopes, eroded
Licking silt loam, 12 to 25 percent slopes, moderately eroded
Licking silt loam, 15 to 25 percent slopes, eroded
Licking silt loam, 15 to 25 percent slopes, eroded
Licking silt loam, 2 to 6 percent slopes
Licking silt loam, 2 to 6 percent slopes
Licking silt loam, 3 to 8 percent slopes
Licking silt loam, 6 to 12 percent slopes
Licking silt loam, 6 to 12 percent slopes, eroded
Licking silt loam, 6 to 12 percent slopes, eroded
Licking silt loam, 6 to 12 percent slopes, eroded
Licking silt loam, 6 to 12 percent slopes, moderately eroded
Licking silt loam, 6 to 15 percent slopes, eroded
Licking silt loam, 6 to 15 percent slopes, eroded
Licking silt loam, 8 to 15 percent slopes

[illegible]

LnC2
LgD
LtD
LgC
LtC
LnD
LhC
LnC
LmD
LuD
LpD
Lh
Ln
Ld
Lc
Lk
Ls
Ld
Ln
Lm
Lk
Lw
Lg
Lh
Lo
Ln
Lm
Lc
Lp
LpA
LrA
Ls
Lu
Lb
Le
Lm
Lb
Le
Lp
Lo
LbA
Le
LoA
Ld
Lo
Lo
Le

Licking silty clay loam, 6 to 12 percent slopes, eroded
Lily loam, 15 to 25 percent slopes
Lily loam, 15 to 25 percent slopes
Lily loam, 8 to 15 percent slopes
Lily loam, 8 to 15 percent slopes
Lily silt loam, 15 to 25 percent slopes
Lily silt loam, 8 to 15 percent slopes
Lily silt loam, 8 to 15 percent slopes
Lily-Rarden complex, 15 to 25 percent slopes
Lily-Rarden complex, 15 to 25 percent slopes
Lily-Upshur complex, 15 to 25 percent slopes
Lindside silt loam
Lindside silt loam
Lindside silt loam, frequently flooded
Lindside silt loam, occasionally flooded
Lindside silt loam, occasionally flooded
Lindside silt loam, occasionally flooded
Linwood muck
Linwood muck
Linwood muck
Linwood muck
Linwood muck
Linwood muck, undrained
Linwood mucky silt loam, drained
Linwood mucky silt loam, drained
Linwood mucky silt loam, ponded
Lippincott mucky silt loam
Lippincott silty clay loam
Lippincott silty clay loam
Lippincott silty clay loam, 0 to 2 percent slopes
Lippincott silty clay loam, 0 to 2 percent slopes
Lippincott-Urban land complex
Lippincott-Urban land complex
Lobdell loam
Lobdell loam, channery substratum, occasionally flooded
Lobdell loam, channery substratum, occasionally flooded
Lobdell silt loam
Lobdell silt loam
Lobdell silt loam
Lobdell silt loam
Lobdell silt loam, 0 to 2 percent slopes, occasionally flooded
Lobdell silt loam, alkaline phase
Lobdell silt loam, channery substratum, 0 to 2 percent slopes, occasionally flooded
Lobdell silt loam, channery substratum, occasionally flooded
Lobdell silt loam, frequently flooded
Lobdell silt loam, occasionally flooded
Lobdell silt loam, occasionally flooded

5
2
2
2
2
2
2
2
2
2
2
5
5
5
5
5
5
2
2
2
2
2
2
2
2
2
2
2
4
4
4
4
4
4
4
4
5
5
5
5
5
5
5
5
5
5
5

Ln
LsA
LcB
LnA
Lo
Ln
Lo
Lm
Lc
Ln
Lq
Lp
Ls
Lw
LuE
LtE
LtF
LrB
LrC
LrB
LrC
LtD
LrD
LtE
LrE
LtB
LrB
LtF
LrF
LtC
LrC
LxD
LxF
LxF
LrF
LxF
LxD2
LxC2
LrE2
LoA
LoD2
LrB
LoB
LnB
LoB2
LoB2
LoC2

Lobdell silt loam, rarely flooded
Lobdell, channery substratum-Sloan, till substratum complex, 0 to 2 percent slopes, occasionally flooded
Lockport silty clay loam, 1 to 4 percent slopes
Lorain silt loam, 0 to 2 percent slopes
Lorain silty clay
Lorain silty clay loam
Lorain silty clay loam
Lorain silty clay loam
Lorain silty clay loam
Lorain silty clay loam
Lorain silty clay loam
Lorain silty clay loam, loamy substratum
Lorain silty clay loam, sandy substratum
Lorain silty clay loam, silty substratum
Lordstown and Loudonville silt loams, 18 to 25 percent slopes
Lordstown and Loudonville silt loams, 18 to 25 percent slopes
Lordstown and Loudonville silt loams, 25 to 40 percent slopes
Lordstown channery silt loam, 2 to 6 percent slopes
Lordstown channery silt loam, 6 to 12 percent slopes
Lordstown loam, 2 to 6 percent slopes
Lordstown loam, 6 to 12 percent slopes
Lordstown silt loam, 12 to 18 percent slopes
Lordstown silt loam, 12 to 18 percent slopes
Lordstown silt loam, 18 to 25 percent slopes
Lordstown silt loam, 18 to 25 percent slopes
Lordstown silt loam, 2 to 6 percent slopes
Lordstown silt loam, 2 to 6 percent slopes
Lordstown silt loam, 25 to 40 percent slopes
Lordstown silt loam, 25 to 40 percent slopes
Lordstown silt loam, 6 to 12 percent slopes
Lordstown silt loam, 6 to 12 percent slopes
Lordstown-Rock outcrop complex, 12 to 18 percent slopes
Lordstown-Rock outcrop complex, 18 to 50 percent slopes
Lordstown-Rock outcrop complex, 18 to 70 percent slopes
Lordstown-Rock outcrop complex, 18 to 70 percent slopes
Lordstown-Rock outcrop complex, 25 to 70 percent slopes
Lorenzo-Rodman complex, 12 to 18 percent slopes, moderately eroded
Lorenzo-Rodman complex, 4 to 12 percent slopes, moderately eroded
Lorenzo-Rodman gravelly loams, 18 to 50 percent slopes, moderately eroded
Loudon silt loam, 0 to 2 percent slopes
Loudon silt loam, 12 to 18 percent slopes, moderately eroded
Loudon silt loam, 2 to 6 percent slopes
Loudon silt loam, 2 to 6 percent slopes
Loudon silt loam, 2 to 6 percent slopes
Loudon silt loam, 2 to 6 percent slopes, moderately eroded
Loudon silt loam, 3 to 8 percent slopes, eroded
Loudon silt loam, 6 to 12 percent slopes, eroded

5
5
3
5
4
4
4
4
5
5
4
4
5
4
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
3
3
3
5
5
5
5
5
5

LnC2
LoC2
LrC
LoC2
LpE2
LoF
LdD2
LdE2
LdB
LdC2
LoD
LvD
LrD
LyD
LnD
LoD2
LoE2
LvD
LuD
LvE
LoE
LoE2
LoF
LoB
LyB
LvB
LnB
LoF2
LoC
LyC
LvC
LnC
LyC2
LnC2
LyC2
LoC2
LvC
LuC
LoC
LtD2
LtE
LtF
LtC2
LzB
LzC
LuC
LrC

Loudon silt loam, 6 to 12 percent slopes, eroded
Loudon silt loam, 6 to 12 percent slopes, moderately eroded
Loudon silt loam, 6 to 15 percent slopes
Loudon silt loam, 6 to 15 percent slopes, eroded
Loudon-Edenton silt loams, 18 to 25 percent slopes, moderately eroded
Loudonville gravelly silt loam, 25 to 50 percent slopes
Loudonville loam, 12 to 18 percent slopes, moderately eroded
Loudonville loam, 18 to 25 percent slopes, moderately eroded
Loudonville loam, 2 to 6 percent slopes
Loudonville loam, 6 to 12 percent slopes, moderately eroded
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 12 to 18 percent slopes
Loudonville silt loam, 12 to 18 percent slopes, moderately eroded
Loudonville silt loam, 12 to 25 percent slopes, moderately eroded
Loudonville silt loam, 15 to 20 percent slopes
Loudonville silt loam, 15 to 20 percent slopes
Loudonville silt loam, 18 to 25 percent slopes
Loudonville silt loam, 18 to 25 percent slopes
Loudonville silt loam, 18 to 25 percent slopes, moderately eroded
Loudonville silt loam, 18 to 50 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 2 to 6 percent slopes
Loudonville silt loam, 25 to 35 percent slopes, moderately eroded
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes
Loudonville silt loam, 6 to 12 percent slopes, eroded
Loudonville silt loam, 6 to 12 percent slopes, eroded
Loudonville silt loam, 6 to 12 percent slopes, moderately eroded
Loudonville silt loam, 6 to 12 percent slopes, moderately eroded
Loudonville silt loam, 6 to 15 percent slopes
Loudonville silt loam, 6 to 15 percent slopes
Loudonville silt loam, 6 to 18 percent slopes
Loudonville-Steinsburg complex, 12 to 20 percent slopes, eroded
Loudonville-Steinsburg complex, 20 to 35 percent slopes
Loudonville-Steinsburg complex, 35 to 70 percent slopes
Loudonville-Steinsburg complex, 6 to 12 percent slopes, eroded
Loudonville-Urban land complex, 2 to 6 percent slopes
Loudonville-Urban land complex, 6 to 18 percent slopes
Loudonville-Urban land complex, rolling
Loudonville-Urban land complex, rolling

[illegible]

LrB
LuB
LnB
LoD
LoD2
LeD
LoD
LpD
LpD2
LoD2
LwB
LeE
LoE
LeB
LoB
LwB2
LeF
LoC
LmC
LnC
LnC
LeC
LoC
LpC
LpC2
LwC2
LwD2
LwC2
LoD2
LoE
LoE2
LpE2
LoF
LtE2
LtF2
LrE2
LsE2
LrE2
LxE2
LrF
LsF
LrF
LxF
LuE
LuF
LoD
LoE

Loudonville-Urban land complex, undulating
Loudonville-Urban land complex, undulating
Lowell silt loam, 1 to 7 percent slopes
Lowell silt loam, 12 to 20 percent slopes
Lowell silt loam, 12 to 20 percent slopes, eroded
Lowell silt loam, 15 to 25 percent slopes
Lowell silt loam, 15 to 25 percent slopes
Lowell silt loam, 15 to 25 percent slopes
Lowell silt loam, 15 to 25 percent slopes, eroded
Lowell silt loam, 15 to 25 percent slopes, eroded
Lowell silt loam, 2 to 8 percent slopes
Lowell silt loam, 25 to 40 percent slopes
Lowell silt loam, 25 to 40 percent slopes
Lowell silt loam, 3 to 8 percent slopes
Lowell silt loam, 3 to 8 percent slopes
Lowell silt loam, 3 to 8 percent slopes, eroded
Lowell silt loam, 40 to 70 percent slopes
Lowell silt loam, 6 to 12 percent slopes
Lowell silt loam, 6 to 15 percent slopes
Lowell silt loam, 6 to 15 percent slopes
Lowell silt loam, 7 to 15 percent slopes
Lowell silt loam, 8 to 15 percent slopes
Lowell silt loam, 8 to 15 percent slopes
Lowell silt loam, 8 to 15 percent slopes
Lowell silt loam, 8 to 15 percent slopes, eroded
Lowell silt loam, 8 to 15 percent slopes, eroded
Lowell silt loam, shale substratum, 12 to 20 percent slopes, eroded
Lowell silt loam, shale substratum, 6 to 12 percent slopes, eroded
Lowell silty clay loam, 15 to 25 percent slopes, eroded
Lowell silty clay loam, 25 to 40 percent slopes
Lowell silty clay loam, 25 to 40 percent slopes, eroded
Lowell silty clay loam, 25 to 40 percent slopes, eroded
Lowell silty clay loam, 40 to 70 percent slopes
Lowell-Elba silty clay loams, 25 to 40 percent slopes, eroded
Lowell-Elba silty clay loams, 40 to 70 percent slopes, eroded
Lowell-Gilpin complex, 20 to 35 percent slopes, eroded
Lowell-Gilpin complex, 25 to 40 percent slopes, eroded
Lowell-Gilpin complex, 25 to 40 percent slopes, eroded
Lowell-Gilpin complex, 25 to 40 percent slopes, eroded
Lowell-Gilpin complex, 35 to 70 percent slopes
Lowell-Gilpin complex, 40 to 70 percent slopes
Lowell-Gilpin complex, 40 to 70 percent slopes
Lowell-Gilpin complex, 40 to 70 percent slopes
Lowell-Gilpin silt loams, 25 to 35 percent slopes
Lowell-Gilpin silt loams, 35 to 70 percent slopes
Lowell-Upshur complex, 12 to 18 percent slopes
Lowell-Upshur complex, 18 to 25 percent slopes

LoF
LvE
LuE
LoC
LvD2
LvE2
LvF2
LwD
LxE
LwE
LxF
LwF
LwC
LoD
LwD
LyD
LoE
LwE
LyE
LrE
LoB
LoF
LwF
LyF
LrF
LoC
LyC
LpF
LtA
LwD2
LuD2
LwB
LuB2
LwB2
LwB2
LuB2
LwC2
LuC2
LuB2
LuC2
LxE3
LwE3
LuB
LxC3
LwC3
LuA
LuD2

Lowell-Upshur complex, 25 to 35 percent slopes
Lowell-Upshur complex, 25 to 40 percent slopes
Lowell-Upshur complex, 25 to 40 percent slopes
Lowell-Upshur complex, 6 to 12 percent slopes
Lowell-Upshur silty clay loams, 15 to 25 percent slopes, eroded
Lowell-Upshur silty clay loams, 25 to 40 percent slopes, eroded
Lowell-Upshur silty clay loams, 40 to 70 percent slopes, eroded
Lowell-Westmoreland complex, 15 to 25 percent slopes
Lowell-Westmoreland complex, 25 to 40 percent slopes
Lowell-Westmoreland complex, 25 to 40 percent slopes
Lowell-Westmoreland complex, 40 to 70 percent slopes
Lowell-Westmoreland complex, 40 to 70 percent slopes
Lowell-Westmoreland complex, 8 to 15 percent slopes
Lowell-Westmoreland silt loams, 15 to 25 percent slopes
Lowell-Westmoreland silt loams, 15 to 25 percent slopes
Lowell-Westmoreland silt loams, 15 to 25 percent slopes
Lowell-Westmoreland silt loams, 25 to 40 percent slopes
Lowell-Westmoreland silt loams, 25 to 40 percent slopes
Lowell-Westmoreland silt loams, 25 to 40 percent slopes
Lowell-Westmoreland silt loams, 25 to 40 percent slopes
Lowell-Westmoreland silt loams, 3 to 8 percent slopes
Lowell-Westmoreland silt loams, 40 to 70 percent slopes
Lowell-Westmoreland silt loams, 40 to 70 percent slopes
Lowell-Westmoreland silt loams, 40 to 70 percent slopes
Lowell-Westmoreland silt loams, 40 to 70 percent slopes
Lowell-Westmoreland silt loams, 8 to 15 percent slopes
Lowell-Westmoreland silt loams, 8 to 15 percent slopes
Lowell-Westmoreland silt loams, benched, 30 to 70 percent slopes
Lucas silt loam, loamy substratum, 0 to 2 percent slopes
Lucas silty clay loam, 12 to 18 percent slopes, moderately eroded
Lucas silty clay loam, 12 to 25 percent slopes, moderately eroded
Lucas silty clay loam, 2 to 6 percent slopes
Lucas silty clay loam, 2 to 6 percent slopes, eroded
Lucas silty clay loam, 2 to 6 percent slopes, eroded
Lucas silty clay loam, 2 to 6 percent slopes, moderately eroded
Lucas silty clay loam, 2 to 6 percent slopes, moderately eroded
Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded
Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded
Lucas silty clay loam, loamy substratum, 2 to 6 percent slopes, eroded
Lucas silty clay loam, loamy substratum, 6 to 12 percent slopes, eroded
Lucas silty clay, 12 to 45 percent slopes, severely eroded
Lucas silty clay, 12 to 45 percent slopes, severely eroded
Lucas silty clay, 2 to 6 percent slopes
Lucas silty clay, 6 to 12 percent slopes, severely eroded
Lucas silty clay, 6 to 12 percent slopes, severely eroded
Lumberton silt loam, 0 to 2 percent slopes
Lumberton silt loam, 12 to 18 percent slopes, eroded

[illegible]

LuB
LuF2
LuC2
Lu
Ls
Ly
Lz
Ly
Lr
Lu
Lw
LyD2
LyE2
LyE
LbF
LzD3
LcD2
LyA
LzB
LyB
LzB
MyA
Mb
MgA
MaA
MgB
MdB
MaB
MaB2
MgB2
MgC
MhA
MIA
MIB
MsA
MhA
MhB
MsB
MhB
MhC
MmA
MkB
Mn
MkB
MmA
MmB
MpB

Lumberton silt loam, 2 to 6 percent slopes
Lumberton silt loam, 25 to 50 percent slopes, eroded
Lumberton silt loam, 6 to 12 percent slopes, eroded
Luray silt loam
Luray silt loam
Luray silt loam
Luray silt loam, gravelly subsoil variant
Luray silty clay loam
Luray silty clay loam
Luray silty clay loam
Luray-Urban land complex
Lybrand silt loam, 12 to 18 percent slopes, eroded
Lybrand silt loam, 18 to 25 percent slopes, eroded
Lybrand silt loam, 18 to 50 percent slopes
Lybrand silt loam, 20 to 55 percent slopes
Lybrand silty clay loam, 12 to 18 percent slopes, severely eroded
Lybrand silty clay loam, 12 to 20 percent slopes, eroded
Lykens silt loam, 0 to 2 percent slopes
Lykens silt loam, 2 to 6 percent slopes
Lykens silt loam, 2 to 6 percent slopes
Lykens-Milton silt loams, 2 to 6 percent slopes
Mahalasville silt loam, 0 to 2 percent slopes
Mahalasville silty clay loam
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 0 to 2 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, 2 to 6 percent slopes
Mahoning silt loam, 2 to 6 percent slopes, eroded
Mahoning silt loam, 2 to 6 percent slopes, moderately eroded
Mahoning silt loam, 6 to 12 percent slopes
Mahoning silt loam, sandstone substratum, 0 to 2 percent slopes
Mahoning silt loam, sandstone substratum, 0 to 2 percent slopes
Mahoning silt loam, sandstone substratum, 2 to 6 percent slopes
Mahoning silt loam, shale substratum, 0 to 2 percent slopes
Mahoning silt loam, shale substratum, 0 to 2 percent slopes
Mahoning silt loam, shale substratum, 1 to 6 percent slopes
Mahoning silt loam, shale substratum, 2 to 6 percent slopes
Mahoning silt loam, shale substratum, 2 to 6 percent slopes
Mahoning silt loam, shale substratum, 6 to 12 percent slopes
Mahoning-Tiro silt loams, 0 to 2 percent slopes
Mahoning-Tiro silt loams, 2 to 6 percent slopes
Mahoning-Urban land complex
Mahoning-Urban land complex, 2 to 6 percent slopes
Mahoning-Urban land complex, nearly level
Mahoning-Urban land complex, undulating
Mahoning-Urban land complex, undulating

[illegible]

MbB
Ma
Mb
Mn
Mb
MbD2
McD2
MdD2
MaD2
MbG
MbB
MaB
McB
MaB
MdB
MbC
McC2
MdC2
MaC
MaD2
MbD2
MaD2
MaD2
MaE2
MaB
MbE2
MaB2
MbC2
MaC2
MbC2
MaC2
McD2
MaB
MaB
MaA
MaB
MaB
McA
Mh
MbB
McA
McB
Ma
Ma
Mc
Mc
McA

Marblehead loam, 0 to 6 percent slopes
Marengo clay loam
Marengo silt loam, overwash
Marengo silty clay loam
Marengo silty clay loam
Markland silt loam, 12 to 18 percent slopes, moderately eroded
Markland silt loam, 12 to 18 percent slopes, moderately eroded
Markland silt loam, 12 to 18 percent slopes, moderately eroded
Markland silt loam, 15 to 35 percent slopes, eroded
Markland silt loam, 18 to 50 percent slopes
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 2 to 6 percent slopes
Markland silt loam, 6 to 12 percent slopes
Markland silt loam, 6 to 12 percent slopes, moderately eroded
Markland silt loam, 6 to 12 percent slopes, moderately eroded
Markland silt loam, 6 to 15 percent slopes
Markland silty clay loam, 12 to 18 percent slopes, eroded
Markland silty clay loam, 12 to 20 percent slopes, eroded
Markland silty clay loam, 12 to 25 percent slopes, eroded
Markland silty clay loam, 15 to 25 percent slopes, eroded
Markland silty clay loam, 18 to 25 percent slopes, eroded
Markland silty clay loam, 2 to 6 percent slopes
Markland silty clay loam, 20 to 35 percent slopes, eroded
Markland silty clay loam, 3 to 8 percent slopes, eroded
Markland silty clay loam, 6 to 12 percent slopes, eroded
Markland silty clay loam, 6 to 12 percent slopes, eroded
Markland silty clay loam, 6 to 15 percent slopes, eroded
Markland silty clay loam, 8 to 15 percent slopes, eroded
Markland-Glenford complex, 15 to 35 percent slopes, eroded
Martinsville and Ockley loams, till substratum, 2 to 6 percent slopes
Martinsville fine sandy loam, 2 to 6 percent slopes
Martinsville loam, 0 to 2 percent slopes
Martinsville loam, 1 to 4 percent slopes
Martinsville loam, 2 to 6 percent slopes
Martinsville loam, rarely flooded
Martinsville loam, rarely flooded
Martinsville loam, till substratum, 2 to 6 percent slopes
Martinsville silt loam, 0 to 2 percent slopes
Martinsville silt loam, 2 to 6 percent slopes
Martisco muck
Martisco mucky silt loam
Martisco Variant silt loam
McGary silt loam
McGary silt loam, 0 to 2 percent slopes

1
5
5
5
5
3
3
3
3
4
4
4
4
5
4
4
3
3
4
4
5
4
4
4
4
4
5
4
5
4
4
4
4
5
5
5
5
5
5
5
5
5
5
3
3
3
3
3

MdA
MgA
McA
MdA
MgA
MkA
MgB
McA
McB
McB
MdB
MfA
McA
McB
McA
Mc
McD
McD2
McE
McB
MhB
McC
McC2
MeC2
McC
Me
Md
Mc
MaA
MbA
McA
Me
Me
Md
Mh
Mk
Mb
Mh
Md
Mc
Md
Md
Mc
Mg
Me
Mh
Mn

McGary silt loam, 0 to 2 percent slopes
McGary silt loam, 0 to 2 percent slopes
McGary silt loam, 0 to 3 percent slopes
McGary silt loam, 0 to 3 percent slopes
McGary silt loam, 0 to 4 percent slopes
McGary silt loam, 0 to 4 percent slopes
McGary silt loam, 0 to 4 percent slopes
McGary silt loam, 0 to 4 percent slopes
McGary silt loam, 1 to 6 percent slopes
McGary silt loam, 2 to 6 percent slopes
McGary silt loam, 2 to 6 percent slopes
McGary silty clay loam, 0 to 2 percent slopes
McGary silty clay loam, 0 to 2 percent slopes
McGary silty clay loam, 2 to 6 percent slopes
McGary variant silty clay loam, 0 to 3 percent slopes, rarely flooded
McGuffey muck
Mechanicsburg silt loam, 12 to 18 percent slopes
Mechanicsburg silt loam, 12 to 18 percent slopes, eroded
Mechanicsburg silt loam, 18 to 25 percent slopes
Mechanicsburg silt loam, 2 to 6 percent slopes
Mechanicsburg silt loam, 2 to 6 percent slopes
Mechanicsburg silt loam, 6 to 12 percent slopes
Mechanicsburg silt loam, 6 to 12 percent slopes, eroded
Mechanicsburg silt loam, 6 to 12 percent slopes, eroded
Mechanicsburg silt loam, 6 to 15 percent slopes
Medway clay loam, rarely flooded
Medway silt loam
Medway silt loam
Medway silt loam, 0 to 1 percent slopes, occasionally flooded
Medway silt loam, 0 to 2 percent slopes, occasionally flooded
Medway silt loam, limestone substratum, 0 to 2 percent slopes, occasionally flooded
Medway silt loam, moderately shallow variant
Medway silt loam, occasionally flooded
Medway silt loam, occasionally flooded
Medway silt loam, occasionally flooded
Medway silt loam, occasionally flooded
Medway silt loam, occasionally flooded
Medway silt loam, overwash
Medway silt loam, rarely flooded
Medway silt loam, rarely flooded
Melvin silt loam
Melvin silt loam, frequently flooded
Melvin silt loam, frequently flooded
Melvin silt loam, frequently flooded
Melvin silt loam, frequently flooded
Melvin silt loam, frequently flooded
Melvin silt loam, occasionally flooded

3
3
3
3
3
3
3
3
3
3
3
5
5
5
5
5
5
4
4
4
4
4
4
4
4
4
4
5
5
5
5
5
5
2
5
5
5
5
5
5
5
5
5
5
5

Mg
Me
Md
Mh
Mc
MeA
MnA
MeB
MeD
MnD2
McD2
MeD2
MnE
MeD
MnD
MnB
MoB
MeB
MgB
MeB
MeF
MnC
MeC
MnC2
MeC2
MnC
MeC
MoC
MgA
MeB
MgB
MeC
MfA
Mt
MfB
Mf
Me
MfA
McA
Mo
Me
Mf
Md
MnA
MbA
MeA
MdA

Melvin silt loam, ponded
Melvin silt loam, ponded
Melvin silt loam, ponded
Melvin silt loam, ponded
Melvin silt loam, ponded
Mentor silt loam, 0 to 2 percent slopes
Mentor silt loam, 0 to 2 percent slopes
Mentor silt loam, 1 to 4 percent slopes
Mentor silt loam, 12 to 18 percent slopes
Mentor silt loam, 12 to 18 percent slopes, eroded
Mentor silt loam, 12 to 18 percent slopes, eroded
Mentor silt loam, 12 to 20 percent slopes, eroded
Mentor silt loam, 12 to 25 percent slopes
Mentor silt loam, 15 to 25 percent slopes
Mentor silt loam, 15 to 25 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 2 to 6 percent slopes
Mentor silt loam, 2 to 8 percent slopes
Mentor silt loam, 25 to 50 percent slopes
Mentor silt loam, 6 to 12 percent slopes
Mentor silt loam, 6 to 12 percent slopes
Mentor silt loam, 6 to 12 percent slopes, eroded
Mentor silt loam, 6 to 12 percent slopes, eroded
Mentor silt loam, 6 to 15 percent slopes
Mentor silt loam, 8 to 15 percent slopes
Mentor silt loam, 8 to 15 percent slopes
Mentor silt loam, gravelly substratum, 0 to 2 percent slopes
Mentor silt loam, gravelly substratum, 1 to 8 percent slopes
Mentor silt loam, gravelly substratum, 2 to 6 percent slopes
Mentor silt loam, gravelly substratum, 8 to 15 percent slopes
Mentor silt loam, rarely flooded
Mentor silt loam, rarely flooded
Mentor-Urban land complex, 2 to 8 percent slopes
Mermill clay loam
Mermill clay loam
Mermill clay loam, 0 to 1 percent slopes
Mermill fine sandy loam, 0 to 1 percent slopes
Mermill loam
Mermill loam
Mermill loam
Mermill loam
Mermill loam, 0 to 1 percent slopes
Mermill loam, 0 to 1 percent slopes
Mermill loam, 0 to 1 percent slopes
Mermill loam, 0 to 1 percent slopes

[illegible]

Mg
MeA
Md
Mg
Mc
Me
MeA
Mp
MfA
Mb
Mh
MdA
MgA
MkD
MpD
MrE
MmA
MoF2
MbC
MoD3
MoC3
MdD2
MdC2
MhC2
MIA
MID
MmD2
MID2
MmD1
MIE
MIE2
MmE1
MIB
MbB2
MmB2
MIB2
MIC
MmC2
MIC2
MsD3
MmD3
MmE3
MmC3
MoD
MmE
MpE2
MpF2

Mermill loam, stratified substratum
Mermill sandy clay loam, 0 to 1 percent slopes
Mermill silt loam
Mermill silty clay loam
Mermill silty clay loam
Mermill silty clay loam
Mermill silty clay loam, 0 to 1 percent slopes
Mermill Variant sandy loam
Mermill-Aurand complex, 0 to 1 percent slopes
Mermill-Aurand complex, 0 to 1 percent slopes
Mermill-Urban land complex
Mermill-Urban land complex, 0 to 1 percent slopes
Mermill-Urban land complex, 0 to 1 percent slopes
Mertz very cherty silt loam, 15 to 35 percent slopes
Mertz very cherty silt loam, 15 to 35 percent slopes
Mertz very cherty silt loam, 18 to 35 percent slopes, very stony
Metamora sandy loam, 0 to 3 percent slopes
Miami and Lewisburg silt loams, 25 to 50 percent slopes, moderately eroded
Miami bouldery silt loam, 2 to 12 percent slopes
Miami clay loam, 12 to 18 percent slopes, severely eroded
Miami clay loam, 6 to 12 percent slopes, severely eroded
Miami loam, 12 to 18 percent slopes, eroded
Miami loam, 6 to 12 percent slopes, eroded
Miami loam, 6 to 12 percent slopes, eroded
Miami silt loam, 0 to 2 percent slopes
Miami silt loam, 12 to 18 percent slopes
Miami silt loam, 12 to 18 percent slopes, eroded
Miami silt loam, 12 to 18 percent slopes, moderately eroded
Miami silt loam, 12 to 18 percent slopes, slightly eroded
Miami silt loam, 18 to 25 percent slopes
Miami silt loam, 18 to 25 percent slopes, moderately eroded
Miami silt loam, 18 to 25 percent slopes, slightly eroded
Miami silt loam, 2 to 6 percent slopes
Miami silt loam, 2 to 6 percent slopes, eroded
Miami silt loam, 2 to 6 percent slopes, eroded
Miami silt loam, 2 to 6 percent slopes, moderately eroded
Miami silt loam, 6 to 12 percent slopes
Miami silt loam, 6 to 12 percent slopes, eroded
Miami silt loam, 6 to 12 percent slopes, moderately eroded
Miami soils, 12 to 18 percent slopes, severely eroded
Miami soils, 12 to 18 percent slopes, severely eroded
Miami soils, 18 to 25 percent slopes, severely eroded
Miami soils, 6 to 12 percent slopes, severely eroded
Miami Variant silt loam, 15 to 30 percent slopes
Miamian and Hennepin silt loams, 18 to 25 percent slopes
Miamian and Hennepin silt loams, 18 to 25 percent slopes, moderately eroded
Miamian and Hennepin silt loams, 25 to 35 percent slopes, moderately eroded

4
4
4
4
4
4
4
5
4
4
4
4
4
5
5
5
5
3
5
2
2
5
5
5
5
5
3
5
3
5
5
3
5
5
3
5
5
3
5
5
3
5
1
5
5
5
4
4
4
4

MmF
MnF
MpE
MrF3
MpF
MmB
MhD3
MmD3
MID3
MnD3
MnD3
MuD3
MpD3
MmE3
MmB3
MnB3
MIB3
MmC3
MhC3
MIC3
MnC3
MnC3
MIC3
MuC3
MmA
MhA
MIA
MfD2
MID2
MmD2
MeD2
MhD2
MsD2
MID2
MhD2
MnD2
MoD2
MhD2
MmE
MhE
MnE
MIE
MIE2
MfE2
MhE2
MnE2
MhE

Miamian and Hennepin silt loams, 25 to 50 percent slopes
Miamian and Hennepin silt loams, 25 to 50 percent slopes
Miamian and Hennepin soils, 18 to 25 percent slopes
Miamian and Hennepin soils, 18 to 35 percent slopes, severely eroded
Miamian and Hennepin soils, 25 to 50 percent slopes
Miamian bouldery silt loam, 2 to 6 percent slopes
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 12 to 18 percent slopes, severely eroded
Miamian clay loam, 15 to 25 percent slopes, severely eroded
Miamian clay loam, 18 to 30 percent slopes, severely eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded
Miamian clay loam, 2 to 6 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian clay loam, 6 to 12 percent slopes, severely eroded
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 0 to 2 percent slopes
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 12 to 18 percent slopes, moderately eroded
Miamian silt loam, 12 to 20 percent slopes, eroded
Miamian silt loam, 12 to 20 percent slopes, eroded
Miamian silt loam, 18 to 25 percent slopes
Miamian silt loam, 18 to 25 percent slopes
Miamian silt loam, 18 to 25 percent slopes
Miamian silt loam, 18 to 25 percent slopes
Miamian silt loam, 18 to 25 percent slopes, eroded
Miamian silt loam, 18 to 25 percent slopes, eroded
Miamian silt loam, 18 to 25 percent slopes, moderately eroded
Miamian silt loam, 18 to 25 percent slopes, moderately eroded
Miamian silt loam, 18 to 30 percent slopes

[illegible]

MpE2
MhE2
MIF2
MkB
MfB
MhB
MIB
MmB
MnB
MkB2
MfB2
MhB2
MIB2
MnB2
MIB2
MhB2
MhE
MIF
MhF
MIC
MeC
MhC
MnC
MkC2
MfC2
MhC2
MIC2
MmC2
MeC2
MsC2
MIC2
MhC2
MnC2
MkC2
MnC2
MmD2
MmC2
MkA
MkB
MkB2
MkC2
MID2
MkD2
MIB2
MkB2
MIC2
MkC2

Miamian silt loam, 18 to 30 percent slopes, eroded
Miamian silt loam, 18 to 30 percent slopes, eroded
Miamian silt loam, 18 to 35 percent slopes, moderately eroded
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes, eroded
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, 20 to 35 percent slopes
Miamian silt loam, 25 to 50 percent slopes
Miamian silt loam, 25 to 50 percent slopes
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 6 to 12 percent slopes, moderately eroded
Miamian silt loam, 8 to 15 percent slopes, eroded
Miamian silt loam, 8 to 15 percent slopes, eroded
Miamian silt loam, bedrock substratum, 12 to 20 percent slopes, eroded
Miamian silt loam, bedrock substratum, 6 to 12 percent slopes, eroded
Miamian silt loam, limestone substratum, 0 to 2 percent slopes
Miamian silt loam, limestone substratum, 2 to 6 percent slopes
Miamian silt loam, limestone substratum, 2 to 6 percent slopes, moderately eroded
Miamian silt loam, limestone substratum, 6 to 12 percent slopes, moderately eroded
Miamian silty clay loam, 12 to 18 percent slopes, eroded
Miamian silty clay loam, 12 to 18 percent slopes, eroded
Miamian silty clay loam, 2 to 6 percent slopes, eroded
Miamian silty clay loam, 2 to 6 percent slopes, eroded
Miamian silty clay loam, 6 to 12 percent slopes, eroded
Miamian silty clay loam, 6 to 12 percent slopes, eroded

[illegible]

MgE2
MgB2
MgC2
MmC2
MmD2
MmE2
MkB
MfB
MkB2
MfB2
MoB2
MoE2
MoF2
MnB
MeB
MoB2
MnC2
MeC2
MoC2
MnE3
MnD2
MoD2
MrE2
MmE2
MpE2
MoE2
MkA
MkD2
MgE2
MkB
MrB
MgF2
MkC2
MnC2
MrC2
MnB
MIA
MIB
MpB
MpD3
MhD3
MrD3
MhC3
MpC3
MrC3
MsD2
MrB

Miamian silty clay loam, limestone substratum, 18 to 30 percent slopes, eroded
Miamian silty clay loam, limestone substratum, 2 to 6 percent slopes, eroded
Miamian silty clay loam, limestone substratum, 6 to 12 percent slopes, eroded
Miamian Variant silt loam, 6 to 15 percent slopes, moderately eroded
Miamian-Casco complex, 12 to 18 percent slopes, moderately eroded
Miamian-Casco complex, 18 to 35 percent slopes, moderately eroded
Miamian-Celina silt loams, 2 to 6 percent slopes
Miamian-Celina silt loams, 2 to 6 percent slopes
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miamian-Celina silt loams, 2 to 6 percent slopes, eroded
Miamian-Crouse silt loams, 18 to 25 percent slopes, eroded
Miamian-Crouse silt loams, 25 to 50 percent slopes, eroded
Miamian-Eldean silt loams, 2 to 6 percent slopes
Miamian-Eldean silt loams, 2 to 6 percent slopes
Miamian-Eldean silt loams, 2 to 6 percent slopes, moderately eroded
Miamian-Eldean silt loams, 6 to 12 percent slopes, eroded
Miamian-Eldean silt loams, 6 to 12 percent slopes, eroded
Miamian-Eldean silt loams, 6 to 12 percent slopes, moderately eroded
Miamian-Hennepin clay loams, 18 to 25 percent slopes, severely eroded
Miamian-Hennepin silt loams, 12 to 18 percent slopes, moderately eroded
Miamian-Hennepin silt loams, 15 to 25 percent slopes, eroded
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded
Miamian-Hennepin silt loams, 25 to 35 percent slopes, eroded
Miamian-Kendallville silt loams, 0 to 2 percent slopes
Miamian-Kendallville silt loams, 12 to 18 percent slopes, eroded
Miamian-Kendallville silt loams, 18 to 25 percent slopes, eroded
Miamian-Kendallville silt loams, 2 to 6 percent slopes
Miamian-Kendallville silt loams, 2 to 6 percent slopes
Miamian-Kendallville silt loams, 25 to 50 percent slopes, eroded
Miamian-Kendallville silt loams, 6 to 12 percent slopes, eroded
Miamian-Kendallville silt loams, 6 to 12 percent slopes, eroded
Miamian-Kendallville silt loams, 6 to 12 percent slopes, eroded
Miamian-Lewisburg complex, 2 to 6 percent slopes
Miamian-Lewisburg silt loams, 0 to 2 percent slopes
Miamian-Lewisburg silt loams, 2 to 6 percent slopes
Miamian-Lewisburg silt loams, 2 to 6 percent slopes
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded
Miamian-Russell silt loams, 12 to 18 percent slopes, moderately eroded
Miamian-Russell silt loams, 2 to 6 percent slopes

[illegible]

MrB2
MsC2
MrC2
MrC2
MtC2
MsC2
MmD3
MnD3
MnE2
MqE2
MnF2
MtF2
MqF2
MmC3
MnB
MnC
MvC
MsB
MmB
MoC
MrC
MIC
MuC
MoE
MoB
MIB
MfE2
MsE2
McE2
MfE2
McF2
MrF2
Mf
Mf
Mh
Me
MfA
MpA
MvA
MrA
MsA
Mo
Mm
My
Mo
Mm
Mk

Miamian-Russell silt loams, 2 to 6 percent slopes, moderately eroded
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded
Miamian-Russell silt loams, bedrock substratum, 6 to 12 percent slopes, moderately eroded
Miamian-Russell silt loams, bedrock substratum, 6 to 12 percent slopes, moderately eroded
Miamian-Thrifton complex, 12 to 20 percent slopes, severely eroded
Miamian-Thrifton complex, 12 to 20 percent slopes, severely eroded
Miamian-Thrifton complex, 18 to 25 percent slopes, eroded
Miamian-Thrifton complex, 18 to 25 percent slopes, eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Miamian-Thrifton complex, 25 to 50 percent slopes, eroded
Miamian-Thrifton complex, 6 to 12 percent slopes, severely eroded
Miamian-Urban land complex, 2 to 6 percent slopes
Miamian-Urban land complex, 6 to 12 percent slopes
Miamian-Urban land complex, 8 to 15 percent slopes
Miamian-Urban land complex, gently sloping
Miamian-Urban land complex, gently undulating
Miamian-Urban land complex, rolling
Miamian-Urban land complex, rolling
Miamian-Urban land complex, rolling
Miamian-Urban land complex, sloping
Miamian-Urban land complex, steep
Miamian-Urban land complex, undulating
Miamian-Urban land complex, undulating
Miami-Casco-Rodman complex, 18 to 25 percent slopes, moderately eroded
Miami-Casco-Rodman complex, 18 to 25 percent slopes, moderately eroded
Miami-Kendallville silt loams, 18 to 25 percent slopes, eroded
Miami-Kendallville silt loams, 18 to 25 percent slopes, eroded
Miami-Kendallville silt loams, 25 to 50 percent slopes, eroded
Miami-Rodman complex, 25 to 50 percent slopes, moderately eroded
Milford silty clay
Milford silty clay loam
Milford silty clay loam
Milford silty clay loam
Milford silty clay loam, 0 to 1 percent slopes
Milford silty clay loam, 0 to 2 percent slopes
Milford silty clay loam, 0 to 2 percent slopes
Milford silty clay loam, gravelly substratum, 0 to 2 percent slopes
Milford silty clay loam, gravelly substratum, 0 to 2 percent slopes
Milford silty clay loam, sandy substratum
Mill silt loam
Mill silt loam, 0 to 2 percent slopes
Mill silt loam, 0 to 2 percent slopes
Millgrove clay loam
Millgrove clay loam

4
4
5
4
4
4
3
3
4
4
4
4
4
3
4
4
4
4
4
4
4
4
4
4
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
2
2
2
5
5

Mf
Mg
Mf
Mo
Mh
MgA
MbA
Mh
Mg
Mg
Mk
Me
MfA
Mg
MgA
MhA
MhA
Mm
MnA
MnB
Ms
Mt
Mm
Mh
Mk
MmA
MkA
MnA
MgA
MhA
MtA
MoA
MrA
MoB
MkA
MmA
MwC3
MIA
MnA
MnB
MuA
MpA
MsA
MtA
MnA
MoA
MnB

Millgrove clay loam
Millgrove clay loam
Millgrove loam
Millgrove loam
Millgrove loam
Millgrove loam, 0 to 1 percent slopes
Millgrove loam, 0 to 1 percent slopes
Millgrove loam, till substratum
Millgrove loam, till substratum
Millgrove silt loam
Millgrove silt loam
Millgrove silt loam
Millgrove silt loam, 0 to 2 percent slopes
Millgrove silty clay loam
Millgrove silty clay loam, 0 to 2 percent slopes
Millgrove silty clay loam, 0 to 2 percent slopes
Millgrove silty clay loam, 0 to 2 percent slopes, rarely flooded
Millgrove silty clay loam, 0 to 2 percent slopes, rarely flooded
Millsdale silt loam, 0 to 2 percent slopes
Millsdale silt loam, 2 to 6 percent slopes
Millsdale silty clay loam
Millsdale silty clay loam
Millsdale silty clay loam
Millsdale silty clay loam
Millsdale silty clay loam
Millsdale silty clay loam, 0 to 1 percent slopes
Millsdale silty clay loam, 0 to 1 percent slopes
Millsdale silty clay loam, 0 to 1 percent slopes
Millsdale silty clay loam, 0 to 1 percent slopes
Millsdale silty clay loam, 0 to 1 percent slopes
Millsdale silty clay loam, 0 to 2 percent slopes
Millsdale silty clay loam, 0 to 2 percent slopes
Millsdale silty clay loam, 0 to 3 percent slopes
Millsdale silty clay loam, 2 to 6 percent slopes
Millsdale silty clay loam, stony, 0 to 1 percent slopes
Millsdale-Urban land complex, 0 to 1 percent slopes
Milton clay loam, 6 to 12 percent slopes, severely eroded
Milton loam, 0 to 2 percent slopes
Milton loam, 0 to 2 percent slopes
Milton loam, 2 to 6 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 0 to 2 percent slopes
Milton silt loam, 1 to 4 percent slopes

[illegible]

MuD2
MpD2
MsD2
MoD2
MuD2
MuE2
MoB
MtB
MsB
MuB
MpB
MnB
MuB2
MtB2
MsB2
MpB2
MuB2
MoE2
MoC2
MuC2
MtC2
MpC2
MsC2
MoC2
MuC2
MvC2
MtD3
MUF
MoA
MoB
MpD2
MxB
MuD
MuC
MuB
MsA
Mr
MrA
MpA
Ms
Mo
Mns3A
Mny3A
Mnl3A
MvB
MtA
MxA

Milton silt loam, 12 to 18 percent slopes, eroded
Milton silt loam, 12 to 18 percent slopes, moderately eroded
Milton silt loam, 12 to 18 percent slopes, moderately eroded
Milton silt loam, 12 to 18 percent slopes, moderately eroded
Milton silt loam, 12 to 18 percent slopes, moderately eroded
Milton silt loam, 18 to 25 percent slopes, eroded
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes
Milton silt loam, 2 to 6 percent slopes, eroded
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 2 to 6 percent slopes, moderately eroded
Milton silt loam, 20 to 35 percent slopes, eroded
Milton silt loam, 6 to 12 percent slopes, eroded
Milton silt loam, 6 to 12 percent slopes, eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silt loam, 6 to 12 percent slopes, moderately eroded
Milton silty clay loam, 6 to 12 percent slopes, eroded
Milton silty clay loam, 6 to 18 percent slopes, severely eroded
Milton soils, channery variant, 25 to 50 percent slopes
Milton variant loam, 0 to 2 percent slopes
Milton variant loam, 2 to 6 percent slopes
Milton-Lybrand complex, 12 to 18 percent slopes, eroded
Milton-Urban land complex, 2 to 6 percent slopes
Milton-Urban land complex, hilly
Milton-Urban land complex, rolling
Milton-Urban land complex, undulating
Miner silt loam, bedrock substratum, 0 to 1 percent slopes
Miner silty clay loam
Miner silty clay loam, 0 to 1 percent slopes
Miner silty clay loam, 0 to 1 percent slopes
Miner silty clay loam, shale substratum
Minoa fine sandy loam
Minster silty clay loam, 0 to 1 percent slopes
Minster silty clay loam, gravelly substratum, 0 to 1 percent slopes
Minster silty clay loam, till substratum, 0 to 1 percent slopes
Mitiwanga channery loam, 1 to 4 percent slopes
Mitiwanga silt loam, 0 to 2 percent slopes
Mitiwanga silt loam, 0 to 2 percent slopes

[illegible]

MtA
MkA
MtB
MwB
MtB
MrB
MxB
MvB
MvC
MxB
MxB
MoUXCO
MgB
MoC
MoB
MpC2
MoC2
Mg
Mt
Mv
My
Mr
MrD2
MpD3
MsD3
MoB
MpA
MrA
MoD2
MrD2
MrD2
MyD2
MxE
MyE
MrE2
MrF2
MrB
MrB2
MxF
MrF2
MsB
MsC2
MsB
MtB
MwA
MxA
MxB

Mitiwanga silt loam, 0 to 3 percent slopes
Mitiwanga silt loam, 0 to 3 percent slopes
Mitiwanga silt loam, 1 to 4 percent slopes
Mitiwanga silt loam, 1 to 4 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Mitiwanga silt loam, 2 to 6 percent slopes
Mitiwanga silt loam, moderately well drained variant, 2 to 6 percent slopes
Mitiwanga silt loam, moderately well drained variant, 6 to 12 percent slopes
Mitiwanga-Urban land complex, undulating
Mitiwanga-Urban land complex, gently sloping
Mollic Udarents-Urban land complex, loamy substratum, 0 to 12 percent slopes, occasionally flooded
Monongahela loam, 2 to 6 percent slopes
Monongahela loam, 8 to 15 percent slopes
Monongahela silt loam, 1 to 8 percent slopes
Monongahela silt loam, 8 to 15 percent slopes, eroded
Monongahela silt loam, 8 to 15 percent slopes, eroded
Montgomery silty clay loam
Montgomery silty clay loam
Montgomery silty clay loam
Montgomery silty clay loam
Montgomery Variant silt loam, frequently flooded
Morley clay loam, 12 to 18 percent slopes, eroded
Morley clay loam, 12 to 18 percent slopes, severely eroded
Morley clay loam, 9 to 18 percent slopes, severely eroded
Morley loam, 2 to 6 percent slopes
Morley loam, limestone substratum, 0 to 2 percent slopes
Morley loam, limestone substratum, 0 to 2 percent slopes
Morley silt loam, 12 to 18 percent slopes, eroded
Morley silt loam, 12 to 18 percent slopes, eroded
Morley silt loam, 12 to 18 percent slopes, moderately eroded
Morley silt loam, 12 to 18 percent slopes, moderately eroded
Morley silt loam, 18 to 25 percent slopes
Morley silt loam, 18 to 25 percent slopes
Morley silt loam, 18 to 25 percent slopes, moderately eroded
Morley silt loam, 18 to 50 percent slopes, eroded
Morley silt loam, 2 to 6 percent slopes
Morley silt loam, 2 to 6 percent slopes, moderately eroded
Morley silt loam, 25 to 50 percent slopes
Morley silt loam, 25 to 50 percent slopes, moderately eroded
Morley, limestone substratum-Milton complex, 2 to 6 percent slopes
Morley-Belmore complex, 6 to 15 percent slopes, eroded
Morley-Milton silt loams, 2 to 6 percent slopes
Morley-Milton silt loams, 2 to 6 percent slopes
Morningsun silt loam, 0 to 2 percent slopes
Morningsun-Xenia silt loams, 0 to 2 percent slopes
Morningsun-Xenia silt loams, 2 to 6 percent slopes

[illegible]

MxB2
MpB
MrF
MoF
MpD
MpF
MrF
MoB
MrB
MuB
MoB
MoE
MrF
MtF
MoD
MrD
MuD
MoD
MnB
MnE
MnD
MrB
MrD
MrF
MrC
MoA
MrB
MrD
MrF
MrF
MoC
MrD
MnA
MnB
MnB
MoB
MoB
MsB
MoD
MsD
MnE
MnE
MsE
MnC
MpC
MnD
MoC

Morningsun-Xenia silt loams, 2 to 6 percent slopes, eroded
Morristown channery clay loam, 0 to 6 percent slopes
Morristown channery clay loam, 20 to 70 percent slopes, very stony
Morristown channery clay loam, 40 to 70 percent slopes
Morristown channery clay loam, 6 to 20 percent slopes
Morristown channery silt loam, 25 to 70 percent slopes, bouldery
Morristown channery silt loam, 25 to 70 percent slopes, bouldery
Morristown channery silty clay loam, 0 to 8 percent slopes
Morristown channery silty clay loam, 0 to 8 percent slopes
Morristown channery silty clay loam, 0 to 8 percent slopes, stony
Morristown channery silty clay loam, 0 to 8 percent slopes, stony
Morristown channery silty clay loam, 25 to 40 percent slopes, stony
Morristown channery silty clay loam, 25 to 70 percent slopes
Morristown channery silty clay loam, 25 to 70 percent slopes
Morristown channery silty clay loam, 8 to 25 percent slopes
Morristown channery silty clay loam, 8 to 25 percent slopes
Morristown channery silty clay loam, 8 to 25 percent slopes, stony
Morristown channery silty clay loam, 8 to 25 percent slopes, stony
Morristown clay loam, 0 to 8 percent slopes
Morristown clay loam, 25 to 40 percent slopes
Morristown clay loam, 8 to 25 percent slopes
Morristown loam, 0 to 8 percent slopes
Morristown loam, 15 to 25 percent slopes
Morristown loam, 25 to 70 percent slopes
Morristown loam, 8 to 15 percent slopes
Morristown shaly silty clay loam, 0 to 3 percent slopes, stony
Morristown shaly silty clay loam, 1 to 15 percent slopes
Morristown shaly silty clay loam, 15 to 25 percent slopes
Morristown shaly silty clay loam, 25 to 70 percent slopes
Morristown shaly silty clay loam, 25 to 70 percent slopes, bouldery
Morristown shaly silty clay loam, 3 to 15 percent slopes, stony
Morristown shaly silty clay loam, 8 to 25 percent slopes
Morristown silty clay loam, 0 to 3 percent slopes
Morristown silty clay loam, 0 to 6 percent slopes
Morristown silty clay loam, 0 to 8 percent slopes
Morristown silty clay loam, 0 to 8 percent slopes
Morristown silty clay loam, 1 to 8 percent slopes
Morristown silty clay loam, 1 to 8 percent slopes
Morristown silty clay loam, 15 to 25 percent slopes
Morristown silty clay loam, 15 to 25 percent slopes
Morristown silty clay loam, 15 to 40 percent slopes
Morristown silty clay loam, 20 to 35 percent slopes
Morristown silty clay loam, 25 to 50 percent slopes
Morristown silty clay loam, 3 to 15 percent slopes
Morristown silty clay loam, 3 to 15 percent slopes
Morristown silty clay loam, 6 to 20 percent slopes
Morristown silty clay loam, 8 to 15 percent slopes

[illegible]

MsC
MnD
MkD
MoB
MoE
MoD
MoF
MvD2
MzD2
MvE2
MvB
MwB2
Mp
Mp
Mo
Mx
Mu
Mr
Mu
Mz
MvE
MvE3
MvF
MvG
MwF
MsD2
MsE2
MsB
MsF2
MsC2
MsD
MsB
MsC
NsA
NpA
NaA
NnA
NmA
NnA
NnB
NaB
NmB
NnB2
NmA
NmB
NpA
NaA

Morristown silty clay loam, 8 to 15 percent slopes
Morristown silty clay loam, 8 to 25 percent slopes
Morristown silty clay loam, 8 to 25 percent slopes
Morristown stony clay loam, 0 to 8 percent slopes
Morristown stony clay loam, 25 to 40 percent slopes
Morristown stony clay loam, 8 to 25 percent slopes
Morristown very stony clay loam, 40 to 70 percent slopes
Morrisville silty clay loam, 12 to 18 percent slopes, eroded
Morrisville silty clay loam, 12 to 18 percent slopes, eroded
Morrisville silty clay loam, 18 to 25 percent slopes, eroded
Mortimer silt loam, 2 to 6 percent slopes
Mortimer silty clay loam, 2 to 6 percent slopes, eroded
Moshannon silt loam
Moshannon silt loam, frequently flooded
Moshannon silt loam, frequently flooded
Moundhaven sandy loam, occasionally flooded
Muck
Muskego muck
Muskego muck
Muskego muck
Muskingum and Gilpin silt loams, 18 to 25 percent slopes
Muskingum and Gilpin silt loams, 18 to 25 percent slopes, severely eroded
Muskingum and Gilpin silt loams, 25 to 35 percent slopes
Muskingum and Gilpin silt loams, 35 to 50 percent slopes
Muskingum and Gilpin-Urban land complex, steep
Muskingum channery silt loam, 12 to 18 percent slopes, moderately eroded
Muskingum channery silt loam, 18 to 25 percent slopes, moderately eroded
Muskingum channery silt loam, 2 to 6 percent slopes
Muskingum channery silt loam, 25 to 50 percent slopes, moderately eroded
Muskingum channery silt loam, 6 to 12 percent slopes, moderately eroded
Muskingum silt loam, 12 to 18 percent slopes
Muskingum silt loam, 2 to 6 percent slopes
Muskingum silt loam, 6 to 12 percent slopes
Nappanee clay loam, 0 to 2 percent slopes
Nappanee clay loam, 0 to 2 percent slopes
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 0 to 2 percent slopes
Nappanee loam, 0 to 3 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee loam, 2 to 6 percent slopes
Nappanee loam, 2 to 6 percent slopes, eroded
Nappanee sandy loam, 0 to 2 percent slopes
Nappanee sandy loam, 2 to 6 percent slopes
Nappanee silt loam, 0 to 2 percent slopes
Nappanee silt loam, 0 to 2 percent slopes

[illegible]

NpA
NoA
NpB
NaB
NrA
NtA
NpA
NpA
NpB
NtB
NtB2
NpB2
NtB2
NtC2
NsA
NrA
NfD3
NfC3
NgE
NdD
NeD2
NaD2
NeD2
NgD
NcD
NeE
NdE
NaE
NeE2
NgE
NdF
NeF
NeC
NdC
NbC2
NeC2
NdC2
NeC
NgC
NeD
NeD
NhB
NeB
NeE
NeF
NeC
NgF

Nappanee silt loam, 0 to 3 percent slopes
Nappanee silt loam, 0 to 3 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Nappanee silt loam, 2 to 6 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 0 to 2 percent slopes
Nappanee silty clay loam, 0 to 3 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes
Nappanee silty clay loam, 2 to 6 percent slopes, eroded
Nappanee silty clay loam, 2 to 6 percent slopes, eroded
Nappanee silty clay loam, 2 to 6 percent slopes, moderately eroded
Nappanee silty clay loam, 6 to 12 percent slopes, eroded
Nappanee-Urban land complex, 0 to 2 percent slopes
Nappanee-Urban land complex, 0 to 2 percent slopes
Negley clay loam, 12 to 18 percent slopes, severely eroded
Negley clay loam, 6 to 12 percent slopes, severely eroded
Negley gravelly loam, 25 to 40 percent slopes
Negley loam, 12 to 18 percent slopes
Negley loam, 12 to 18 percent slopes, eroded
Negley loam, 12 to 20 percent slopes, eroded
Negley loam, 12 to 20 percent slopes, eroded
Negley loam, 15 to 25 percent slopes
Negley loam, 15 to 25 percent slopes
Negley loam, 18 to 25 percent slopes
Negley loam, 18 to 25 percent slopes
Negley loam, 20 to 35 percent slopes
Negley loam, 20 to 35 percent slopes, eroded
Negley loam, 25 to 35 percent slopes
Negley loam, 25 to 35 percent slopes
Negley loam, 25 to 70 percent slopes
Negley loam, 6 to 12 percent slopes
Negley loam, 6 to 12 percent slopes
Negley loam, 6 to 12 percent slopes, eroded
Negley loam, 6 to 12 percent slopes, eroded
Negley loam, 6 to 12 percent slopes, eroded
Negley loam, 8 to 15 percent slopes
Negley loam, 8 to 15 percent slopes
Negley silt loam, 12 to 20 percent slopes
Negley silt loam, 15 to 25 percent slopes
Negley silt loam, 2 to 6 percent slopes
Negley silt loam, 2 to 6 percent slopes
Negley silt loam, 25 to 40 percent slopes
Negley silt loam, 40 to 70 percent slopes
Negley silt loam, 8 to 15 percent slopes
Negley-Fox complex, 18 to 35 percent slopes

[illegible]

Nn
Ne
Nk
Ne
Nm
Ng
Nf
Nn
Nk
Nw
Ne
Nd
Nk
Nw
Nm
Ng
Nn
No
NhC2
NIB
NkB
NmB
NnB
NhB
NnB2
NIC
NhC
NnC2
NnA
NnB
No
No
NoA
Np
No
No
Nn
No
OaB
OaC
OaB
ObB
OaB
OaC
ObC
OaC
OaB

Newark silt loam
Newark silt loam
Newark silt loam (0 to 2 percent slopes, occasionally flooded)
Newark silt loam, frequently flooded
Newark silt loam, frequently flooded
Newark silt loam, frequently flooded
Newark silt loam, frequently flooded
Newark silt loam, frequently flooded
Newark silt loam, frequently flooded
Newark silt loam, frequently flooded
Newark silt loam, occasionally flooded
Newark silt loam, occasionally flooded
Newark silt loam, occasionally flooded
Newark silt loam, occasionally flooded
Newark silt loam, ponded
Newark silt loam, ponded
Newark Variant silt loam, frequently flooded
Newark Variant silt loam, frequently flooded
Nicely silt loam, 6 to 12 percent slopes, eroded
Nicholson silt loam, 0 to 6 percent slopes
Nicholson silt loam, 1 to 6 percent slopes
Nicholson silt loam, 1 to 6 percent slopes
Nicholson silt loam, 2 to 6 percent slopes
Nicholson silt loam, 2 to 6 percent slopes
Nicholson silt loam, 2 to 6 percent slopes, moderately eroded
Nicholson silt loam, 6 to 12 percent slopes
Nicholson silt loam, 6 to 12 percent slopes
Nicholson silt loam, 6 to 12 percent slopes, moderately eroded
Nineveh silt loam, 0 to 2 percent slopes
Nineveh silt loam, 2 to 6 percent slopes
Nolin silt loam
Nolin silt loam, 0 to 2 percent slopes, occasionally flooded
Nolin silt loam, 0 to 2 percent slopes, occasionally flooded
Nolin silt loam, frequently flooded
Nolin silt loam, frequently flooded
Nolin silt loam, occasionally flooded
Nolin silt loam, rarely flooded
Nolin variant silt loam, occasionally flooded
Oakville fine sand, 0 to 6 percent slopes
Oakville fine sand, 2 to 12 percent slopes
Oakville fine sand, 2 to 6 percent slopes
Oakville fine sand, 2 to 6 percent slopes
Oakville fine sand, 2 to 8 percent slopes
Oakville fine sand, 6 to 12 percent slopes
Oakville fine sand, 6 to 12 percent slopes
Oakville fine sand, 6 to 18 percent slopes
Oakville loamy fine sand, 0 to 6 percent slopes

[illegible]

OcB
OcA
ObA
OcB
OcB
ObB
OcC2
OcA
ObA
OcA
OcB
ObB
OdB
OcB2
OcB1
OcC
OcC2
OcC2
OdA
OdB
OdC2
OeA
OeC
OdB
OdA
OdA
OeA
OdA
OdB
OeB
OeA
OdA
OdB
OgA
OhB
Og
On
Ot
OdA
Om
Od
Om
OmA
On
Os
Op
OmA

Oakville-Urban land complex, 2 to 12 percent slopes
Ockley loam, 0 to 2 percent slopes
Ockley loam, 0 to 2 percent slopes
Ockley loam, 1 to 8 percent slopes
Ockley loam, 2 to 6 percent slopes
Ockley loam, 2 to 6 percent slopes
Ockley loam, 6 to 12 percent slopes, eroded
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 0 to 2 percent slopes
Ockley silt loam, 0 to 3 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes
Ockley silt loam, 2 to 6 percent slopes, moderately eroded
Ockley silt loam, 2 to 6 percent slopes, slightly eroded
Ockley silt loam, 6 to 12 percent slopes
Ockley silt loam, 6 to 12 percent slopes, eroded
Ockley silt loam, 6 to 12 percent slopes, moderately eroded
Ockley silt loam, till substratum, 0 to 2 percent slopes
Ockley silt loam, till substratum, 2 to 6 percent slopes
Ockley silt loam, till substratum, 6 to 12 percent slopes, eroded
Ockley-Urban land complex, 0 to 3 percent slopes
Ockley-Urban land complex, 6 to 12 percent slopes
Ockley-Urban land complex, gently sloping
Ockley-Urban land complex, nearly level
Odell silt loam, 0 to 2 percent slopes
Odell silt loam, 0 to 2 percent slopes
Odell silt loam, 0 to 3 percent slopes
Odell silt loam, 2 to 6 percent slopes
Odell silt loam, 2 to 6 percent slopes
Odell-Lewisburg complex, 0 to 2 percent slopes
Odell-Lewisburg complex, 0 to 2 percent slopes
Odell-Lewisburg complex, 2 to 6 percent slopes
Ogontz fine sandy loam, 0 to 2 percent slopes
Ogontz silt loam, 2 to 6 percent slopes
Oldenburg silt loam, occasionally flooded
Olentangy mucky silt loam
Olentangy silt loam
Olmsted and Valley soils, 0 to 2 percent slopes
Olmsted fine sandy loam
Olmsted loam
Olmsted loam
Olmsted loam, 0 to 1 percent slopes
Olmsted loam, sandstone substratum
Olmsted silty clay loam
Olmsted silty clay loam
Omulga silt loam, 0 to 2 percent slopes

[illegible]

OkA
OmA
OmB
OsB
OmB
OnB
OmB
OmB
OkB
OtB
OmB
OmC
OnC
OmC2
OkC2
OnC2
OIC
OmC
OnC
OmC2
OsC2
OmC
OtC
OmC
OpB
OpC
OxD3
OtD3
OpD2
OnD2
OpE2
OpD2
OsD2
OpD2
OrD2
OpE2
OrE2
OsF
OrF
OsF2
OsG
OoC2
Or
Or
Ov
Om
OrA

Omulga silt loam, 0 to 2 percent slopes
Omulga silt loam, 0 to 3 percent slopes
Omulga silt loam, 1 to 6 percent slopes
Omulga silt loam, 1 to 6 percent slopes
Omulga silt loam, 1 to 7 percent slopes
Omulga silt loam, 1 to 8 percent slopes
Omulga silt loam, 1 to 8 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 2 to 6 percent slopes
Omulga silt loam, 3 to 8 percent slopes
Omulga silt loam, 3 to 8 percent slopes
Omulga silt loam, 6 to 12 percent slopes
Omulga silt loam, 6 to 12 percent slopes
Omulga silt loam, 6 to 12 percent slopes, eroded
Omulga silt loam, 6 to 12 percent slopes, eroded
Omulga silt loam, 6 to 12 percent slopes, eroded
Omulga silt loam, 6 to 15 percent slopes
Omulga silt loam, 6 to 15 percent slopes
Omulga silt loam, 6 to 15 percent slopes
Omulga silt loam, 6 to 15 percent slopes, eroded
Omulga silt loam, 6 to 15 percent slopes, eroded
Omulga silt loam, 7 to 15 percent slopes
Omulga silt loam, 8 to 15 percent slopes
Omulga silt loam, 8 to 15 percent slopes
Omulga-Urban land complex, 1 to 8 percent slopes
Omulga-Urban land complex, 8 to 15 percent slopes
Opequon clay, 6 to 18 percent slopes, severely eroded
Opequon clay, 6 to 18 percent slopes, severely eroded
Opequon silt loam, 15 to 30 percent slopes, eroded
Opequon silt loam, 15 to 30 percent slopes, eroded
Opequon silt loam, 18 to 25 percent slopes, moderately eroded
Opequon silt loam, 6 to 18 percent slopes, moderately eroded
Opequon silty clay loam, 15 to 25 percent slopes, eroded
Opequon silty clay loam, 15 to 25 percent slopes, eroded
Opequon silty clay loam, 15 to 25 percent slopes, eroded
Opequon silty clay loam, 25 to 40 percent slopes, eroded
Opequon silty clay loam, 25 to 40 percent slopes, eroded
Opequon silty clay loam, 40 to 60 percent slopes, very rocky
Opequon silty clay loam, 40 to 60 percent slopes, very rocky
Opequon stony silt loam, 18 to 35 percent slopes, moderately eroded
Opequon stony silt loam, 35 to 50 percent slopes
Opequon-Bratton silt loams, 8 to 15 percent slopes, eroded
Orrville loam, moderately shallow variant
Orrville silt loam
Orrville silt loam
Orrville silt loam
Orrville silt loam, 0 to 2 percent slopes, frequently flooded

[illegible]

OrA
Os
OrA
OpA
OpA
OnA
Or
Ou
Ov
On
Om
Or
Ot
Os
OnUXB
OrA
OsB
OnE
OsE
OsB
OvB
OrB
OgB
OrC
OnC2
OsC2
OsB
OsB
OvB
OrB
OpB
OrB
OrC
OsA
OtA
OmA
OsB
OtB
OmB
OpB
OrB
OsF
OsB
OsC
OtC
OmC
OtB

Orrville silt loam, 0 to 2 percent slopes, occasionally flooded
Orrville silt loam, bedrock substratum
Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, frequently flooded
Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, frequently flooded
Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, occasionally flooded
Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, occasionally flooded
Orrville silt loam, frequently flooded
Orrville silt loam, frequently flooded
Orrville silt loam, frequently flooded
Orrville silt loam, frequently flooded
Orrville silt loam, frequently flooded
Orrville silt loam, occasionally flooded
Orrville silt loam, occasionally flooded
Orrville Variant silt loam
Orthents, clayey-Urban land complex, 1 to 8 percent slopes
Oshtemo fine sandy loam, 0 to 2 percent slopes
Oshtemo fine sandy loam, 1 to 6 percent slopes
Oshtemo fine sandy loam, 18 to 35 percent slopes
Oshtemo fine sandy loam, 18 to 35 percent slopes
Oshtemo fine sandy loam, 2 to 6 percent slopes
Oshtemo fine sandy loam, 2 to 6 percent slopes
Oshtemo fine sandy loam, 2 to 6 percent slopes
Oshtemo fine sandy loam, 2 to 6 percent slopes
Oshtemo fine sandy loam, 6 to 12 percent slopes
Oshtemo fine sandy loam, 6 to 18 percent slopes, eroded
Oshtemo fine sandy loam, 6 to 18 percent slopes, eroded
Oshtemo loam, 2 to 6 percent slopes
Oshtemo loamy sand, 0 to 6 percent slopes
Oshtemo loamy sand, 0 to 6 percent slopes
Oshtemo loamy sand, 0 to 6 percent slopes
Oshtemo loamy sand, 0 to 6 percent slopes
Oshtemo loamy sand, 2 to 6 percent slopes
Oshtemo loamy sand, 6 to 12 percent slopes
Oshtemo sandy loam, 0 to 2 percent slopes
Oshtemo sandy loam, 0 to 2 percent slopes
Oshtemo sandy loam, 0 to 2 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 2 to 6 percent slopes
Oshtemo sandy loam, 25 to 55 percent slopes
Oshtemo sandy loam, 3 to 8 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Oshtemo sandy loam, 6 to 12 percent slopes
Oshtemo sandy loam, loamy substratum, 3 to 8 percent slopes

[illegible]

OsB
OhB
OtB
Ot
Mk
OtB
OtB
OuC
OtB
OuB
OtB
OwB
OkB
OtB
OtB
OuB
OtA
OtB
OzB
OzB
OtB
OwA
OwB
OtD2
OwD2
OwE2
OtB
OwB
OvB
OtB
OwB
OwF
OtB
OwB
OxB
OtC
OtC
OwC2
OwC2
OyC2
OtC
OvB
OvC
PaA
Pa
PaA
Pa

Oshtemo sandy loam, till substratum, 2 to 6 percent slopes
Oshtemo sandy loam, till substratum, 2 to 6 percent slopes
Oshtemo-Urban land complex, undulating
Otego silt loam, 0 to 2 percent slopes, frequently flooded
Otego silt loam, frequently flooded
Otisville gravelly loamy sand, 1 to 6 percent slopes
Otisville gravelly sandy loam, 2 to 6 percent slopes
Otisville gravelly sandy loam, 6 to 12 percent slopes
Ottokee fine sand, 0 to 6 percent slopes
Ottokee fine sand, 0 to 6 percent slopes
Ottokee fine sand, 1 to 5 percent slopes
Ottokee loamy fine sand, 0 to 6 percent slopes
Ottokee loamy fine sand, 1 to 6 percent slopes
Ottokee loamy fine sand, 1 to 6 percent slopes
Ottokee loamy sand, 0 to 6 percent slopes
Ottokee-Glynwood complex, 3 to 8 percent slopes
Ottokee-Spinks loamy fine sands, 0 to 2 percent slopes
Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes
Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes
Ottokee-Spinks-Urban land complex, 0 to 6 percent slopes
Ottokee-Tuscola complex, 2 to 6 percent slopes
Otwell silt loam, 0 to 3 percent slopes
Otwell silt loam, 1 to 6 percent slopes
Otwell silt loam, 12 to 18 percent slopes, eroded
Otwell silt loam, 12 to 18 percent slopes, moderately eroded
Otwell silt loam, 18 to 25 percent slopes, moderately eroded
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 2 to 6 percent slopes
Otwell silt loam, 2 to 6 percent slopes, rarely flooded
Otwell silt loam, 25 to 35 percent slopes
Otwell silt loam, 3 to 8 percent slopes
Otwell silt loam, 3 to 8 percent slopes
Otwell silt loam, 3 to 8 percent slopes
Otwell silt loam, 6 to 12 percent slopes
Otwell silt loam, 6 to 12 percent slopes
Otwell silt loam, 6 to 12 percent slopes, moderately eroded
Otwell silt loam, 6 to 15 percent slopes, eroded
Otwell silt loam, 6 to 15 percent slopes, eroded
Otwell silt loam, 8 to 15 percent slopes
Otwell-Vincent silt loams, 2 to 6 percent slopes
Otwell-Vincent silt loams, 6 to 12 percent slopes
Pacer silt loam, 0 to 2 percent slopes
Painesville fine sandy loam
Painesville fine sandy loam, 0 to 2 percent slopes
Pandora silt loam

5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
4
4
4
4
4
4
4
4
4
4
3
3
4
4
4
4
4
4
4
4
4
4
5
3
3
5

Pa
Pb
Pa
Pc
PaA
PbD
PaB
PbE
PaB
PbB2
PaC2
PaD2
PbC2
PaB
PbB
PaD2
PfD
PaE2
PfE
PfC
PaD2
PbD2
PaE2
PaC2
Pb
Pa
Pb
Pb
Pa
Pc
Pn
Ph
PbA
PfA
PaA
Pc
Pb
Pc
Pc
Pd
Pa
Pc
Pa
Pf
Pa
PeB
Pe

Pandora silty clay loam
Pandora silty clay loam
Papakating silt loam
Papakating silty clay loam
Parke silt loam, 0 to 3 percent slopes
Parke silt loam, 15 to 25 percent slopes
Parke silt loam, 2 to 6 percent slopes
Parke silt loam, 25 to 35 percent slopes
Parke silt loam, 3 to 8 percent slopes
Parke silt loam, 3 to 8 percent slopes, eroded
Parke silt loam, 6 to 12 percent slopes, eroded
Parke silt loam, 6 to 18 percent slopes, moderately eroded
Parke silt loam, 8 to 15 percent slopes, eroded
Parr silt loam, 1 to 4 percent slopes
Parr silt loam, 1 to 4 percent slopes
Pate silty clay loam, 12 to 18 percent slopes, eroded
Pate silty clay loam, 15 to 25 percent slopes
Pate silty clay loam, 18 to 25 percent slopes, eroded
Pate silty clay loam, 25 to 35 percent slopes
Pate silty clay loam, 8 to 15 percent slopes
Pate silty clay, 15 to 25 percent slopes, eroded
Pate silty clay, 15 to 25 percent slopes, eroded
Pate silty clay, 25 to 35 percent slopes, eroded
Pate silty clay, 8 to 15 percent slopes, eroded
Patton silt loam
Patton silt loam
Patton silt loam, silted
Patton silt loam, till substratum
Patton silty clay loam
Patton silty clay loam
Patton silty clay loam
Patton silty clay loam
Patton silty clay loam, 0 to 1 percent slopes
Patton silty clay loam, 0 to 1 percent slopes
Patton silty clay loam, loamy substratum, 0 to 1 percent slopes
Patton silty clay loam, overwash
Patton silty clay loam, rarely flooded
Patton silty clay loam, sandy substratum
Patton Variant silt loam
Paulding clay
Paulding clay
Paulding clay
Paulding silty clay
Paulding silty clay
Paulding silty clay loam
Pekin silt loam, 1 to 7 percent slopes
Peoga silt loam

[illegible]

Pg
Pe
Pg
PeB
Pm
Pk
Pd
Pa
Pb
Pk
Pc
Po
Po
Pm
Pe
Pc
Pw
PwA
Pk
PcA
PkA
PnA
PmA
Pt
Pn
Po
Pf
Pn
PoA
PnA
Pn
Ph
PeD
PeD2
PeB
PeB2
PeC2
PeC2
PkA
PkB
PkC2
PnB
PmB
PnF
PmF
PnD
PmD

Peoga silt loam
Peoga silt loam, rarely flooded
Peoga silt loam, rarely flooded
Perrin sandy loam, 2 to 6 percent slopes
Pewamo clay loam
Pewamo clay loam
Pewamo silt loam
Pewamo silt loam
Pewamo silt loam, overwash
Pewamo silt loam, overwash
Pewamo silt loam, overwash
Pewamo silt loam, overwash
Pewamo silty clay
Pewamo silty clay loam
Pewamo silty clay loam
Pewamo silty clay loam
Pewamo silty clay loam
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo silty clay loam, 0 to 1 percent slopes
Pewamo silty clay loam, ponded
Pewamo variant muck
Pewamo-Urban land complex
Pewamo-Urban land complex
Pewamo-Urban land complex, 0 to 2 percent slopes
Pewamo-Urban land complex, 0 to 2 percent slopes
Philo silt loam
Philo silt loam, frequently flooded
Pierpont silt loam, 12 to 18 percent slopes
Pierpont silt loam, 12 to 18 percent slopes, moderately eroded
Pierpont silt loam, 2 to 6 percent slopes
Pierpont silt loam, 2 to 6 percent slopes, moderately eroded
Pierpont silt loam, 6 to 12 percent slopes, eroded
Pierpont silt loam, 6 to 12 percent slopes, moderately eroded
Pike silt loam, 0 to 2 percent slopes
Pike silt loam, 2 to 6 percent slopes
Pike silt loam, 6 to 12 percent slopes, eroded
Pinegrove coarse sandy loam, 0 to 8 percent slopes
Pinegrove coarse sandy loam, 0 to 8 percent slopes
Pinegrove coarse sandy loam, 25 to 70 percent slopes
Pinegrove coarse sandy loam, 25 to 70 percent slopes
Pinegrove coarse sandy loam, 8 to 25 percent slopes
Pinegrove coarse sandy loam, 8 to 25 percent slopes

[illegible]

PgF
PgD
PnF
PnD
PgB
PuB
PuF
PuD
PkD
Pn
Pp
Pb
Pm
Pf
Pc
Po
Po
Pn
Pd
PIB
PyB
PnB
PwB
PIC
PtB
PsA
PsB
PsC
PtA
PtB
PrA
PtB
PrA
PtB
PtC
PIB
PIB
PIC
PmB
PtB
PmA
Pv
Pz
Pp
Pw
Py
Po

Pinegrove loamy coarse sand, 25 to 70 percent slopes
Pinegrove loamy coarse sand, 8 to 25 percent slopes
Pinegrove sand, 25 to 70 percent slopes
Pinegrove sand, 8 to 25 percent slopes
Pinegrove sandy loam, 1 to 8 percent slopes
Pinegrove silty clay loam, 0 to 8 percent slopes
Pinegrove silty clay loam, 25 to 70 percent slopes
Pinegrove silty clay loam, 8 to 25 percent slopes
Pinegrove silty clay loam, 8 to 25 percent slopes
Pinnebog muck
Piopolis silt loam, frequently flooded
Piopolis silt loam, frequently flooded
Piopolis silt loam, frequently flooded
Piopolis silt loam, frequently flooded
Piopolis silt loam, ponded
Piopolis silt loam, ponded
Piopolis silty clay loam, frequently flooded
Piopolis silty clay loam, frequently flooded
Piopolis silty clay loam, frequently flooded
Plainfield loamy sand, 0 to 6 percent slopes
Plainfield loamy sand, 0 to 6 percent slopes
Plainfield loamy sand, 3 to 8 percent slopes
Plainfield loamy sand, 3 to 8 percent slopes
Plainfield loamy sand, 6 to 12 percent slopes
Plainfield sand, 3 to 8 percent slopes
Platea silt loam, 0 to 2 percent slopes
Platea silt loam, 2 to 6 percent slopes
Platea silt loam, 6 to 12 percent slopes
Platea-Darien silt loams complex, 0 to 2 percent slopes
Platea-Darien silt loams complex, 2 to 6 percent slopes
Platea-Darien silt loams, 0 to 2 percent slopes
Platea-Darien silt loams, 2 to 6 percent slopes
Platea-Darien silt loams, 2 to 6 percent slopes, eroded
Platea-Urban land complex, 2 to 6 percent slopes
Platea-Urban land complex, 6 to 12 percent slopes
Plattville silt loam, 1 to 6 percent slopes
Plattville silt loam, 2 to 6 percent slopes
Plattville silt loam, 6 to 12 percent slopes
Plattville silt loam, moderately wet, 2 to 6 percent slopes
Plattville silt loam, moderately wet, 2 to 6 percent slopes
Plumbrook fine sandy loam, 0 to 2 percent slopes
Pope fine sandy loam, frequently flooded
Pope fine sandy loam, frequently flooded
Pope fine sandy loam, frequently flooded
Pope fine sandy loam, rarely flooded
Pope loam, frequently flooded
Pope loam, frequently flooded

5
5
5
5
5
3
3
3
5
3
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
5
5
5
5
5
5
5

Pn
Po
Pv
Po
Px
Pp
Px
PrD
PrB
PrB
PrC2
PrC
PrA
PtD
PrB
PtB
PrB
PrC
PtC
PrC2
PrA
PuA
Pu
PyA
PyA
Ra
RbA
RaB
RbB
RaC
RaC2
RbC2
RaA
RaB
RaB2
RbB2
RcD
RcE2
RcF2
RcC
RaA
RbA
RbB
RdA
RcA
RaA
RdA

Pope loam, occasionally flooded
Pope loam, occasionally flooded
Pope sandy loam, frequently flooded
Pope sandy loam, frequently flooded
Pope silt loam, frequently flooded
Pope silt loam, frequently flooded
Pope silt loam, occasionally flooded
Princeton fine sandy loam, 15 to 30 percent slopes
Princeton fine sandy loam, 2 to 6 percent slopes
Princeton fine sandy loam, 3 to 8 percent slopes
Princeton fine sandy loam, 6 to 12 percent slopes, moderately eroded
Princeton fine sandy loam, 8 to 15 percent slopes
Princeton sandy loam, 0 to 2 percent slopes
Princeton sandy loam, 12 to 20 percent slopes
Princeton sandy loam, 2 to 6 percent slopes
Princeton sandy loam, 2 to 6 percent slopes
Princeton sandy loam, 2 to 8 percent slopes
Princeton sandy loam, 6 to 12 percent slopes
Princeton sandy loam, 6 to 12 percent slopes
Princeton sandy loam, 6 to 12 percent slopes, eroded
Prout silt loam, 0 to 2 percent slopes
Prout silt loam, 0 to 2 percent slopes
Purdy Variant silt loam
Pyrmont silt loam, 0 to 2 percent slopes
Pyrmont silt loam, 0 to 3 percent slopes
Ragsdale silty clay loam
Rainsboro silt loam, 0 to 2 percent slopes
Rainsboro silt loam, 2 to 6 percent slopes
Rainsboro silt loam, 2 to 6 percent slopes
Rainsboro silt loam, 6 to 12 percent slopes
Rainsboro silt loam, 6 to 12 percent slopes, eroded
Rainsboro silt loam, 6 to 12 percent slopes, eroded
Rainsville silt loam, 0 to 2 percent slopes
Rainsville silt loam, 2 to 6 percent slopes
Rainsville silt loam, 2 to 6 percent slopes, eroded
Rainsville silt loam, 2 to 6 percent slopes, eroded
Ramsey channery sandy loam, 12 to 18 percent slopes
Ramsey channery sandy loam, 18 to 25 percent slopes, moderately eroded
Ramsey channery sandy loam, 25 to 50 percent slopes, moderately eroded
Ramsey channery sandy loam, 6 to 12 percent slopes
Randolph loam, 0 to 2 percent slopes
Randolph loam, 0 to 2 percent slopes
Randolph loam, 2 to 6 percent slopes
Randolph loam, stony, 0 to 2 percent slopes
Randolph silt loam, 0 to 2 percent slopes
Randolph silt loam, 0 to 2 percent slopes
Randolph silt loam, 0 to 2 percent slopes

5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
3
3
5
3
3
5
4
4
4
4
4
4
4
5
5
5
5
1
1
1
1
2
2
2
2
2
2
2
2

RbA
RaA
RcB
RdB
ReA
RaD
RdD
RdB2
RdF2
RaB
RdC2
RaC
RdC
RbC
RaC2
RdC2
RcD2
RbD
RdD
RbD2
RdD2
RbC
RdC
RgC
RbC2
RdC2
RnD
RtE
RfE
RcD2
RbD2
RcC2
RbC2
RbD2
RbC2
RfC2
ReC2
RdA
RdB
ReA
RaA
RnA
ReB
RaB
RnB
Rn
ReB

Randolph silt loam, 0 to 2 percent slopes
Randolph silt loam, 0 to 3 percent slopes
Randolph silt loam, 2 to 6 percent slopes
Randolph silt loam, 2 to 6 percent slopes
Randolph-Urban land complex, 0 to 2 percent slopes
Rarden silt loam, 15 to 25 percent slopes
Rarden silt loam, 15 to 25 percent slopes
Rarden silt loam, 2 to 6 percent slopes, eroded
Rarden silt loam, 20 to 50 percent slopes, eroded
Rarden silt loam, 3 to 8 percent slopes
Rarden silt loam, 6 to 15 percent slopes, eroded
Rarden silt loam, 8 to 15 percent slopes
Rarden silt loam, 8 to 15 percent slopes
Rarden silt loam, 8 to 15 percent slopes
Rarden silt loam, 8 to 15 percent slopes, eroded
Rarden silt loam, 8 to 15 percent slopes, eroded
Rarden-Coolville silt loams, 12 to 18 percent slopes, moderately eroded
Rarden-Gilpin silt loams, 15 to 25 percent slopes
Rarden-Gilpin silt loams, 15 to 25 percent slopes
Rarden-Gilpin silt loams, 15 to 25 percent slopes, eroded
Rarden-Gilpin silt loams, 15 to 25 percent slopes, eroded
Rarden-Gilpin silt loams, 8 to 15 percent slopes
Rarden-Gilpin silt loams, 8 to 15 percent slopes
Rarden-Gilpin silt loams, 8 to 15 percent slopes
Rarden-Gilpin silt loams, 8 to 15 percent slopes, eroded
Rarden-Gilpin silt loams, 8 to 15 percent slopes, eroded
Rarden-Lily complex, 15 to 25 percent slopes
Rarden-Steinsburg association, steep
Rarden-Steinsburg association, steep
Rarden-Wharton complex, 15 to 25 percent slopes, eroded
Rarden-Wharton complex, 15 to 25 percent slopes, eroded
Rarden-Wharton complex, 6 to 15 percent slopes, eroded
Rarden-Wharton complex, 6 to 15 percent slopes, eroded
Rarden-Wharton silt loams, 15 to 25 percent slopes, eroded
Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded
Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded
Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded
Raub silt loam, 0 to 2 percent slopes
Raub silt loam, 2 to 6 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 0 to 2 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Ravenna silt loam, 2 to 6 percent slopes
Ravenna-Urban land complex
Rawson fine sandy loam, stratified substratum, 2 to 6 percent slopes

[illegible]

RdA
RmA
RdB
RoB
RmB
RaB
RkC
RmC
RdC2
RoC2
RmC2
RcA
RcB
RgB
RbB
RaB
RmB
RIB
RmC
RIC
RmB
RdB
RgB
RaB
RhA
RhA
RkB
Re
ReA
ReB
RmA
RoA
RmB
RoB
RmB
Rr
RoB
RdA
RhA
ReA
RgA
RkD
RcD
RkC
RcC
RcD
RcE

Rawson loam, 0 to 2 percent slopes
Rawson loam, 0 to 2 percent slopes
Rawson loam, 2 to 6 percent slopes
Rawson loam, 2 to 6 percent slopes
Rawson loam, 2 to 6 percent slopes
Rawson loam, 2 to 6 percent slopes
Rawson loam, 6 to 12 percent slopes
Rawson loam, 6 to 12 percent slopes
Rawson loam, 6 to 12 percent slopes, moderately eroded
Rawson loam, 6 to 12 percent slopes, moderately eroded
Rawson loam, 6 to 12 percent slopes, moderately eroded
Rawson sandy loam, 0 to 2 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rawson sandy loam, 2 to 6 percent slopes
Rawson sandy loam, 6 to 12 percent slopes
Rawson sandy loam, 6 to 12 percent slopes
Rawson silt loam, 2 to 6 percent slopes
Rawson silt loam, 2 to 6 percent slopes
Rawson silt loam, 2 to 6 percent slopes
Rawson silt loam, 2 to 6 percent slopes
Red Hook sandy loam, 0 to 2 percent slopes
Red Hook silt loam, 0 to 2 percent slopes
Red Hook silt loam, 2 to 6 percent slopes
Reesville silt loam
Reesville silt loam, 0 to 2 percent slopes
Reesville silt loam, 2 to 4 percent slopes
Remsen silt loam, 0 to 2 percent slopes
Remsen silt loam, 0 to 2 percent slopes
Remsen silt loam, 2 to 6 percent slopes
Remsen silt loam, 2 to 6 percent slopes
Remsen-Urban land complex
Remsen-Urban land complex
Remsen-Urban land complex, 2 to 6 percent slopes
Rensselaer loam, 0 to 1 percent slopes
Rensselaer loam, till substratum, 0 to 1 percent slopes
Rensselaer loam, till substratum, 0 to 1 percent slopes
Rensselaer silt loam, 0 to 1 percent slopes
Richland channery loam, 15 to 25 percent slopes
Richland channery loam, 15 to 25 percent slopes
Richland channery loam, 8 to 15 percent slopes
Richland channery loam, 8 to 15 percent slopes
Richland loam, 15 to 25 percent slopes
Richland loam, 25 to 40 percent slopes

[illegible]

RcC
RcE
RcB
RcD
RhD
RaB
RcB
RhE
RhB
RcC
RcC
RhC
RcC
RvE
RhD2
RhE
RhB
RhC
RdD
RgD
RgD
RgE
ReF
RgF
RgC
ReD
RgD
ReE
RgE
RfC
RgD
RhD
RgD
ReD
RyD
RfB
RgB
RgE
RgE
RIE
RgB
RgC
RrC
RfC
RiC
RgC
RyC

Richland loam, 8 to 15 percent slopes
Richland moderately stony loam, 25 to 40 percent slopes
Richland silt loam, 1 to 7 percent slopes
Richland silt loam, 15 to 25 percent slopes
Richland silt loam, 15 to 25 percent slopes, stony
Richland silt loam, 2 to 6 percent slopes
Richland silt loam, 2 to 6 percent slopes
Richland silt loam, 25 to 40 percent slopes, stony
Richland silt loam, 3 to 8 percent slopes
Richland silt loam, 6 to 15 percent slopes
Richland silt loam, 7 to 15 percent slopes
Richland silt loam, clayey substratum, 8 to 15 percent slopes
Richland silt loam, clayey substratum, 8 to 15 percent slopes
Richland-Vandalia complex, 20 to 35 percent slopes
Riddles silt loam, 12 to 18 percent, eroded
Riddles silt loam, 18 to 25 percent slopes
Riddles silt loam, 2 to 6 percent slopes
Riddles silt loam, 6 to 12 percent slopes
Rigley channery loam, 15 to 25 percent slopes
Rigley channery loam, 15 to 25 percent slopes
Rigley fine sandy loam, 12 to 18 percent slopes
Rigley fine sandy loam, 18 to 25 percent slopes
Rigley fine sandy loam, 25 to 35 percent slopes
Rigley fine sandy loam, 25 to 35 percent slopes
Rigley fine sandy loam, 6 to 12 percent slopes
Rigley loam, 15 to 25 percent slopes
Rigley loam, 15 to 25 percent slopes
Rigley loam, 25 to 40 percent slopes
Rigley loam, 25 to 40 percent slopes
Rigley loam, 8 to 15 percent slopes
Rigley sandy loam, 12 to 18 percent slopes
Rigley sandy loam, 12 to 25 percent slopes, very stony
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 15 to 25 percent slopes
Rigley sandy loam, 2 to 6 percent slopes
Rigley sandy loam, 2 to 6 percent slopes
Rigley sandy loam, 25 to 35 percent slopes
Rigley sandy loam, 25 to 40 percent slopes
Rigley sandy loam, 25 to 40 percent slopes
Rigley sandy loam, 3 to 8 percent slopes
Rigley sandy loam, 6 to 12 percent slopes
Rigley sandy loam, 6 to 12 percent slopes
Rigley sandy loam, 6 to 15 percent slopes
Rigley sandy loam, 6 to 15 percent slopes
Rigley sandy loam, 6 to 15 percent slopes
Rigley sandy loam, 6 to 15 percent slopes

[illegible]

RgC
ReC
RmE
RkE
RhE
RkE
RhE
RhF
RsE
RrE
RnE
RpD
RkD
RrG
RcF
RnF
RfA
RfB
RhB
RgA
RgA
RfA
RnA
RpA
RnA
RoB
RnB
RnB
RoA
RmA
RoA
RnA
RkA
RkB
RmA
RmA
RmF2
RmC
RhA
RhB
RsB
RhC
RkA
RpB
RhB
RhD
RhD2

Rigley sandy loam, 8 to 15 percent slopes
Rigley sandy loam, 8 to 15 percent slopes
Rigley-Clymer association, steep
Rigley-Clymer association, steep
Rigley-Coshocton complex, 18 to 25 percent slopes
Rigley-Coshocton complex, 25 to 40 percent slopes
Rigley-Coshocton complex, 25 to 40 percent slopes
Rigley-Coshocton complex, 25 to 40 percent slopes
Rigley-Rarden association, steep
Rigley-Rarden association, steep
Rigley-Rarden association, steep
Rigley-Rarden complex, 15 to 25 percent slopes
Rigley-Rarden complex, 15 to 25 percent slopes
Rigley-Rock outcrop association, very steep
Rigley-rock outcrop association, very steep
Rigley-Rock outcrop association, very steep
Rimer and Tedrow, till substratum, loamy fine sands, 0 to 2 percent slopes
Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes
Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes
Rimer and Tedrow-Urban land complex, 0 to 2 percent slopes
Rimer loamy fine sand, 0 to 2 percent slopes
Rimer loamy fine sand, 0 to 2 percent slopes
Rimer loamy fine sand, 0 to 2 percent slopes
Rimer loamy fine sand, 0 to 2 percent slopes
Rimer loamy fine sand, 0 to 3 percent slopes
Rimer loamy fine sand, 1 to 4 percent slopes
Rimer loamy fine sand, 1 to 4 percent slopes
Rimer loamy fine sand, 2 to 6 percent slopes
Rimer loamy fine sand, deep phase, 0 to 2 percent slopes
Rimer loamy fine sand, stratified substratum, 0 to 2 percent slopes
Rimer loamy sand, 0 to 2 percent slopes
Rimer loamy sand, 0 to 2 percent slopes
Rimer loamy sand, 0 to 2 percent slopes
Rimer loamy sand, 2 to 6 percent slopes
Rimer-Fulton complex, 0 to 2 percent slopes
Risingsun-Rollersville complex, 0 to 1 percent slopes
Ritchey and Romeo silt loams, 12 to 35 percent slopes, moderately eroded
Ritchey and Romeo silt loams, 2 to 12 percent slopes
Ritchey loam, 0 to 2 percent slopes
Ritchey loam, 2 to 6 percent slopes
Ritchey loam, 2 to 6 percent slopes
Ritchey loam, 6 to 12 percent slopes
Ritchey loam, stony, 0 to 2 percent slopes
Ritchey silt loam, 1 to 6 percent slopes
Ritchey silt loam, 1 to 6 percent slopes
Ritchey silt loam, 12 to 18 percent slopes
Ritchey silt loam, 12 to 18 percent slopes, eroded

[illegible]

ReE2
RhE2
RhE
RhB
ReB
ReB2
ReF2
RhC
ReC2
RhC
RfD3
RsD
RsD2
RsD2
RtD2
RtD2
RsE2
RsE
RsE2
RsB
RmB
RsB2
RsB2
RsF
RsF
RrF
RsC
RsC2
RmC2
RsC2
RtC
RtB
RtD3
RtC3
RuB
RtB
RtB
RuC
RuB
Ro
Ro
Rp
RkE2
RkD2
RkE2
RIE2
RIF2

Ritchey silt loam, 12 to 25 percent slopes, moderately eroded
Ritchey silt loam, 18 to 25 percent slopes, moderately eroded
Ritchey silt loam, 18 to 50 percent slopes
Ritchey silt loam, 2 to 6 percent slopes
Ritchey silt loam, 2 to 6 percent slopes
Ritchey silt loam, 2 to 6 percent slopes, moderately eroded
Ritchey silt loam, 25 to 50 percent slopes, moderately eroded
Ritchey silt loam, 6 to 12 percent slopes
Ritchey silt loam, 6 to 12 percent slopes, moderately eroded
Ritchey silt loam, 6 to 18 percent slopes
Ritchey silty clay loam, 6 to 18 percent slopes, severely eroded
Rittman silt loam, 12 to 18 percent slopes
Rittman silt loam, 12 to 18 percent slopes, eroded
Rittman silt loam, 12 to 18 percent slopes, moderately eroded
Rittman silt loam, 12 to 18 percent slopes, moderately eroded
Rittman silt loam, 12 to 20 percent slopes, eroded
Rittman silt loam, 12 to 25 percent slopes, moderately eroded
Rittman silt loam, 18 to 25 percent slopes
Rittman silt loam, 18 to 25 percent slopes, moderately eroded
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 2 to 6 percent slopes
Rittman silt loam, 2 to 6 percent slopes, eroded
Rittman silt loam, 2 to 6 percent slopes, moderately eroded
Rittman silt loam, 25 to 50 percent slopes
Rittman silt loam, 25 to 70 percent slopes
Rittman silt loam, 25 to 70 percent slopes
Rittman silt loam, 6 to 12 percent slopes
Rittman silt loam, 6 to 12 percent slopes, eroded
Rittman silt loam, 6 to 12 percent slopes, eroded
Rittman silt loam, 6 to 12 percent slopes, moderately eroded
Rittman silt loam, sandstone substratum 6 to 12 percent slopes
Rittman silt loam, sandstone substratum, 2 to 6 percent slopes
Rittman silty clay loam, 12 to 18 percent slopes, severely eroded
Rittman silty clay loam, 6 to 12 percent slopes, severely eroded
Rittman-Urban land complex
Rittman-Urban land complex, 2 to 6 percent slopes
Rittman-Urban land complex, 4 to 10 percent slopes
Rittman-Urban land complex, rolling
Rittman-Urban land complex, undulating
Robertsville silt loam
Rockmill silty clay loam
Rockmill silty clay loam, occasionally flooded
Rodman and Casco gravelly loams, 18 to 25 percent slopes, moderately eroded
Rodman and Casco loams, 12 to 18 percent slopes, moderately eroded
Rodman and Casco loams, 18 to 25 percent slopes, moderately eroded
Rodman and Fox soils, 18 to 25 percent slopes, moderately eroded
Rodman and Fox soils, 25 to 50 percent slopes, moderately eroded

[illegible]

RgD2
RdD2
RnE2
RgE
RkE
RgF2
RdE2
RnF2
RoF
RoC
RdG
RoE
RoF
RhF
RoE2
RoF2
RnA
RnA
RvA
RrA
RoA
RoB
RoA
RsA
RtA
RsB
RoB
RtB
RpA
RwA
RsA
RsA
RwB
RsB
RtB2
RpB2
Rn
Rm
Rs
RmA
RnA
RpA
Rs
Rs
Ro
Rn
RqA

Rodman gravelly loam, 12 to 18 percent slopes, moderately eroded
Rodman gravelly loam, 12 to 20 percent slopes, eroded
Rodman gravelly loam, 18 to 25 percent slopes, eroded
Rodman gravelly loam, 18 to 35 percent slopes
Rodman gravelly loam, 18 to 35 percent slopes
Rodman gravelly loam, 18 to 50 percent slopes, moderately eroded
Rodman gravelly loam, 20 to 35 percent slopes, eroded
Rodman gravelly loam, 25 to 50 percent slopes, eroded
Rodman gravelly sandy loam, 25 to 70 percent slopes
Rodman gravelly sandy loam, 4 to 12 percent slopes
Rodman sandy loam, 40 to 60 percent slopes
Rodman-Casco complex, 18 to 25 percent slopes
Rodman-Casco complex, 25 to 50 percent slopes
Rodman-Casco complex, 25 to 50 percent slopes
Rodman-Kendallville complex, 18 to 25 percent slopes, eroded
Rodman-Kendallville complex, 25 to 50 percent slopes, eroded
Rollersville-Risingsun complex, 0 to 1 percent slopes
Roselms loam, 0 to 2 percent slopes
Roselms loam, 0 to 2 percent slopes
Roselms loam, 0 to 3 percent slopes
Roselms silt loam, 0 to 2 percent slopes
Roselms silt loam, 2 to 6 percent slopes
Roselms silty clay loam, 0 to 2 percent slopes
Roselms silty clay loam, 0 to 2 percent slopes
Roselms silty clay loam, 0 to 2 percent slopes
Roselms silty clay loam, 2 to 6 percent slopes
Roselms silty clay loam, 2 to 6 percent slopes
Roselms silty clay loam, 2 to 6 percent slopes
Roselms silty clay, 0 to 2 percent slopes
Roselms silty clay, 0 to 2 percent slopes
Roselms silty clay, 0 to 2 percent slopes
Roselms silty clay, 0 to 3 percent slopes
Roselms silty clay, 2 to 6 percent slopes
Roselms silty clay, 2 to 6 percent slopes
Roselms silty clay, 2 to 6 percent slopes, eroded
Roselms silty clay, 2 to 6 percent slopes, eroded
Ross loam
Ross loam
Ross loam
Ross loam, 0 to 1 percent slopes, occasionally flooded
Ross loam, 0 to 1 percent slopes, occasionally flooded
Ross loam, 0 to 1 percent slopes, occasionally flooded
Ross loam, occasionally flooded
Ross silt loam
Ross silt loam
Ross silt loam
Ross silt loam, 0 to 1 percent slopes, frequently flooded

[illegible]

RoA
Rs
Ru
Rn
Rt
Rt
Ro
RsA
RoA
RpA
Ro
RtA
RsA
RoA
RpA
Rt
Rs
Rw
Ro
Ro
RsA
RrA
RpA
RoA
RsB
RoB
RpB
RrB
RpD2
RpB
RoB
RpB2
RoB2
RoB2
RsC
RpC2
RoC2
RoC2
RpC2
RsB3
RsC3
RsC3
RrC3
RwC3
RsB
RsC2
RtB

Ross silt loam, 0 to 1 percent slopes, frequently flooded
Ross silt loam, occasionally flooded
Ross silt loam, occasionally flooded
Ross silt loam, occasionally flooded
Ross silt loam, overwash, frequently flooded
Ross silt loam, shallow variant
Ross silty clay loam, rarely flooded
Rossburg silt loam, 0 to 2 percent slopes, frequently flooded
Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded
Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded
Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded
Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded
Rossburg silt loam, 0 to 2 percent slopes, rarely flooded
Rossburg silt loam, moderately wet, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Rossburg silt loam, moderately wet, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Rossburg silt loam, occasionally flooded
Rossburg silt loam, occasionally flooded
Rossburg silt loam, occasionally flooded
Rossburg silt loam, rarely flooded
Rossburg silty clay loam, occasionally flooded
Rossburg-Sloan complex, 0 to 2 percent slopes, occasionally flooded
Rossburg-Sloan complex, 0 to 2 percent slopes, occasionally flooded
Rossmoyne silt loam, 0 to 2 percent slopes
Rossmoyne silt loam, 0 to 2 percent slopes
Rossmoyne silt loam, 0 to 6 percent slopes
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 1 to 6 percent slopes
Rossmoyne silt loam, 12 to 18 percent slopes, moderately eroded
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
Rossmoyne silt loam, 3 to 8 percent slopes, eroded
Rossmoyne silt loam, 6 to 12 percent slopes
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Rossmoyne silt loam, 6 to 12 percent slopes, eroded
Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded
Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded
Rossmoyne silty clay loam, 2 to 6 percent slopes, severely eroded
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded
Rossmoyne-Bonnell complex, 6 to 12 percent slopes, severely eroded
Rossmoyne-Cana complex, 2 to 6 percent slopes
Rossmoyne-Cana complex, 6 to 12 percent slopes, eroded
Rossmoyne-Urban land complex, gently sloping

[illegible]

RtC
Ro
RoA
RsA
RuA
RtA
RuA
RtB
RuA
RuB1
RuC2
RuC1
RvC3
RuA
RuB2
RsD1
RtB
RuB
RsB2
RsB1
RsB2
RwB2
RsC1
RvA
RtD3
RtC3
RvA
RvD2
RuB
RvB
RuB2
RvB2
RuB2
RvC2
RwB
RwB2
RzB
RxB
RuB2
RxB2
RwB2
Sa
SaA
Sb
Sa
Sa
Sb

Rossmoyne-Urban land complex, sloping
Roundhead muck
Roundhead muck, loamy substratum, 0 to 1 percent slopes
Rush silt loam, 0 to 2 percent slopes
Rush silt loam, 0 to 2 percent slopes
Rush silt loam, 0 to 2 percent slopes
Rush silt loam, 0 to 3 percent slopes
Rush silt loam, 2 to 6 percent slopes
Russell and Miami silt loams, 0 to 2 percent slopes
Russell and Miami silt loams, 2 to 6 percent slopes, slightly eroded
Russell and Miami silt loams, 6 to 12 percent slopes, moderately eroded
Russell and Miami silt loams, 6 to 12 percent slopes, slightly eroded
Russell and Miami soils, 6 to 12 percent slopes, severely eroded
Russell silt loam, 0 to 2 percent slopes
Russell silt loam, 1 to 6 percent slopes, eroded
Russell silt loam, 12 to 18 percent slopes, slightly eroded
Russell silt loam, 2 to 6 percent slopes
Russell silt loam, 2 to 6 percent slopes
Russell silt loam, 2 to 6 percent slopes, moderately eroded
Russell silt loam, 2 to 6 percent slopes, slightly eroded
Russell silt loam, 3 to 8 percent slopes, eroded
Russell silt loam, 3 to 8 percent slopes, eroded
Russell silt loam, 6 to 12 percent slopes, slightly eroded
Russell silt loam, bedrock substratum, 0 to 2 percent slopes
Russell soils, 12 to 18 percent slopes, severely eroded
Russell soils, 6 to 12 percent slopes, severely eroded
Russell-Miamian silt loams, 0 to 2 percent slopes
Russell-Miamian silt loams, 12 to 18 percent slopes, moderately eroded
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes
Russell-Miamian silt loams, 2 to 6 percent slopes, eroded
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded
Russell-Miamian silt loams, 6 to 12 percent slopes, moderately eroded
Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes
Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes, moderately eroded
Russell-Urban land complex, 3 to 8 percent slopes
Russell-Urban land complex, gently sloping
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Russell-Xenia silt loams, 2 to 6 percent slopes, eroded
Sandusky gravelly coarse sandy loam
Sandusky loam, 0 to 1 percent slopes
Sarahsville silty clay loam, frequently flooded
Sarahsville silty clay loam, frequently flooded
Sarahsville silty clay, frequently flooded
Sarahsville silty clay, frequently flooded

4
5
5
5
5
5
5
5
3
3
3
3
1
5
4
4
5
5
4
4
5
5
4
4
2
2
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
4
4
5
5
5

Sac3AF

SbA

Sb

Sc

Sa

Sb

ScA

Sc

SbA

Sa

SaS3AF

SaA

SaB

SaB

SbB

SaB

SaC2

SeA

ScA

SbF

SaF

SbC2

ScE

SbE

SaD

ScD

SaD

SaE

SaC

ScF

SbF

SdF

ScA

SdA

SfA

ScB

SdB

SdC2

ScA

ScB

SaB

ScB

ScB

SacB

Se

Sb

Sg

Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded
Saranac silty clay loam, 0 to 1 percent slopes, rarely flooded
Saranac silty clay loam, 0 to 1 percent slopes, rarely flooded
Saranac silty clay loam, frequently flooded
Saranac silty clay loam, occasionally flooded
Saranac silty clay loam, occasionally flooded
Saranac silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Saranac silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Saranac silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Saranac silty clay, frequently flooded
Saranac-Spencerville silty clay loams, 0 to 1 percent slopes, frequently flooded
Sardinia silt loam, 0 to 2 percent slopes
Sardinia silt loam, 1 to 6 percent slopes
Sardinia silt loam, 1 to 8 percent slopes
Sardinia silt loam, 2 to 6 percent slopes
Sardinia silt loam, 2 to 6 percent slopes
Sardinia silt loam, 6 to 12 percent slopes, moderately eroded
Savona silt loam, 0 to 2 percent slopes
Savona silt loam, 0 to 2 percent slopes
Saylesville silt loam, 25 to 40 percent slopes
Saylesville silt loam, 25 to 40 percent slopes
Saylesville silty clay loam, 6 to 12 percent slopes, eroded
Schaffenaker loamy sand, 10 to 40 percent slopes
Schaffenaker loamy sand, 10 to 40 percent slopes
Schaffenaker loamy sand, 12 to 18 percent slopes
Schaffenaker loamy sand, 12 to 25 percent slopes
Schaffenaker loamy sand, 12 to 25 percent slopes
Schaffenaker loamy sand, 18 to 40 percent slopes
Schaffenaker loamy sand, 2 to 12 percent slopes
Schaffenaker loamy sand, 25 to 70 percent slopes
Schaffenaker very bouldery loamy sand, 25 to 60 percent slopes
Schaffenaker very bouldery loamy sand, 25 to 60 percent slopes
Scioto silt loam, 0 to 2 percent slopes
Scioto silt loam, 0 to 2 percent slopes
Scioto silt loam, 0 to 2 percent slopes, rarely flooded
Scioto silt loam, 2 to 6 percent slopes
Scioto silt loam, 2 to 6 percent slopes
Scioto silty clay loam, 6 to 12 percent slopes, eroded
Sciotoville silt loam, 0 to 2 percent slopes
Sciotoville silt loam, 0 to 4 percent slopes
Sciotoville silt loam, 1 to 6 percent slopes
Sciotoville silt loam, 1 to 6 percent slopes
Sciotoville silt loam, 1 to 8 percent slopes
Sciotoville silt loam, 1 to 8 percent slopes
Sebring silt loam
Sebring silt loam
Sebring silt loam

5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
5
4
4
5
5
5
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
5
5
5
5
5
5
5
4
4
4
4
4
4
4
4
5
5
5

SbA
Sv
Sc
Sd
Se
St
Sx
Sc
Sg
Sec1A
Sec3A
SeD2
SeB
SeC2
SsD
SsE
Se
SdA
SdB
SeA
SdA
SdB
SdD
SeB
SdB
SdC
SdB
SeB
SeC
SbE
SeA
SeB
SfB
Sf
SfD
SbD
SaD
SdD
ShD
SbB
SgB
SbB
SbC
SgC
SaC
SbC
ShE

Sebring silt loam, 0 to 2 percent slopes
Sebring silt loam, dark surface variant
Sebring silt loam, rarely flooded
Sebring silt loam, sandstone substratum
Sebring silt loam, till substratum
Sebring silt loam, till substratum
Sebring silt loam, till substratum
Sebring silt loam, till substratum
Sebring-Urban land complex
Secondcreek silt loam, 0 to 1 percent slopes, overwash
Secondcreek silty clay loam, 0 to 1 percent slopes
Sees silty clay loam, 12 to 18 percent slopes, moderately eroded
Sees silty clay loam, 2 to 6 percent slopes
Sees silty clay loam, 4 to 12 percent slopes, moderately eroded
Sees-Woolper silt loams, 12 to 18 percent slopes
Sees-Woolper silt loams, 18 to 35 percent slopes
Senecaville silt loam
Seward and Ottokee, till substratum, loamy fine sands, 0 to 2 percent slopes
Seward and Ottokee, till substratum, loamy fine sands, 2 to 6 percent slopes
Seward loamy fine sand, 0 to 2 percent slopes
Seward loamy fine sand, 0 to 2 percent slopes
Seward loamy fine sand, 1 to 6 percent slopes
Seward loamy fine sand, 12 to 18 percent slopes
Seward loamy fine sand, 2 to 6 percent slopes
Seward loamy fine sand, 2 to 6 percent slopes
Seward loamy fine sand, 6 to 12 percent slopes
Seward loamy fine sand, deep phase, 0 to 5 percent slopes
Seward loamy fine sand, stratified substratum, 2 to 6 percent slopes
Seward loamy fine sand, stratified substratum, 6 to 12 percent slopes
Sewell channery fine sandy loam, 20 to 40 percent slopes
Shawtown loam, 0 to 2 percent slopes
Shawtown loam, 2 to 6 percent slopes
Shawtown loam, 2 to 6 percent slopes
Sheffield silt loam
Shelocta silt loam, 12 to 20 percent slopes
Shelocta silt loam, 15 to 25 percent slopes
Shelocta silt loam, 15 to 25 percent slopes
Shelocta silt loam, 15 to 25 percent slopes
Shelocta silt loam, 15 to 25 percent slopes
Shelocta silt loam, 2 to 6 percent slopes
Shelocta silt loam, 3 to 8 percent slopes
Shelocta silt loam, 3 to 8 percent slopes
Shelocta silt loam, 6 to 15 percent slopes
Shelocta silt loam, 8 to 15 percent slopes
Shelocta silt loam, 8 to 15 percent slopes
Shelocta silt loam, 8 to 15 percent slopes
Shelocta-Berks association, steep

5
5
5
4
5
5
5
5
5
5
5
5
5
5
5
5
5
5
4
4
4
4
4
4
4
4
4
4
5
4
4
5
4
4
4
4
5
5
5
5
5
5
5
5
5
5

SeE
ShF
SeF
SfE
SbE
SeE
SbE
ScE
SkE
SnF
ScF
SkF
SbF
SdF
SgF
SIF
SfD
SfE
ScD
ScE
ScF
ShE
SgE
SdE
SpF
SmD
SmE
SoE
SfE
ShE
SkE
SoF
SeF
SeE
SfE
SmE
SgC2
SkA
SkB
SgB
ShB
ScB
SeB
SfB
SeB2
SgC
SeC2

Shelocta-Berks association, steep
Shelocta-Berks association, very steep
Shelocta-Berks association, very steep
Shelocta-Berks complex, 25 to 40 percent slopes
Shelocta-Berks complex, 25 to 40 percent slopes
Shelocta-Berks complex, 25 to 40 percent slopes
Shelocta-Brownsville association, steep
Shelocta-Brownsville association, steep
Shelocta-Brownsville association, steep
Shelocta-Brownsville association, steep
Shelocta-Brownsville association, very steep
Shelocta-Brownsville association, very steep
Shelocta-Brownsville association, very steep
Shelocta-Brownsville association, very steep
Shelocta-Brownsville association, very steep
Shelocta-Brownsville association, very steep
Shelocta-Cruze complex, 15 to 25 percent slopes
Shelocta-Cruze complex, 25 to 40 percent slopes
Shelocta-Cruze silt loams, 15 to 25 percent slopes
Shelocta-Cruze silt loams, 25 to 40 percent slopes
Shelocta-Cruze silt loams, 40 to 70 percent slopes
Shelocta-Cruze-Weikert association, steep
Shelocta-Cruze-Weikert association, steep
Shelocta-Latham association, steep
Shelocta-Latham association, steep
Shelocta-Muse association, hilly
Shelocta-Muse-Colyer association, steep
Shelocta-Muse-Colyer association, steep
Shelocta-Muse-Colyer association, steep
Shelocta-Rarden association, steep
Shelocta-Rigley association, steep
Shelocta-Rigley association, steep
Shelocta-Steinsburg association, very steep
Shelocta-Wharton-Latham association, steep
Shelocta-Wharton-Latham association, steep
Shelocta-Wharton-Latham association, steep
Shinrock clay loam, 6 to 12 percent slopes, eroded
Shinrock silt loam, 0 to 2 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 2 to 6 percent slopes
Shinrock silt loam, 2 to 6 percent slopes, eroded
Shinrock silt loam, 6 to 12 percent slopes
Shinrock silt loam, 6 to 12 percent slopes, eroded

[illegible]

ShC2
SfC2
SfA
SkD2
SfB2
SkC2
SgC2
SfC2
ShC3
SkB
SmB
SfD2
SfC2
SgB2
SfB2
SmA
Sh
SgA
Sk
Sh
Su
Sh
Sg
Sq
Sho1AO
SgA
ShA
ShA
SgA
SjA
SmA
SnA
Sg
Sh
Sd
Sk
Sk
Sh
Sl
Sg
Sj
Sg
Sm
SgA
SkA
Sk
Sho3AF

Shinrock silt loam, 6 to 12 percent slopes, eroded
Shinrock silt loam, 6 to 12 percent slopes, moderately eroded
Shinrock silt loam, sandy subsoil variant, 0 to 2 percent slopes
Shinrock silty clay loam, 12 to 18 percent slopes, eroded
Shinrock silty clay loam, 2 to 6 percent slopes, eroded
Shinrock silty clay loam, 6 to 12 percent slopes, eroded
Shinrock silty clay loam, 6 to 12 percent slopes, eroded
Shinrock silty clay loam, 6 to 12 percent slopes, eroded
Shinrock silty clay loam, 8 to 20 percent slopes, severely eroded
Shinrock, till substratum-Glynwood complex, 1 to 4 percent slopes
Shinrock, till substratum-Glynwood complex, 1 to 4 percent slopes
Shinrock-Martinsville complex, 12 to 18 percent slopes, eroded
Shinrock-Martinsville complex, 6 to 12 percent slopes, eroded
Shinrock-Tuscola complex, 3 to 8 percent slopes, eroded
Shinrock-Tuscola complex, 3 to 8 percent slopes, eroded
Shoals and Sloan complex, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded
Shoals loam
Shoals loam, 0 to 2 percent slopes, frequently flooded
Shoals loam, coarse subsoil variant
Shoals loam, occasionally flooded
Shoals silt loam
Shoals silt loam
Shoals silt loam
Shoals silt loam
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam, 0 to 2 percent slopes, frequently flooded
Shoals silt loam, 0 to 2 percent slopes, occasionally flooded
Shoals silt loam, 0 to 2 percent slopes, occasionally flooded
Shoals silt loam, 0 to 2 percent slopes, occasionally flooded
Shoals silt loam, 0 to 2 percent slopes, occasionally flooded
Shoals silt loam, frequently flooded
Shoals silt loam, frequently flooded
Shoals silt loam, frequently flooded
Shoals silt loam, frequently flooded
Shoals silt loam, moderately shallow variant
Shoals silt loam, occasionally flooded
Shoals silt loam, occasionally flooded
Shoals silt loam, occasionally flooded
Shoals silt loam, occasionally flooded
Shoals silt loam, rarely flooded
Shoals silt loam, till subsoil variant
Shoals silt loam, till substratum, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam, till substratum, 0 to 1 percent slopes, occasionally flooded
Shoals silt loam, till substratum, 0 to 1 percent slopes, occasionally flooded
Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded

[illegible]

SkA
SdB
SmD
SmB
SmC
Sp
Sk
Sp
Sk
Sm
Sk
Sr
SrA
SrB
SkA
SkA
SIA
SmA
SnA
SmA
SkA
SkA
SmA
SIA
SmA
SkA
Sp
Sn
SnA
SpA
So
Sn
Sn
So
SI
SkA
SnA
SkA
So
Sn
Sv
Sn
Sp
So
SnA
Sr
SnA

Shoals silty clay loam, 0 to 2 percent slopes, frequently flooded
Sidell silt loam, 1 to 4 percent slopes
Sisson loam, 12 to 18 percent slopes
Sisson loam, 2 to 6 percent slopes
Sisson loam, 6 to 12 percent slopes
Skidmore cobbly silt loam, occasionally flooded
Skidmore gravelly loam, frequently flooded
Skidmore gravelly loam, occasionally flooded
Skidmore gravelly loam, occasionally flooded
Skidmore silt loam, occasionally flooded
Skidmore silt loam, occasionally flooded
Skidmore silt loam, occasionally flooded
Skidmore Variant gravelly loam, 0 to 3 percent slopes
Skidmore Variant gravelly loam, 3 to 8 percent slopes
Sleeth loam, 0 to 3 percent slopes
Sleeth silt loam, 0 to 2 percent slopes
Sleeth silt loam, 0 to 2 percent slopes
Sleeth silt loam, 0 to 2 percent slopes
Sleeth silt loam, 0 to 2 percent slopes
Sleeth silt loam, 0 to 3 percent slopes
Sleeth silt loam, 0 to 3 percent slopes
Sleeth silt loam, loamy substratum, 0 to 3 percent slopes
Sleeth silt loam, loamy substratum, 0 to 3 percent slopes
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sligo silt loam, 0 to 1 percent slopes, occasionally flooded
Sloan loam
Sloan loam
Sloan loam, 0 to 1 percent slopes, occasionally flooded
Sloan loam, 0 to 1 percent slopes, occasionally flooded
Sloan loam, occasionally flooded
Sloan loam, occasionally flooded
Sloan silt loam
Sloan silt loam
Sloan silt loam
Sloan silt loam, 0 to 1 percent slopes, frequently flooded
Sloan silt loam, 0 to 1 percent slopes, frequently flooded
Sloan silt loam, 0 to 2 percent slopes, occasionally flooded
Sloan silt loam, frequently flooded
Sloan silt loam, frequently flooded
Sloan silt loam, gravelly subsoil variant
Sloan silt loam, occasionally flooded
Sloan silt loam, occasionally flooded
Sloan silt loam, occasionally flooded
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, frequently flooded
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded

[illegible]

SoA
Sm
Sn
Sp
So
SnA
Sn
So
SpA
Sm
Slo3AF
SoA
SrA
Su
So
SpA
Sn
So
St
Sp
So
SrA
SsA
Sr
SoA
SpA
Sp
Sp
SsA
SsB
SuB
SpA
SaB
SpB
SrD
SpD
SoB
SrB
SpB
SrC
SpC
SpC
SpB
SnB
SpD
SrB
SpB

Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam, sandy substratum, occasionally flooded
Sloan silt loam, till substratum, 0 to 2 percent slopes, occasionally flooded
Sloan silty clay loam
Sloan silty clay loam
Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam, frequently flooded
Sloan silty clay loam, frequently flooded
Sloan silty clay loam, limestone substratum, 0 to 1 percent slopes, occasionally flooded
Sloan silty clay loam, occasionally flooded
Sloan silty clay loam, occasionally flooded
Sloan silty clay loam, occasionally flooded
Sloan silty clay loam, occasionally flooded
Sloan silty clay loam, sandy substratum, occasionally flooded
Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded
Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded
Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded
Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded
Sloan-Fill land complex
Smothers silt loam, 0 to 2 percent slopes
Smothers silt loam, 2 to 4 percent slopes
Spargus channery silt loam, 2 to 6 percent slopes
Sparta loamy fine sand, 0 to 3 percent slopes
Sparta loamy sand, 0 to 6 percent slopes
Spinks fine sand, 1 to 6 percent slopes
Spinks fine sand, 12 to 18 percent slopes
Spinks fine sand, 12 to 18 percent slopes
Spinks fine sand, 2 to 6 percent slopes
Spinks fine sand, 2 to 6 percent slopes
Spinks fine sand, 2 to 6 percent slopes
Spinks fine sand, 6 to 12 percent slopes
Spinks fine sand, 6 to 12 percent slopes
Spinks fine sand, 6 to 18 percent slopes
Spinks loamy fine sand, 0 to 6 percent slopes
Spinks loamy fine sand, 0 to 6 percent slopes
Spinks loamy fine sand, 12 to 18 percent slopes
Spinks loamy fine sand, 2 to 6 percent slopes
Spinks loamy fine sand, 2 to 6 percent slopes

[illegible]

SsB
SsC
SpB
ScD3
ScE3
StB
SaB
StC2
StC2
ScD2
ScE2
ScB
ScB2
ScC
ScC2
SuD2
SbD2
StD2
SbD2
SuE3
SuE2
SbE2
SbE
StE2
StB2
SuB2
SbB2
SbC2
SuC2
StC2
SuC2
SdC2
SbC2
SbC2
ScD3
SuE3
SfE3
ScE3
ScF3
SfF3
ScC3
SuC3
Sw
St
St
StA
StF

Spinks loamy fine sand, 2 to 6 percent slopes
Spinks loamy fine sand, 6 to 12 percent slopes
Spinks loamy sand, 2 to 6 percent slopes
St. Clair clay, 12 to 18 percent slopes, severely eroded
St. Clair clay, 18 to 35 percent slopes, severely eroded
St. Clair loam, 2 to 6 percent slopes
St. Clair loam, 2 to 6 percent slopes
St. Clair loam, 6 to 12 percent slopes, eroded
St. Clair loam, 7 to 15 percent slopes, moderately eroded
St. Clair silt loam, 12 to 18 percent slopes, moderately eroded
St. Clair silt loam, 18 to 35 percent slopes, moderately eroded
St. Clair silt loam, 2 to 6 percent slopes
St. Clair silt loam, 2 to 6 percent slopes, moderately eroded
St. Clair silt loam, 6 to 12 percent slopes
St. Clair silt loam, 6 to 12 percent slopes, moderately eroded
St. Clair silty clay loam, 12 to 18 percent slopes, eroded
St. Clair silty clay loam, 12 to 18 percent slopes, eroded
St. Clair silty clay loam, 12 to 18 percent slopes, eroded
St. Clair silty clay loam, 12 to 25 percent slopes, moderately eroded
St. Clair silty clay loam, 12 to 25 percent slopes, severely eroded
St. Clair silty clay loam, 18 to 25 percent slopes, eroded
St. Clair silty clay loam, 18 to 25 percent slopes, eroded
St. Clair silty clay loam, 18 to 35 percent slopes
St. Clair silty clay loam, 18 to 35 percent slopes, eroded
St. Clair silty clay loam, 2 to 6 percent slopes, eroded
St. Clair silty clay loam, 2 to 6 percent slopes, eroded
St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded
St. Clair silty clay loam, 4 to 12 percent slopes, eroded
St. Clair silty clay loam, 4 to 12 percent slopes, eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded
St. Clair silty clay loam, 6 to 12 percent slopes, eroded
St. Clair silty clay loam, 6 to 12 percent slopes, moderately eroded
St. Clair silty clay, 12 to 18 percent slopes, severely eroded
St. Clair silty clay, 12 to 25 percent slopes, severely eroded
St. Clair silty clay, 12 to 25 percent slopes, severely eroded
St. Clair silty clay, 18 to 25 percent slopes, severely eroded
St. Clair silty clay, 25 to 45 percent slopes, severely eroded
St. Clair silty clay, 25 to 45 percent slopes, severely eroded
St. Clair silty clay, 6 to 12 percent slopes, severely eroded
St. Clair silty clay, 6 to 12 percent slopes, severely eroded
Stafford fine sandy loam
Stafford loamy fine sand
Stafford variant sandy loam
Stanhope silt loam, 0 to 2 percent slopes, frequently flooded
Steinsburg fine sandy loam, 40 to 70 percent slopes

5
5
5
4
4
3
3
3
3
3
3
3
3
4
4
4
4
3
4
4
4
4
4
4
4
4
4
4
4
4
4
4
4
3
3
4
4
4
4
4
3
5
5
5
5
5
3

StF
StD
StE
SsE
StF
ScE
SfE
SrE
SvE
SgE
StE
SvF
SgF
StF
StD
StB
StC
SrF
SsF
St
Ss
SuA
St
StA
St
Sw
St
StA
SwA
St
Sr
Sv
St
St
Su
StD2
SwD2
StE2
StB2
StC2
SwC2
SuA
SuB
SrA
SyA
SvA
SwA

Steinsburg loam, 25 to 70 percent slopes
Steinsburg sandy loam, 15 to 25 percent slopes
Steinsburg sandy loam, 25 to 40 percent slopes
Steinsburg sandy loam, 25 to 40 percent slopes
Steinsburg sandy loam, 40 to 70 percent slopes
Steinsburg-Clymer association, steep
Steinsburg-Clymer association, steep
Steinsburg-Clymer association, steep
Steinsburg-Clymer association, steep
Steinsburg-Gilpin association, steep
Steinsburg-Gilpin association, steep
Steinsburg-Gilpin association, very steep
Steinsburg-Gilpin association, very steep
Steinsburg-Gilpin association, very steep
Steinsburg-Rigley variant fine sandy loams, 15 to 25 percent slopes
Steinsburg-Rigley variant fine sandy loams, 3 to 8 percent slopes
Steinsburg-Rigley variant fine sandy loams, 8 to 15 percent slopes
Steinsburg-Rock outcrop association, very steep
Steinsburg-Shelocta association, very steep
Stendal silt loam, occasionally flooded
Stendal silt loam, occasionally flooded
Stone clay loam, 0 to 2 percent slopes, rarely flooded
Stone clay loam, 0 to 2 percent slopes, rarely flooded
Stone silty clay loam, 0 to 2 percent slopes
Stonelick fine sandy loam
Stonelick fine sandy loam, frequently flooded
Stonelick loam
Stonelick loam, gravelly substratum, 0 to 1 percent slopes, frequently flooded
Stonelick loam, gravelly substratum, 0 to 1 percent slopes, frequently flooded
Stonelick loam, occasionally flooded
Stonelick loam, occasionally flooded
Stonelick loam, occasionally flooded
Stonelick sandy loam
Stonelick sandy loam, occasionally flooded
Stonelick-Urban land complex, occasionally flooded
Strawn silty clay loam, 12 to 18 percent slopes, eroded
Strawn silty clay loam, 12 to 18 percent slopes, eroded
Strawn silty clay loam, 18 to 35 percent slopes, eroded
Strawn silty clay loam, 2 to 6 percent slopes, eroded
Strawn silty clay loam, 6 to 12 percent slopes, eroded
Strawn silty clay loam, 6 to 12 percent slopes, eroded
Strawn-Crosby complex, 0 to 2 percent slopes
Strawn-Crosby complex, 2 to 6 percent slopes
Stringley-Sligo loams, 0 to 2 percent slopes, occasionally flooded
Stringley-Sligo loams, 0 to 2 percent slopes, occasionally flooded
Sugarvalley silt loam, 0 to 2 percent slopes
Sugarvalley-Fincastle silt loams, 0 to 2 percent slopes

[illegible]

SuD
Sw
SwD2
SwB2
SwC3
SwC2
TaA
TfA
TbA
TgA
TgA
TcA
Th
TaB
TaC2
TdA
TeA
TdA
TdA
TeB
TeA
TeA
TfA
TfA
TeB
TeC
TeC2
TkA
ThA
ThB
ThA
ThB
TgA
ThB
ThA
ThA
ThB
TkD3
ThD3
TkE3
ThE3
TkC3
ThC3
TkA
TnA
TnA
TnA

Summitville silt loam, 10 to 20 percent slopes
Swanton fine sandy loam
Switzerland silt loam, 15 to 25 percent slopes, eroded
Switzerland silt loam, 3 to 8 percent slopes, eroded
Switzerland silt loam, 6 to 12 percent slopes, severely eroded
Switzerland silt loam, 8 to 15 percent slopes, eroded
Taggart silt loam, 0 to 2 percent slopes
Taggart silt loam, 0 to 2 percent slopes
Taggart silt loam, 0 to 2 percent slopes
Taggart silt loam, 0 to 3 percent slopes
Taggart silt loam, 0 to 4 percent slopes
Taggart silt loam, 0 to 4 percent slopes
Taggart silt loam, rarely flooded
Tarhollow silt loam, 2 to 6 percent slopes
Tarlton silt loam, 6 to 12 percent slopes, eroded
Tedrow fine sand, 0 to 3 percent slopes
Tedrow loamy fine sand, 0 to 2 percent slopes
Tedrow loamy fine sand, 0 to 2 percent slopes
Tedrow loamy fine sand, 0 to 3 percent slopes
Tedrow loamy fine sand, 2 to 6 percent slopes
Tedrow loamy fine sand, silty subsoil variant, 0 to 2 percent slopes
Tedrow loamy sand, 0 to 3 percent slopes
Tedrow-Dixboro complex, 0 to 2 percent slopes
Tedrow-Urban land complex, 0 to 2 percent slopes
Teegarden silt loam, 2 to 6 percent slopes
Teegarden silt loam, 6 to 15 percent slopes
Teegarden silt loam, 6 to 15 percent slopes, eroded
Thackery loam, sandy substratum, 0 to 2 percent slopes
Thackery loam, till substratum, 0 to 2 percent slopes
Thackery sandy loam, sandy substratum, 1 to 3 percent slopes
Thackery silt loam, 0 to 2 percent slopes
Thackery silt loam, 1 to 4 percent slopes
Thackery silt loam, 1 to 4 percent slopes
Thackery silt loam, 2 to 6 percent slopes
Thackery silt loam, till substratum, 0 to 2 percent slopes
Thackery variant silt loam, 0 to 2 percent slopes
Thackery variant silt loam, 2 to 6 percent slopes
Thriftton clay loam, 12 to 20 percent slopes, severely eroded
Thriftton clay loam, 12 to 20 percent slopes, severely eroded
Thriftton clay loam, 20 to 35 percent slopes, severely eroded
Thriftton clay loam, 20 to 35 percent slopes, severely eroded
Thriftton clay loam, 6 to 12 percent slopes, severely eroded
Thriftton clay loam, 6 to 12 percent slopes, severely eroded
Tiderishi loam, 0 to 2 percent slopes
Tiderishi loam, 0 to 2 percent slopes
Tilsit silt loam, 0 to 2 percent slopes
Tilsit silt loam, 0 to 3 percent slopes

[illegible]

TkA
TkA
TID
TeB
TIC
TcB
Tg
Tm
Tg
To
Tk
Tr
Tf
Tg
Th
Ta
Tg
TgA
ToA
Tg
To
Th
Tg
Ta
To
Tf
To
Tg
Th
Th
To
TpA
TrA
TkA
TmA
ToA
TrB
TmB
TsB
TvB
TvC
TsC2
TsC
TwC
To
Tt
To

Tilsit silt loam, 0 to 3 percent slopes
Tilsit silt loam, 0 to 4 percent slopes
Tilsit silt loam, 12 to 18 percent slopes
Tilsit silt loam, 3 to 8 percent slopes
Tilsit silt loam, 6 to 12 percent slopes
Tilsit-Coolville association, undulating
Tioga fine sandy loam
Tioga fine sandy loam, frequently flooded
Tioga fine sandy loam, frequently flooded
Tioga fine sandy loam, frequently flooded
Tioga fine sandy loam, occasionally flooded
Tioga fine sandy loam, occasionally flooded
Tioga fine sandy loam, occasionally flooded
Tioga fine sandy loam, occasionally flooded
Tioga fine sandy loam, rarely flooded
Tioga fine sandy loam, rarely flooded
Tioga loam
Tioga loam, 0 to 2 percent slopes, occasionally flooded
Tioga loam, 0 to 2 percent slopes, occasionally flooded
Tioga loam, frequently flooded
Tioga loam, frequently flooded
Tioga loam, frequently flooded
Tioga loam, occasionally flooded
Tioga loam, occasionally flooded
Tioga loam, occasionally flooded
Tioga loam, rarely flooded
Tioga silt loam, occasionally flooded
Tioga silt loam, occasionally flooded
Tioga variant loam
Tioga Variant silt loam
Tioga-Urban land complex, rarely flooded
Tippecanoe silt loam, 0 to 2 percent slopes
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 0 to 2 percent slopes
Tiro silt loam, 1 to 4 percent slopes
Tiro silt loam, 2 to 6 percent slopes
Tiro silt loam, 2 to 6 percent slopes
Titusville silt loam, 2 to 6 percent slopes
Titusville silt loam, 2 to 6 percent slopes
Titusville silt loam, 6 to 12 percent slopes
Titusville silt loam, 6 to 12 percent slopes, eroded
Titusville silt loam, 6 to 15 percent slopes
Titusville silt loam, 6 to 15 percent slopes
Toledo silty clay
Toledo silty clay
Toledo silty clay loam

[illegible]

Tn
TnA
TpA
Tp
ToA
TpA
Tp
TuA
TsA
ToD
TrD
ToD
TrD2
ToD2
TrE
TrB
TrC
ToC
TsD2
TsB
TtC2
TsC2
TsF
TwE
TpA
TvA
Tr
TrA
TtA
Ts
Tr
TrA
Tr
TrA
TmA
Ts
Tr
TrA
TsA
Tu
TuF
TuD
TuA
TpA
TxA
TuB
TsB

Toledo silty clay loam
Toledo silty clay loam, 0 to 1 percent slopes
Toledo silty clay loam, 0 to 1 percent slopes
Toledo silty clay loam, ponded
Toledo silty clay, 0 to 1 percent slopes
Toledo silty clay, 0 to 1 percent slopes, ponded
Toledo silty clay, ponded
Toledo-Urban land complex, 0 to 1 percent slopes
Toussaint silty clay loam, 0 to 1 percent slopes
Towerville silt loam, 12 to 18 percent slopes
Trappist silt loam, 15 to 25 percent slopes
Trappist silt loam, 15 to 25 percent slopes
Trappist silt loam, 15 to 25 percent slopes, eroded
Trappist silt loam, 15 to 25 percent slopes, eroded
Trappist silt loam, 18 to 25 percent slopes
Trappist silt loam, 3 to 8 percent slopes
Trappist silt loam, 8 to 15 percent slopes
Trappist silt loam, 8 to 15 percent slopes
Trappist-Muse silt loams, 12 to 18 percent slopes, moderately eroded
Trappist-Muse silt loams, 2 to 6 percent slopes
Trappist-Muse silt loams, 6 to 12 percent slopes, moderately eroded
Trappist-Muse silt loams, 6 to 12 percent slopes, moderately eroded
Trappist-Shelocta association, steep
Trappist-Shelocta association, steep
Treaty silt loam, 0 to 1 percent slopes, overwash
Treaty silt loam, 0 to 1 percent slopes, overwash
Treaty silty clay loam
Treaty silty clay loam, 0 to 1 percent slopes
Treaty silty clay loam, 0 to 1 percent slopes
Tremont silt loam, occasionally flooded
Tremont silty clay loam, rarely flooded
Trumbull silt loam
Trumbull silt loam
Trumbull silt loam, 0 to 2 percent slopes
Trumbull silt loam, 0 to 2 percent slopes
Trumbull silty clay loam
Trumbull silty clay loam
Trumbull silty clay loam, 0 to 2 percent slopes
Trumbull silty clay loam, 0 to 2 percent slopes
Trumbull-Urban land complex
Tuscarawas channery silt loam, 18 to 35 percent slopes
Tuscarawas channery silt loam, 6 to 18 percent slopes
Tuscola fine sandy loam, 0 to 2 percent slopes
Tuscola fine sandy loam, 0 to 2 percent slopes
Tuscola fine sandy loam, 0 to 2 percent slopes
Tuscola fine sandy loam, 2 to 6 percent slopes
Tuscola fine sandy loam, 2 to 6 percent slopes

[illegible]

TpB
TuB
TrB
TuB
TuB2
TuC2
TtC2
ToB
TvB
TuB
TuB
TuC
TsB
TtB
TuB
TwB
TrA
TyA
TyB
TyC
TzA
TyB
TyUXA
TuD
Ud
UdB
Ud
Ua
Ud
UdD
Ub
Ud
Up
Uc
Uc
UnA
UnB
UnB
UTG
UrD3
UrE3
UrC3
UpD2
UsB
UpB
UpC
UpF

Tuscola fine sandy loam, 2 to 6 percent slopes
Tuscola fine sandy loam, 3 to 8 percent slopes
Tuscola fine sandy loam, 3 to 8 percent slopes
Tuscola loam, 2 to 6 percent slopes
Tuscola loam, 2 to 6 percent slopes, moderately eroded
Tuscola loam, 6 to 12 percent slopes, moderately eroded
Tuscola loam, 6 to 12 percent slopes, moderately eroded
Tuscola loamy fine sand, 2 to 6 percent slopes
Tuscola loamy fine sand, 2 to 6 percent slopes
Tuscola silt loam, 2 to 6 percent slopes
Tuscola Variant fine sandy loam, 1 to 6 percent slopes
Tuscola Variant fine sandy loam, 6 to 12 percent slopes
Tuscola very fine sandy loam, 2 to 6 percent slopes
Tuscola very fine sandy loam, 2 to 6 percent slopes
Tuscola-Bennington complex, 2 to 6 percent slopes
Tuscola-Shinrock complex, 2 to 6 percent slopes
Tygart silt loam, 0 to 3 percent slopes
Tyler silt loam, 0 to 2 percent slopes
Tyner loamy sand, 1 to 6 percent slopes
Tyner loamy sand, 6 to 12 percent slopes
Tyner Variant sandy loam
Tyner-Otisville complex, 2 to 6 percent slopes
Typic Endoaquents-Urban land complex, till substratum, 0 to 3 percent slopes
Typic Udorthents, strip mined, hilly
Udorthents
Udorthents, gently sloping
Udorthents, loamy
Udorthents, loamy, 2 to 25 percent slopes
Udorthents, loamy, rolling
Udorthents, moderately steep
Udorthents, refuse substratum, 2 to 25 percent slopes
Udorthents, silty
Udorthents-Pits complex
Udorthents-Pits complex
Udorthents-Pits complex, 0 to 70 percent slopes
Uniontown silt loam, 0 to 2 percent slopes
Uniontown silt loam, 1 to 6 percent slopes
Uniontown silt loam, 2 to 6 percent slopes
Upshur association, very stony, 25 to 70 percent slopes
Upshur clay, 12 to 18 percent slopes, severely eroded
Upshur clay, 18 to 25 percent slopes, severely eroded
Upshur clay, 6 to 12 percent slopes, severely eroded
Upshur silt loam, 12 to 18 percent slopes, moderately eroded
Upshur silt loam, 2 to 6 percent slopes
Upshur silt loam, 2 to 6 percent slopes
Upshur silt loam, 2 to 8 percent slopes
Upshur silt loam, 25 to 70 percent slopes

[illegible]

UpB
UpC2
UpC
UmC
UbC
UnD
UpD
UpD2
UnD
UrD
UpD
UpD2
UnD3
UrD3
UpE
UpB
UnC
UpC
UpC2
UrC
UrC2
UpC2
UnC
UpC
UpC2
UsD3
UrD3
UrE3
UrC3
UkD2
UkE2
UkC2
UsD
UsC
UgD
UgD2
UsF
UwF
UsF3
UgE
UgE
UgE
UgF
UgC
UgC2
UgC2
UsE

Upshur silt loam, 3 to 8 percent slopes
Upshur silt loam, 6 to 12 percent slopes, moderately eroded
Upshur silt loam, 8 to 15 percent slopes
Upshur silt loam, 8 to 15 percent slopes
Upshur silt loam, 8 to 15 percent slopes
Upshur silty clay loam, 12 to 18 percent slopes
Upshur silty clay loam, 12 to 18 percent slopes
Upshur silty clay loam, 12 to 20 percent slopes, eroded
Upshur silty clay loam, 15 to 25 percent slopes
Upshur silty clay loam, 15 to 25 percent slopes
Upshur silty clay loam, 15 to 25 percent slopes
Upshur silty clay loam, 15 to 25 percent slopes, eroded
Upshur silty clay loam, 15 to 25 percent slopes, severely eroded
Upshur silty clay loam, 15 to 25 percent slopes, severely eroded
Upshur silty clay loam, 18 to 25 percent slopes
Upshur silty clay loam, 2 to 6 percent slopes
Upshur silty clay loam, 6 to 12 percent slopes
Upshur silty clay loam, 6 to 12 percent slopes
Upshur silty clay loam, 6 to 12 percent slopes, eroded
Upshur silty clay loam, 6 to 15 percent slopes
Upshur silty clay loam, 6 to 15 percent slopes, eroded
Upshur silty clay loam, 6 to 15 percent slopes, eroded
Upshur silty clay loam, 8 to 15 percent slopes
Upshur silty clay loam, 8 to 15 percent slopes
Upshur silty clay loam, 8 to 15 percent slopes, eroded
Upshur silty clay, 15 to 25 percent slopes, severely eroded
Upshur silty clay, 15 to 25 percent slopes, severely eroded
Upshur silty clay, 25 to 40 percent slopes, severely eroded
Upshur silty clay, 8 to 15 percent slopes, severely eroded
Upshur-Berks complex, 15 to 25 percent slopes, eroded
Upshur-Berks complex, 25 to 40 percent slopes, eroded
Upshur-Berks complex, 6 to 15 percent slopes, eroded
Upshur-Elba silty clay loams, 15 to 25 percent slopes
Upshur-Elba silty clay loams, 8 to 15 percent slopes
Upshur-Gilpin complex, 15 to 25 percent slopes
Upshur-Gilpin complex, 15 to 25 percent slopes, eroded
Upshur-Gilpin complex, 25 to 35 percent slopes
Upshur-Gilpin complex, 25 to 35 percent slopes
Upshur-Gilpin complex, 25 to 35 percent slopes, severely eroded
Upshur-Gilpin complex, 25 to 40 percent slopes
Upshur-Gilpin complex, 25 to 50 percent slopes
Upshur-Gilpin complex, 25 to 50 percent slopes
Upshur-Gilpin complex, 40 to 70 percent slopes
Upshur-Gilpin complex, 8 to 15 percent slopes
Upshur-Gilpin complex, 8 to 15 percent slopes, eroded
Upshur-Gilpin complex, 8 to 15 percent slopes, eroded
Upshur-Gilpin-Steinsburg association, steep

5
5
5
5
5
5
5
5
5
5
5
4
4
5
5
5
5
5
5
5
5
5
5
5
5
4
4
4
4
5
5
5
5
5
5
3
5
5
4
5
3
5
5
5
3
5
3

UtF
UvD
UsD
UsE
UAKXC
UFGXB
UtC
UuB
UtD
UtC
UHGXAO
UHJXAO
UHSXAF
UHWXAO
UMDXC
UMHXAO
UMLXAO
UMSXAR
UxB
UTWXA
VaA
VbA
VcA
VaD
VqD2
VaD2
VaE2
VaC2
VaD
VaD2
VaD3
VaD3
VaE
VaF
VaE2
VaC
VbC
VaC2
VaC
VbD2
VbD
VbE
VnD3
VcD2
VcE2
VcC2
VcD

Upshur-Rock outcrop association, very steep
Upshur-Steinsburg complex, 15 to 25 percent slopes
Upshur-Steinsburg complex, 15 to 25 percent slopes
Upshur-Steinsburg complex, 25 to 50 percent slopes
Urban land-Alfic Udarents-Elkinsville complex, 0 to 12 percent slopes
Urban land-Alfic Udarents-Glynwood complex, 1 to 8 percent slopes
Urban land-Cardington complex, 2 to 12 percent slopes
Urban land-Celina complex, 0 to 6 percent slopes
Urban land-Gilpin-Lowell complex, 15 to 25 percent slopes
Urban land-Gilpin-Lowell complex, 8 to 15 percent slopes
Urban land-Haplic Udarents-Genesee complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Haplic Udarents-Jules complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Haplic Udarents-Stonelick complex, 0 to 2 percent slopes, frequently flooded
Urban land-Haplic Udarents-Wakeland complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Mollic Udarents-Dana complex, 0 to 12 percent slopes
Urban land-Mollic Udarents-Huntington complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Mollic Udarents-Lanier complex, 0 to 2 percent slopes, occasionally flooded
Urban land-Mollic Udarents-Ross complex, 0 to 2 percent slopes, rarely flooded
Urban land-Ockley complex, 0 to 6 percent slopes
Urban land-Typic Endoaquents-Pewamo complex, 0 to 3 percent slopes
Valley silt loam, 0 to 2 percent slopes
Valley silty clay loam, 0 to 2 percent slopes
Valley-Lorain silt loams, 0 to 2 percent slopes
Vandalia silt loam, 12 to 18 percent slopes
Vandalia silt loam, 15 to 25 percent slopes, eroded
Vandalia silt loam, 15 to 25 percent slopes, eroded
Vandalia silt loam, 20 to 35 percent slopes, eroded
Vandalia silt loam, 8 to 15 percent slopes, eroded
Vandalia silty clay loam, 12 to 18 percent slopes
Vandalia silty clay loam, 15 to 25 percent slopes, eroded
Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded
Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded
Vandalia silty clay loam, 18 to 25 percent slopes
Vandalia silty clay loam, 25 to 35 percent slopes
Vandalia silty clay loam, 25 to 40 percent slopes, eroded
Vandalia silty clay loam, 6 to 12 percent slopes
Vandalia silty clay loam, 6 to 12 percent slopes
Vandalia silty clay loam, 6 to 15 percent slopes, eroded
Vandalia silty clay loam, 8 to 15 percent slopes
Vandalia-Brookside complex, 12 to 20 percent slopes, eroded
Vandalia-Brookside complex, 15 to 25 percent slopes
Vandalia-Brookside complex, 25 to 40 percent slopes
Vandalia-Gilpin complex, 15 to 25 percent slopes, severely eroded
Vandalia-Guernsey silty clay loams, 15 to 25 percent slopes, eroded
Vandalia-Guernsey silty clay loams, 25 to 35 percent slopes, eroded
Vandalia-Guernsey silty clay loams, 8 to 15 percent slopes, eroded
Vandalia-Richland complex, 15 to 25 percent slopes

5
5
5
5
5
4
5
4
3
3
5
5
5
5
5
5
5
5
5
4
5
2
2
2
5
5
5
5
5
5
5
5
4
5
5
5
5
5
5
5
5
5
5
5
5
5
4
5
5
5

VcE
VdE
VsE2
VnB
VnC
VaA
VbA
VaA
VeA
VaB
VeA
VeB
VtD
VtB
VtC
VtC
VwB
VnB2
VnC2
Wa
Wh
Wg
Wa
Wc
Wb
Wa
Wb
Wb
Wa
WbA
Wa
WaA
WbA
WaB
WaB
WbB
WaC
WaC2
WbB
WbB
Wb
WeA
WeB
Wa
WaB
WaC
Wa

Vandalia-Richland complex, 25 to 40 percent slopes
Vandalia-Sees silt loams, 18 to 35 percent slopes
Vandalia-Sees very stony silt loams, 18 to 35 percent slopes, moderately eroded
Vandergrift silt loam, 2 to 6 percent slopes
Vandergrift silt loam, 6 to 15 percent slopes
Vanlue loam, 0 to 2 percent slopes
Vanlue loam, 0 to 2 percent slopes
Vaughnsville loam, 0 to 2 percent slopes
Vaughnsville loam, 0 to 3 percent slopes
Vaughnsville loam, 2 to 6 percent slopes
Venango silt loam, 0 to 2 percent slopes
Venango silt loam, 2 to 6 percent slopes
Vincent silt loam, 12 to 18 percent slopes
Vincent silt loam, 2 to 6 percent slopes
Vincent silt loam, 6 to 12 percent slopes
Vincent silt loam, 6 to 15 percent slopes
Vincent silty clay loam, 2 to 6 percent slopes
Vincent silty clay loam, 2 to 6 percent slopes, eroded
Vincent silty clay loam, 6 to 12 percent slopes, eroded
Wabasha silty clay
Wabasha silty clay
Wabasha silty clay loam
Wabasha silty clay loam
Wabasha silty clay loam, frequently flooded
Wabasha silty clay loam, frequently flooded
Wabasha silty clay loam, frequently flooded
Wabasha silty clay loam, moderately shallow variant
Wabasha silty clay loam, moderately shallow variant
Wabasha silty clay loam, ponded
Wabasha silty clay, 0 to 1 percent slopes, frequently flooded
Wabasha silty clay, frequently flooded
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 0 to 2 percent slopes
Wadsworth silt loam, 1 to 4 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wadsworth silt loam, 2 to 6 percent slopes
Wadsworth silt loam, 6 to 12 percent slopes
Wadsworth silt loam, 6 to 12 percent slopes, moderately eroded
Wadsworth silt loam, moderately shallow variant, 2 to 6 percent slopes
Wadsworth-Urban land complex
Wadsworth-Urban land complex
Wadsworth-Urban land complex, 0 to 2 percent slopes
Wadsworth-Urban land complex, 2 to 6 percent slopes
Wakeland silt loam, occasionally flooded
Wakeman sandy loam, 2 to 6 percent slopes
Wakeman sandy loam, 6 to 12 percent slopes
Wallkill silt loam

5
5
5
3
3
5
5
5
5
5
4
4
3
3
3
5
5
5
5
5
5
5
5
5
5
5
5
5
2
5
5
5
4
4
4
4
4
4
4
4
3
4
4
4
4
5
2
2
5

Wc
Wg
Wb
Wc
Wa
Wa
Wa
Wc
Wb
Wc
Wc
Wb
Wa
Wd
Wc
Wk
WaD3
WpD3
WaC3
WcC3
WpC3
WbC3
Wb
We
Wc
Wn
WbA
WcA
WaA
WdA
WbA
WcA
WbB
WaB
WdA
WcA
WbA
WaA
WrA
WfA
WeA
WrB
WaB
WdB
WaB
WrB
WdA

Wallkill silt loam
Wallkill silt loam
Wallkill silt loam
Wallkill silt loam, clayey subsoil variant
Wallkill silt loam, clayey substratum, frequently flooded
Wallkill silt loam, frequently flooded
Wallkill silt loam, lacustrine substratum, occasionally flooded
Wallkill silt loam, lacustrine substratum, occasionally flooded
Wallkill silt loam, occasionally flooded
Wallkill silt loam, occasionally flooded
Wallkill silt loam, ponded
Wallkill silty clay loam
Wallkill silty clay loam
Wallkill Variant silty clay
Wallkill Variant silty clay loam
Wallkill Variant silty clay loam
Wapahani-Miamian clay loams, 12 to 18 percent slopes, severely eroded
Wapahani-Miamian clay loams, 12 to 18 percent slopes, severely eroded
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded
Wappinger sandy loam, rarely flooded
Warners muck
Warners muck
Warners silt loam
Warsaw loam, 0 to 2 percent slopes
Warsaw loam, 0 to 2 percent slopes
Warsaw loam, 0 to 2 percent slopes
Warsaw loam, 0 to 2 percent slopes
Warsaw loam, 0 to 3 percent slopes
Warsaw loam, 0 to 3 percent slopes
Warsaw loam, 2 to 6 percent slopes
Warsaw loam, 2 to 6 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 2 percent slopes
Warsaw silt loam, 0 to 3 percent slopes
Warsaw silt loam, 1 to 4 percent slopes
Warsaw silt loam, 1 to 4 percent slopes
Warsaw silt loam, 2 to 6 percent slopes
Warsaw silt loam, 2 to 6 percent slopes
Warsaw silt loam, 2 to 6 percent slopes
Warsaw Variant silt loam, 0 to 2 percent slopes

[illegible]

WaB
WbA
WaA
WaB
WaD
WrD
WbB
WaB
WaF
WbC
WaC
WaC
WpA
Wt
Wf
WyA
WnA
WmA
Wg
WzA
Wc
Wd
WrA
WaA
WdA
WeA
WsA
WfA
WeA
WsA
WeB
WeB
WeA
WeB
WeD
WeE2
WeF2
WeC
WkF
WhA
WeA
WdA
WbA
WeA
WhB
Wk
WeB2

Watertown gravelly loamy sand, 2 to 6 percent slopes
Watertown sandy loam, 0 to 2 percent slopes
Watertown sandy loam, 0 to 2 percent slopes
Watertown sandy loam, 1 to 8 percent slopes
Watertown sandy loam, 15 to 25 percent slopes
Watertown sandy loam, 15 to 25 percent slopes
Watertown sandy loam, 2 to 6 percent slopes
Watertown sandy loam, 2 to 6 percent slopes
Watertown sandy loam, 25 to 70 percent slopes
Watertown sandy loam, 6 to 12 percent slopes
Watertown sandy loam, 6 to 15 percent slopes
Watertown sandy loam, 8 to 15 percent slopes
Waupecan silt loam, 0 to 2 percent slopes
Wauseon fine sandy loam
Wauseon fine sandy loam
Wauseon fine sandy loam, 0 to 1 percent slopes
Wauseon fine sandy loam, deep to till, 0 to 1 percent slopes
Wauseon loamy fine sand, 0 to 1 percent slopes
Wauseon loamy fine sand, stratified substratum
Wauseon-Urban land complex, 0 to 1 percent slopes
Wayland silt loam
Wayland silt loam
Waynetown silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 2 percent slopes
Wea silt loam, 0 to 3 percent slopes
Wea silt loam, 0 to 3 percent slopes
Wea silt loam, 1 to 3 percent slopes
Wea silt loam, 2 to 6 percent slopes
Wea Variant silt loam, 0 to 2 percent slopes
Weikert channery fine sandy loam, 1 to 6 percent slopes
Weikert channery silt loam, 12 to 18 percent slopes
Weikert channery silt loam, 18 to 25 percent slopes, moderately eroded
Weikert channery silt loam, 25 to 50 percent slopes, moderately eroded
Weikert channery silt loam, 6 to 12 percent slopes
Weikert shaly silt loam, 35 to 70 percent slopes
Weinbach silt loam, 0 to 2 percent slopes
Weinbach silt loam, 0 to 2 percent slopes
Weinbach silt loam, 0 to 2 percent slopes
Weinbach silt loam, 0 to 3 percent slopes
Weinbach silt loam, 0 to 3 percent slopes
Weinbach silt loam, 2 to 6 percent slopes
Weinbach-Urban land complex
Weisburg silt loam, 2 to 6 percent slopes, eroded

[illegible]

WbB2
WeB
WeB
WhB
WhD
WID
WhD2
WIB
WhB
WeB
WeB
WhB2
WhB
WcB
WhB
WhB
WdB
WeB
WcB
WhB
WIC
WhC
WnC
WeC2
WhC2
WeC
WbC
WdC
WeC
WhC
WhC
WjC
WfC
WhC2
WfC
WfC
WgC
WgC
WoC
WeB
WsS1A1
WsS1B1
WfB
WmB
WfC2
WnC2
WmC2

Weisburg silt loam, 2 to 6 percent slopes, eroded
Wellston silt loam, 1 to 6 percent slopes
Wellston silt loam, 1 to 7 percent slopes
Wellston silt loam, 1 to 8 percent slopes
Wellston silt loam, 12 to 18 percent slopes
Wellston silt loam, 12 to 18 percent slopes
Wellston silt loam, 12 to 18 percent slopes, moderately eroded
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 2 to 6 percent slopes
Wellston silt loam, 2 to 6 percent slopes, moderately eroded
Wellston silt loam, 2 to 8 percent slopes
Wellston silt loam, 2 to 8 percent slopes
Wellston silt loam, 2 to 8 percent slopes
Wellston silt loam, 3 to 8 percent slopes
Wellston silt loam, 3 to 8 percent slopes
Wellston silt loam, 3 to 8 percent slopes
Wellston silt loam, 3 to 8 percent slopes
Wellston silt loam, 3 to 8 percent slopes
Wellston silt loam, 6 to 12 percent slopes
Wellston silt loam, 6 to 12 percent slopes
Wellston silt loam, 6 to 12 percent slopes
Wellston silt loam, 6 to 12 percent slopes, eroded
Wellston silt loam, 6 to 12 percent slopes, moderately eroded
Wellston silt loam, 6 to 15 percent slopes
Wellston silt loam, 6 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes
Wellston silt loam, 8 to 15 percent slopes, eroded
Wellston-Cruze complex, 8 to 15 percent slopes
Wellston-Cruze silt loams, 8 to 15 percent slopes
Wellston-Guernsey silt loams, 8 to 15 percent slopes
Wernock silt loam, 8 to 15 percent slopes
Wernock silt loam, 8 to 15 percent slopes
Wernock Variant silt loam, 3 to 8 percent slopes
Westboro-Schaffer silt loams, 0 to 2 percent slopes
Westboro-Schaffer silt loams, 2 to 4 percent slopes
Westgate silt loam, 2 to 6 percent slopes
Westgate silt loam, 2 to 6 percent slopes
Westgate silt loam, 6 to 12 percent slopes, eroded
Westgate silt loam, 6 to 15 percent slopes, eroded
Westgate silt loam, 6 to 15 percent slopes, eroded

4
3
3
3
3
3
3
3
3
3
3
4
3
3
3
4
3
3
3
3
4
3
3
3
3
4
3
3
3
3
3
3
4
4
4
4
3
3
3
3
3
3
3
3
3
4
4
5
5
5
5
5

Wk
Wt
Ws
We
WdA
Wd
WnA
Wg
Ws
Wk
Ws
Wt
Wu
Wc
Wu
Wf
Wv
Wv
WfA
WeA
Wt
WnB
WkB
WkD
WmB
WkB
WkB
WeB
WnB
WmC
WkC
WnC
WeC
WkC2
WnE
WeD
WeD
WnD
WkD
WmD
WhD
WtD
WoD
WeD2
WtD2
WmD2
WhE

Westland clay loam
Westland clay loam
Westland clay loam
Westland clay loam
Westland clay loam, 0 to 1 percent slopes
Westland clay loam, 0 to 1 percent slopes
Westland silt loam, 0 to 2 percent slopes
Westland silt loam, overwash
Westland silt loam, overwash
Westland silty clay loam
Westland silty clay loam
Westland silty clay loam
Westland silty clay loam
Westland silty clay loam
Westland silty clay loam, clay substratum
Westland silty clay loam, clay substratum
Westland silty clay loam, overwash
Westland silty clay loam, silty substratum
Westland-Rensselaer complex, 0 to 1 percent slopes
Westland-Rensselaer complex, 0 to 1 percent slopes
Westland-Urban land complex
Westmore silt loam, 1 to 8 percent slopes
Westmore silt loam, 1 to 8 percent slopes
Westmore silt loam, 15 to 25 percent slopes
Westmore silt loam, 2 to 6 percent slopes
Westmore silt loam, 2 to 8 percent slopes
Westmore silt loam, 3 to 8 percent slopes
Westmore silt loam, 3 to 8 percent slopes
Westmore silt loam, 3 to 8 percent slopes
Westmore silt loam, 6 to 15 percent slopes
Westmore silt loam, 8 to 15 percent slopes
Westmore silt loam, 8 to 15 percent slopes
Westmore silt loam, 8 to 15 percent slopes
Westmore silt loam, 8 to 15 percent slopes, eroded
Westmoreland loam, 20 to 40 percent slopes, very bouldery
Westmoreland silt loam, 12 to 18 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes
Westmoreland silt loam, 15 to 25 percent slopes, eroded
Westmoreland silt loam, 15 to 25 percent slopes, eroded
Westmoreland silt loam, 15 to 25 percent slopes, eroded
Westmoreland silt loam, 25 to 35 percent slopes

[illegible]

WeE
WnE
WmE
WkE
WhE
WtE
WmB
WkB
WhF
WkF
WmF
WdC
WhC
WeC
WnC
WkC
WmC
WhC
WtC
WeC2
WhC2
WtC2
WyE
WtE
WpE
WkF
WtF
WnF
WrF
WpF
WgD2
WmE
WgC2
WIC2
WpD
WtD
WkD
WpC
WkC
WnE
WoF
WoF
WnF
WgD
WgE
WgF
WgD2

Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 25 to 40 percent slopes
Westmoreland silt loam, 3 to 8 percent slopes
Westmoreland silt loam, 3 to 8 percent slopes
Westmoreland silt loam, 40 to 60 percent slopes
Westmoreland silt loam, 40 to 60 percent slopes
Westmoreland silt loam, 40 to 70 percent slopes
Westmoreland silt loam, 6 to 15 percent slopes
Westmoreland silt loam, 6 to 15 percent slopes
Westmoreland silt loam, 6 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes
Westmoreland silt loam, 8 to 15 percent slopes, eroded
Westmoreland silt loam, 8 to 15 percent slopes, eroded
Westmoreland silt loam, 8 to 15 percent slopes, eroded
Westmoreland-Berks complex, 25 to 40 percent slopes
Westmoreland-Berks complex, 25 to 40 percent slopes
Westmoreland-Berks complex, 25 to 40 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Berks complex, 40 to 70 percent slopes
Westmoreland-Coshocton complex, 15 to 25 percent slopes, eroded
Westmoreland-Coshocton complex, 25 to 40 percent slopes
Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded
Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded
Westmoreland-Coshocton silt loams, 15 to 25 percent slopes
Westmoreland-Coshocton silt loams, 15 to 25 percent slopes
Westmoreland-Coshocton silt loams, 15 to 25 percent slopes
Westmoreland-Coshocton silt loams, 8 to 15 percent slopes
Westmoreland-Coshocton silt loams, 8 to 15 percent slopes
Westmoreland-Dekalb complex, 25 to 40 percent slopes
Westmoreland-Dekalb complex, 25 to 70 percent slopes, extremely bouldery
Westmoreland-Dekalb complex, 40 to 70 percent slopes
Westmoreland-Dekalb complex, 40 to 70 percent slopes
Westmoreland-Gilpin complex, 15 to 25 percent slopes
Westmoreland-Gilpin complex, 25 to 40 percent slopes
Westmoreland-Gilpin complex, 40 to 70 percent slopes
Westmoreland-Guernsey complex, 12 to 20 percent slopes, eroded

[illegible]

WgE2
WgF
WkD
WnD
WmD
WhD
WrD
WhD2
WuD2
WrD2
WnE
WmE
WhE
WrE
WhE2
WuE2
WrE2
WhF
WrF
WsF
WkC
WnC
WhC
WuC2
WrC2
WkF
WuF
WoD
WsD
WmD
WmE
WmF
WoC
WmC
WvD
WkF
WIF
WkG
WIG
We
Wv
Wa
WeA
WhD
WfD
WhC
WkD

Westmoreland-Guernsey complex, 20 to 35 percent slopes, eroded
Westmoreland-Guernsey complex, 35 to 70 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded
Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded
Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded
Westmoreland-Guernsey silt loams, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 40 to 70 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded
Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded
Westmoreland-Guernsey silt loams, benched, 40 to 70 percent slopes
Westmoreland-Lowell complex, 40 to 70 percent slopes
Westmoreland-Upshur complex, 15 to 25 percent slopes
Westmoreland-Upshur complex, 15 to 25 percent slopes
Westmoreland-Upshur complex, 15 to 25 percent slopes
Westmoreland-Upshur complex, 25 to 40 percent slopes
Westmoreland-Upshur complex, 40 to 70 percent slopes
Westmoreland-Upshur complex, 8 to 15 percent slopes
Westmoreland-Upshur complex, 8 to 15 percent slopes
Westmoreland-Urban land complex, 15 to 35 percent slopes
Westmore-Lowell-Elba complex, 25 to 35 percent slopes
Westmore-Lowell-Elba complex, 25 to 35 percent slopes, benched
Westmore-Lowell-Elba complex, 35 to 70 percent slopes
Westmore-Lowell-Elba complex, 35 to 70 percent slopes, benched
Wetzel silty clay loam
Wetzel silty clay loam
Weyers coarse sandy loam
Weyers silt loam, 0 to 1 percent slopes
Wharton silt loam, 15 to 25 percent slopes
Wharton silt loam, 15 to 25 percent slopes
Wharton silt loam, 8 to 15 percent slopes
Wharton-Latham complex, 15 to 25 percent slopes

WkE
WkD
WmD
WmA
WoA
WrA
WhF
WmB
WhB
WnB
WpB
WhC
WmC2
WhA
WrA
WtA
WnA
WhA
WvA
WhA
WtA
WhA
WmB
WnB
WmB
WrD
WrF
WhB
WrB
WnB
WhB
WhE
WhB
WrC
WhC
WhC
WrC2
WhC
WmC2
WrC2
WsD2
Wn
WpB
WsA
WrA
WhA
Wk

Wharton-Latham complex, 25 to 40 percent slopes
Wharton-Urban land complex, 8 to 20 percent slopes
Wheeling and Mentor silt loams, 12 to 18 percent slopes
Wheeling loam, 0 to 2 percent slopes
Wheeling loam, 0 to 3 percent slopes
Wheeling loam, 0 to 3 percent slopes
Wheeling loam, 12 to 55 percent slopes
Wheeling loam, 2 to 6 percent slopes
Wheeling loam, 2 to 6 percent slopes
Wheeling loam, 2 to 6 percent slopes, rarely flooded
Wheeling loam, 3 to 10 percent slopes
Wheeling loam, 6 to 12 percent slopes
Wheeling loam, 6 to 12 percent slopes, moderately eroded
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 0 to 2 percent slopes
Wheeling silt loam, 0 to 3 percent slopes
Wheeling silt loam, 0 to 3 percent slopes
Wheeling silt loam, 0 to 3 percent slopes
Wheeling silt loam, 0 to 4 percent slopes
Wheeling silt loam, 1 to 6 percent slopes
Wheeling silt loam, 1 to 6 percent slopes
Wheeling silt loam, 1 to 8 percent slopes
Wheeling silt loam, 12 to 18 percent slopes
Wheeling silt loam, 18 to 35 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 2 to 6 percent slopes
Wheeling silt loam, 25 to 40 percent slopes
Wheeling silt loam, 3 to 6 percent slopes
Wheeling silt loam, 6 to 12 percent slopes
Wheeling silt loam, 6 to 12 percent slopes
Wheeling silt loam, 6 to 12 percent slopes
Wheeling silt loam, 6 to 12 percent slopes, moderately eroded
Wheeling silt loam, 6 to 15 percent slopes
Wheeling silt loam, 6 to 15 percent slopes, eroded
Wheeling silt loam, 6 to 18 percent slopes, moderately eroded
Wheeling soils, 12 to 18 percent slopes, moderately eroded
Wheeling-Nolin silt loams
Wheeling-Urban land complex, 1 to 8 percent slopes
Wheeling-Urban land complex, nearly level
Wheeling-Urban land complex, nearly level
Whitaker loam, 0 to 3 percent slopes
Wick silt loam, 0 to 2 percent slopes, frequently flooded

5
5
5
5
5
5
4
5
4
4
5
4
5
5
5
5
5
4
5
5
5
5
5
4
5
5
5
5
5
5
5
5
5
5
4
5
5
5
4
5
5
5
5
5
4
5
5
5
5

WoA
Wm
Wt
Wx
Wm
WeA
Wt
WvD2
WvB
WvC2
WIA
WmA
WvA
WmB
WIB
WvB
WmB
WvC
WIC2
WmC2
WmB
WIA
WIB
WmB
Wn
WoB
WtB
WtD
WtD2
WoD
WtB
WyB
WpB
WoB
WtB
WoB
WtC
WyC2
WpC2
WtC2
WuC
WoC
WnC
WtC
WvD
WzD
WvB

Wick silt loam, 0 to 2 percent slopes, frequently flooded
Wilbur silt loam, occasionally flooded
Willette muck
Willette muck
Willette muck
Willette muck, 0 to 1 percent slopes
Willette muck, ponded
Williamsburg and Martinsville silt loams, 12 to 18 percent slopes, moderately eroded
Williamsburg and Martinsville silt loams, 2 to 6 percent slopes
Williamsburg and Martinsville silt loams, 6 to 12 percent slopes, moderately eroded
Williamsburg silt loam, 0 to 2 percent slopes
Williamsburg silt loam, 0 to 2 percent slopes
Williamsburg silt loam, 0 to 2 percent slopes
Williamsburg silt loam, 1 to 6 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Williamsburg silt loam, 2 to 6 percent slopes
Williamsburg silt loam, 6 to 12 percent slopes
Williamsburg silt loam, 6 to 12 percent slopes, moderately eroded
Williamsburg silt loam, 6 to 15 percent slopes, eroded
Williamstown silt loam, 1 to 4 percent slopes
Wilmer Variant silt loam, 0 to 2 percent slopes
Wilmer Variant silt loam, 2 to 6 percent slopes
Wilmer Variant silt loam, 2 to 6 percent slopes
Wirt loam, occasionally flooded
Woodsfield silt loam, 1 to 6 percent slopes
Woodsfield silt loam, 1 to 8 percent slopes
Woodsfield silt loam, 12 to 18 percent slopes
Woodsfield silt loam, 12 to 18 percent slopes, moderately eroded
Woodsfield silt loam, 15 to 25 percent slopes
Woodsfield silt loam, 2 to 6 percent slopes
Woodsfield silt loam, 2 to 6 percent slopes
Woodsfield silt loam, 2 to 6 percent slopes
Woodsfield silt loam, 2 to 6 percent slopes
Woodsfield silt loam, 3 to 8 percent slopes
Woodsfield silt loam, 3 to 8 percent slopes
Woodsfield silt loam, 6 to 12 percent slopes
Woodsfield silt loam, 6 to 12 percent slopes, eroded
Woodsfield silt loam, 6 to 12 percent slopes, eroded
Woodsfield silt loam, 6 to 12 percent slopes, moderately eroded
Woodsfield silt loam, 6 to 15 percent slopes
Woodsfield silt loam, 6 to 15 percent slopes
Woodsfield silt loam, 8 to 15 percent slopes
Woodsfield silt loam, 8 to 15 percent slopes
Woodsfield-Zanesville silt loams, 12 to 18 percent slopes
Woodsfield-Zanesville silt loams, 12 to 18 percent slopes
Woodsfield-Zanesville silt loams, 2 to 6 percent slopes

[illegible]

WzB
WvC
WzC
WyC
WxB
WoD
WoC
WrF2
WuD
WsD
WsD2
WsD2
WuD2
WsD3
WuD2
WuE2
WtE
WsE
WsE2
WsE2
WuE2
WsE
WsE2
WvE3
WuE2
WsB
WuB
WuB2
WsB2
WsF
WuF
WuF2
WuF
WsF
WsC
WuC
WsC2
WsC2
WuC2
WvD2
WvC2
WtD2
WcD2
WtB
WtC2
WcC2
WtB

Woodsfield-Zanesville silt loams, 2 to 6 percent slopes
Woodsfield-Zanesville silt loams, 6 to 12 percent slopes
Woodsfield-Zanesville silt loams, 6 to 12 percent slopes
Woolper and Sees silt loams, 6 to 12 percent slopes
Woolper silt loam, 2 to 6 percent slopes
Woolper silty clay loam, 12 to 20 percent slopes
Woolper silty clay loam, 6 to 12 percent slopes
Wooster loam, 25 to 50 percent slopes, moderately eroded
Wooster silt loam, 12 to 18 percent slopes
Wooster silt loam, 12 to 18 percent slopes
Wooster silt loam, 12 to 18 percent slopes, eroded
Wooster silt loam, 12 to 18 percent slopes, moderately eroded
Wooster silt loam, 12 to 18 percent slopes, moderately eroded
Wooster silt loam, 12 to 18 percent slopes, severely eroded
Wooster silt loam, 12 to 18 percent, moderately eroded
Wooster silt loam, 12 to 25 percent slopes, moderately eroded
Wooster silt loam, 18 to 25 percent slopes
Wooster silt loam, 18 to 25 percent slopes
Wooster silt loam, 18 to 25 percent slopes, eroded
Wooster silt loam, 18 to 25 percent slopes, moderately eroded
Wooster silt loam, 18 to 25 percent slopes, moderately eroded
Wooster silt loam, 18 to 35 percent slopes
Wooster silt loam, 18 to 40 percent slopes, eroded
Wooster silt loam, 18 to 40 percent slopes, severely eroded
Wooster silt loam, 18 to 50 percent slopes, moderately eroded
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 2 to 6 percent slopes
Wooster silt loam, 2 to 6 percent slopes, moderately eroded
Wooster silt loam, 2 to 6 percent slopes, moderately eroded
Wooster silt loam, 25 to 40 percent slopes
Wooster silt loam, 25 to 50 percent slopes
Wooster silt loam, 25 to 50 percent slopes, moderately eroded
Wooster silt loam, 25 to 70 percent slopes
Wooster silt loam, 25 to 70 percent slopes
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes
Wooster silt loam, 6 to 12 percent slopes, eroded
Wooster silt loam, 6 to 12 percent slopes, moderately eroded
Wooster silt loam, 6 to 12 percent slopes, moderately eroded
Wooster silt loam, sandstone substratum, 12 to 18 percent slopes, moderately eroded
Wooster silt loam, sandstone substratum, 6 to 12 percent slopes, moderately eroded
Wooster-Chili complex, 12 to 18 percent slopes, eroded
Wooster-Chili complex, 12 to 18 percent slopes, eroded
Wooster-Chili complex, 2 to 6 percent slopes
Wooster-Chili complex, 6 to 12 percent slopes, eroded
Wooster-Chili complex, 6 to 12 percent slopes, eroded
Wooster-Chili soils, 2 to 6 percent slopes

[illegible]

WtC
WvD2
WuD2
WvB
WyB
WxB
WuB
WyC
WuC
WvC2
WyC2
WxC2
WuC2
WyC
WwD
WvD
WyB
WsB
WtB
WtB
WyC2
WuD2
WyD2
WyD2
WyB2
WuC2
WvC2
WyC2
WzC2
WyC2
WyC2
WrB
WyD2
WyB
WyB2
WrC2
WyC2
WyC3
WzC3
WyC3
WuB
WuC
XeA
XnA
XfA
XaA
XeB

Wooster-Chili soils, 6 to 12 percent slopes
Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded
Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded
Wooster-Riddles silt loams, 2 to 6 percent slopes
Wooster-Riddles silt loams, 2 to 6 percent slopes
Wooster-Riddles silt loams, 2 to 6 percent slopes
Wooster-Riddles silt loams, 2 to 6 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes
Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded
Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded
Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded
Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded
Wooster-Urban land complex, 6 to 12 percent slopes
Wooster-Urban land complex, hilly
Wooster-Urban land complex, steep
Wyatt silt loam, 1 to 8 percent slopes
Wyatt silt loam, 2 to 6 percent slopes
Wyatt silt loam, 2 to 6 percent slopes
Wyatt silt loam, 3 to 8 percent slopes
Wyatt silt loam, 8 to 15 percent slopes, eroded
Wyatt silty clay loam, 12 to 18 percent slopes, eroded
Wyatt silty clay loam, 12 to 18 percent slopes, eroded
Wyatt silty clay loam, 15 to 25 percent slopes, eroded
Wyatt silty clay loam, 3 to 8 percent slopes, eroded
Wyatt silty clay loam, 6 to 12 percent slopes, eroded
Wyatt silty clay loam, 6 to 12 percent slopes, eroded
Wyatt silty clay loam, 6 to 12 percent slopes, eroded
Wyatt silty clay loam, 6 to 15 percent slopes, eroded
Wyatt silty clay loam, 6 to 15 percent slopes, eroded
Wyatt silty clay loam, 8 to 15 percent slopes, eroded
Wynn silt loam, 1 to 6 percent slopes
Wynn silt loam, 12 to 18 percent slopes, eroded
Wynn silt loam, 2 to 6 percent slopes
Wynn silt loam, 2 to 6 percent slopes, moderately eroded
Wynn silt loam, 6 to 12 percent slopes, eroded
Wynn silt loam, 6 to 12 percent slopes, moderately eroded
Wynn silt loam, 6 to 12 percent slopes, severely eroded
Wynn silty clay loam, 6 to 12 percent slopes, severely eroded
Wynn silty clay loam, 6 to 12 percent slopes, severely eroded
Wynn-Urban land complex, gently sloping
Wynn-Urban land complex, sloping
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 0 to 2 percent slopes
Xenia silt loam, 2 to 6 percent slopes

[illegible]

XaB
XnB2
XfB2
XaB2
XeB2
XfA
XfB
XhB
XfB2
XhB2
ZaB
ZnB
ZnD
ZnD2
ZnB
ZnB2
ZnB
ZoB
ZnC
ZnC2
ZnC2
ZaC
ZnC
ZaC2
ZnC2
ZvC2
ZnC
ZmC
ZoD2
ZoB
ZoB2
ZoC
ZoC2
ZeA
Zie5A
Zp
Zs
ZuD2
ZuE2
ZuF
ZuC2

Xenia silt loam, 2 to 6 percent slopes
Xenia silt loam, 2 to 6 percent slopes, eroded
Xenia silt loam, 2 to 6 percent slopes, eroded
Xenia silt loam, 2 to 6 percent slopes, eroded
Xenia silt loam, 2 to 6 percent slopes, moderately eroded
Xenia silt loam, bedrock substratum, 0 to 2 percent slopes
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes, moderately eroded
Xenia silt loam, bedrock substratum, 2 to 6 percent slopes, moderately eroded
Zanesville silt loam, 1 to 6 percent slopes
Zanesville silt loam, 1 to 8 percent slopes
Zanesville silt loam, 12 to 18 percent slopes
Zanesville silt loam, 12 to 18 percent slopes, moderately eroded
Zanesville silt loam, 2 to 6 percent slopes
Zanesville silt loam, 2 to 6 percent slopes, moderately eroded
Zanesville silt loam, 3 to 8 percent slopes
Zanesville silt loam, 3 to 8 percent slopes
Zanesville silt loam, 6 to 12 percent slopes
Zanesville silt loam, 6 to 12 percent slopes, eroded
Zanesville silt loam, 6 to 12 percent slopes, moderately eroded
Zanesville silt loam, 6 to 15 percent slopes
Zanesville silt loam, 6 to 15 percent slopes
Zanesville silt loam, 6 to 15 percent slopes, eroded
Zanesville silt loam, 6 to 15 percent slopes, eroded
Zanesville silt loam, 6 to 15 percent slopes, eroded
Zanesville silt loam, 8 to 15 percent slopes
Zanesville silt loam, 8 to 15 percent slopes
Zanesville-Woodsfield silt loams, 12 to 18 percent slopes, moderately eroded
Zanesville-Woodsfield silt loams, 2 to 6 percent slopes
Zanesville-Woodsfield silt loams, 2 to 6 percent slopes, moderately eroded
Zanesville-Woodsfield silt loams, 6 to 12 percent slopes
Zanesville-Woodsfield silt loams, 6 to 12 percent slopes, moderately eroded
Zepernick silt loam, 0 to 2 percent slopes, occasionally flooded
Ziegenfuss clay loam, 0 to 1 percent slopes
Zipp silty clay loam, frequently flooded
Zipp silty clay loam, ponded
Zurich silt loam, 12 to 18 percent slopes, eroded
Zurich silt loam, 18 to 25 percent slopes, eroded
Zurich silt loam, 25 to 40 percent slopes
Zurich silt loam, 6 to 12 percent slopes, eroded

[illegible]